

# **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

Version 6.12 Revision Date 23.04.2025 Print Date 02.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : 2-Heptanone

Product Number : 02476

Brand : Sigma-Aldrich Index-No. : 606-024-00-3

REACH No. : 01-2119902391-49-XXXX

CAS-No. : 110-43-0

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3

CHEMIKART

## 1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Flammable liquids, (Category 3) H226: Flammable liquid and vapor.

Acute toxicity, (Category 4) H302: Harmful if swallowed.

Acute toxicity, (Category 4) H332: Harmful if inhaled.

Specific target organ toxicity - single exposure, (Category 3),

Central nervous system

H336: May cause drowsiness or dizziness.

## 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Sigma-Aldrich- 02476 Page 1 of 11

#### **Pictogram**

Signal Word Warning

Hazard Statements

H226 Flammable liquid and vapor.

H302 + H332 Harmful if swallowed or if inhaled. H336 May cause drowsiness or dizziness.

**Precautionary Statements** 

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor if you feel unwell.

Supplemental Hazard

Statements

none

## Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Warning

Hazard Statements none

Precautionary Statements none

Supplemental Hazard none

Statements

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : Methyl pentyl ketone

Formula : C<sub>7</sub>H<sub>14</sub>O

Molecular weight : 114,19 g/mol

Sigma-Aldrich- 02476 Page 2 of 11

CAS-No. : 110-43-0 EC-No. : 203-767-1 Index-No. : 606-024-00-3

Component		Classification	Concentration
heptan-2-one			
CAS-No. EC-No. Index-No.	110-43-0 203-767-1 606-024-00-3	Flam. Liq. 3; Acute Tox. 4; STOT SE 3; H226, H302, H332, H336	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

## In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

Sigma-Aldrich- 02476 Page 3 of 11

#### **5.3** Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

## Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

## Storage class

Storage class (TRGS 510): 3: Flammable liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma-Aldrich- 02476 Page 4 of 11

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

**Ingredients with workplace control parameters** 

## 8.2 Exposure controls

## Personal protective equipment

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0,7 mm Break through time: 60 min

Material tested:Butoject® (KCL 898)

## **Body Protection**

Flame retardant antistatic protective clothing.

#### Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Physical state clear, liquidb) Color colorless

c) Odor No data available

d) Melting point/ range: -35 °C - lit.

point/freezing point

e) Initial boiling point 149 - 150 °C - lit. and boiling range

f) Flammability (solid, No data available gas)

g) Upper/lower Upper explosion limit: 7,9 %(V) flammability or Lower explosion limit: 1,11 %(V)

Sigma-Aldrich- 02476 Page 5 of 11

explosive limits

h) Flash point 41 °C - closed cup

i) Autoignition 358 °C temperature at 99,63 hPa

j) Decomposition No data available temperature

k) pH No data available

I) Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: 0,77 mPa.s at 20 °C

m) Water solubility 4,21 g/l at 20 °C n) Partition coefficient: log Pow: 1,98

n) Partition coefficient: n-octanol/water

n-octanoi/water

o) Vapor pressure 2,85 hPa at 20 °C

p) Density 0,82 g/mL at 25  $^{\circ}$ C - lit.

Relative density 0.814 at 20 °C g) Relative vapor 3.94 - (Air = 1.0)

density

r) Particle No data available

characteristics

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

## 9.2 Other safety information

Surface tension 26,17 mN/m at 25 °C

Relative vapor 3,94 - (Air = 1.0) density

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Vapor/air-mixtures are explosive at intense warming.

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

#### 10.3 Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with:

Strong oxidizing agents

alkalines Isocyanates Amines acids

#### 10.4 Conditions to avoid

Heating.

## 10.5 Incompatible materials

various plastics

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - 1.600 mg/kg

Acute toxicity estimate Oral - 1.600 mg/kg

(ATE value derived from LD50/LC50 value)

LC50 Inhalation - Rat - male and female - 4 h - > 16,7 mg/l - vapor

(OECD Test Guideline 403)

LD50 Dermal - Rat - male and female - > 5.000 mg/kg

(OECD Test Guideline 402)

## Skin corrosion/irritation

Skin - Rabbit

Result: Mild skin irritation - 4 h (OECD Test Guideline 404)

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Mild eye irritation (OECD Test Guideline 405)

## Respiratory or skin sensitization

- Mouse

Did not cause sensitization on laboratory animals.

(OECD Test Guideline 429)

## Germ cell mutagenicity

Test Type: in vitro test Test system: lymphocyte

Metabolic activation: with and without metabolic activation

Result: negative

Species: Rat

Application Route: Inhalation

Result: negative

Carcinogenicity
No data available

## **Reproductive toxicity**

No data available

#### Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

#### Specific target organ toxicity - repeated exposure

No data available

Sigma-Aldrich- 02476 Page 7 of 11

## Aspiration hazard

No data available

#### 11.2 Additional Information

## **Endocrine disrupting properties**

#### **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

RTECS: MJ5075000

To the best of our knowledge, the chemical, physical, and toxicological properties have not

been thoroughly investigated., Central nervous system depression

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 126 - 137 mg/l -

96 h

Toxicity to daphnia

and other aquatic invertebrates

48 h

Toxicity to algae

static test EC50 - Pseudokirchneriella subcapitata (algae) - 98,2 mg/l

semi-static test EC50 - Daphnia magna (Water flea) - > 90,1 mg/l -

- 72 h

(OECD Test Guideline 201)

#### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 69 % - Readily biodegradable.

(OECD Test Guideline 310)

Ratio BOD/ThBOD 1,77 %

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

# Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sigma-Aldrich- 02476 Page 8 of 11

#### 12.7 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

No data available

## **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 1110 IMDG: 1110 IATA: 1110

14.2 UN proper shipping name

ADR/RID: n-AMYL METHYL KETONE IMDG: n-AMYL METHYL KETONE IATA: n-Amyl methyl ketone

14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (D/E)

Further information : No data available

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **National legislation**

Seveso III: Directive 2012/18/EU of the P5c FLAMMABLE LIQUIDS European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

Sigma-Aldrich- 02476 Page 9 of 11

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H226	Flammable	liquid	and	vapor.

H302 Harmful if swallowed. H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

## **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Sigma-Aldrich- 02476 Page 10 of 11

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



Sigma-Aldrich- 02476 Page 11 of 11