



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.5

Revision Date 30.12.2023

Print Date 04.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Ethylenediaminetetraacetic acid disodium salt dihydrate

Product Number : 03677

Brand : Sigma-Aldrich

REACH No. : 01-2119486775-20-XXXX

CAS-No. : 6381-92-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3

CHEMIKART

1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Acute toxicity, (Category 4) H332: Harmful if inhaled.

Specific target organ toxicity - repeated exposure, (Category 2), Respiratory Tract H373: May cause damage to organs through prolonged or repeated exposure if inhaled.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word	Warning
Hazard Statements	
H332	Harmful if inhaled.
H373	May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.
Precautionary Statements	
P260	Do not breathe dust.
P271	Use only outdoors or in a well-ventilated area.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P314	Get medical advice/ attention if you feel unwell.
P501	Dispose of contents/ container to an approved waste disposal plant.
Supplemental Hazard Statements	none

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word	Warning
Hazard Statements	none
Precautionary Statements	none
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula	: $C_{10}H_{14}N_2Na_2O_8 \cdot 2H_2O$
Molecular weight	: 372,24 g/mol

CAS-No. : 6381-92-6
EC-No. : 205-358-3

Component	Classification	Concentration
Edetate disodium dihydrate		
CAS-No. 6381-92-6 EC-No. 205-358-3	Acute Tox. 4; STOT RE 2; H332, H373	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO₂) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides
Nitrogen oxides (NO_x)
Sodium oxides
Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Storage class

Storage class (TRGS 510): 11: Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Derived No Effect Level (DNEL)

Application Area	Routes of exposure	Health effect	Value
Worker DNEL, acute	inhalation	Local effects	3 mg/m ³
Worker DNEL, longterm	inhalation	Local effects	1,5 mg/m ³
Consumer DNEL, acute	inhalation	Local effects	1,2 mg/m ³
Consumer DNEL, longterm	inhalation	Local effects	0,6 mg/m ³
Consumer DNEL, longterm	oral	Systemic effects	

Predicted No Effect Concentration (PNEC)

Compartment	Value
Fresh water	2,2 mg/l
Sea water	0,22 mg/l
Aquatic intermittent release	1,2 mg/l
Sewage treatment plant	43 mg/l
Soil	0,72 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please

contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Combined particulates, inorganic and acidic gas/vapor, ammonia/amines and organic vapor type

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|---|--|
| a) Physical state | crystals |
| b) Color | white |
| c) Odor | odorless |
| d) Melting point/freezing point | Melting point/range: 248 °C |
| e) Initial boiling point and boiling range | No data available |
| f) Flammability (solid, gas) | No data available |
| g) Upper/lower flammability or explosive limits | No data available |
| h) Flash point | Not applicable |
| i) Autoignition temperature | No data available |
| j) Decomposition temperature | 255 °C |
| k) pH | No data available |
| l) Viscosity | Viscosity, kinematic: No data available
Viscosity, dynamic: No data available |
| m) Water solubility | No data available |

- n) Partition coefficient: No data available
n-octanol/water
- o) Vapor pressure No data available
- p) Density No data available
Relative density No data available
- q) Relative vapor density No data available
- r) Particle characteristics No data available

- s) Explosive properties No data available
- t) Oxidizing properties none

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:
Strong oxidizing agents

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

Aluminum, Copper, Copper alloys, Nickel, Zinc

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 2.800 mg/kg
(OECD Test Guideline 401)

Remarks: The value is given in analogy to the following substances:
Ethylenedinitrilotetraacetic acid disodium salt

Acute toxicity estimate Inhalation - 1,6 mg/l - dust/mist

(Expert judgment)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

(OECD Test Guideline 404)

Remarks: (ECHA)

The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

(OECD Test Guideline 405)

Remarks: (ECHA)

The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Remarks: (ECHA)

The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

Germ cell mutagenicity

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative

Remarks: (ECHA)

The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid trisodium salt

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Remarks: (ECHA)

The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid trisodium salt

Test Type: Ames test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Remarks: (ECHA)

The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid trisodium salt

Test Type: In vivo micronucleus test

Species: Mouse

Application Route: Oral
Method: OECD Test Guideline 474

Remarks: (ECHA)

The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure.

- Respiratory Tract

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

RTECS: AH4410000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 100 mg/l - 96 h
(OECD Test Guideline 203)
Remarks: (ECHA)
The value is given in analogy to the following substances: Sodium ferredetate

Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 140 mg/l - 48 h
(DIN 38412)
Remarks: (ECHA)
The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

NOEC - Daphnia magna (Water flea) - 25 mg/l - 21 d
Remarks: (ECHA)
The value is given in analogy to the following substances:
Ethylenedinitrilotetraacetic acid disodium salt

Toxicity to algae static test - Pseudokirchneriella subcapitata (green algae) - > 60 mg/l - 72 h
(OECD Test Guideline 201)
Remarks: (ECHA)
The value is given in analogy to the following substances: Sodium ferredetate

Toxicity to bacteria NOEC - activated sludge - > 640 mg/l - 3 h
(OECD Test Guideline 209)
Remarks: (ECHA)
The value is given in analogy to the following substances: Sodium ferredetate

12.2 Persistence and degradability

Biodegradability Result: 2 % - Not readily biodegradable.
(OECD Test Guideline 301D)
Remarks: The value is given in analogy to the following substances:
Ethylenedinitrilotetraacetic acid disodium salt

12.3 Bioaccumulative potential

Bioaccumulation Lepomis macrochirus (Bluegill sunfish) - 28 d
at 21 °C - 0,08 mg/l (Edetate disodium dihydrate)
Bioconcentration factor (BCF): 1,8
(OECD Test Guideline 305)

Remarks: The value is given in analogy to the following substances:
Ethylenedinitrilotetraacetic acid, Tetrasodium salt

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Full text of H-Statements

H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure if inhaled.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact

with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

CHEMIKART