

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 10.0 Revision Date 01.10.2024 Print Date 03.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Cumene hydroperoxide

Product Number : 247502 Brand : Aldrich

UFI : T603-7668-J999-K2P5

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances Uses advised against : This product is not intended for consumer use.

1.3

CHEMIKART

#### 1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Organic peroxides, (Type F) H242: Heating may cause a fire.

Acute toxicity, (Category 4) H302: Harmful if swallowed.

Acute toxicity, (Category 3) H331: Toxic if inhaled.

Acute toxicity, (Category 4) H312: Harmful in contact with skin.

Skin corrosion, (Sub-category H314: Causes severe skin burns and eye

1B) damage.

Aldrich- 247502 Page 1 of 17

Serious eye damage, (Category 1)	H318: Causes serious eye damage.
Carcinogenicity, (Category 1B)	H350: May cause cancer.
Specific target organ toxicity - single exposure, (Category 3), Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, (Category 2), Lungs	H373: May cause damage to organs through prolonged or repeated exposure if inhaled.
Aspiration hazard, (Category 1)	H304: May be fatal if swallowed and enters airways.
Long-term (chronic) aquatic hazard, (Category 2)	H411: Toxic to aquatic life with long lasting effects.

# 2.2 Label elements

# **Labelling according Regulation (EC) No 1272/2008**Pictogram

Signal Word	Danger
Hazard Statements H242 H302 + H312 H304 H314 H331 H335 H350 H373	Heating may cause a fire. Harmful if swallowed or in contact with skin. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. Toxic if inhaled. May cause respiratory irritation. May cause cancer. May cause damage to organs (Lungs) through prolonged or repeated exposure if inhaled.
H411	Toxic to aquatic life with long lasting effects.
Precautionary Statements P210	Keep away from heat, hot surfaces, sparks, open flames and
P280	other ignition sources. No smoking.  Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331 P303 + P361 + P353	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Supplemental Hazard Statements	none

Aldrich- 247502 Page 2 of 17

#### Reduced Labeling (<= 125 ml)

Pictogram

Signal Word	Danger
Hazard Statements H331 H350 H304 H314	Toxic if inhaled. May cause cancer. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage.
Precautionary Statements P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331 P303 + P361 + P353	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Component		Classification	Concentration
Cumol hydroperoxide			
CAS-No.	80-15-9	Org. Perox. E; Acute Tox.	>= 70 - < 90
EC-No.	201-254-7	4; Acute Tox. 3; Acute	%
Index-No.	617-002-00-8	Tox. 4; Skin Corr. 1B; Eye	
	*	Dam. 1; STOT RE 2;	
		Aquatic Chronic 2; H242,	
		H302, H331, H312, H314,	
		H318, H373, H411	

Aldrich- 247502 Page 3 of 17

		Concentration limits: 3 - < 10 %: Skin Irrit. 2, H315; 1 - < 3 %: Eye Irrit. 2, H319; >= 10 %: Skin Corr. 1B, H314; 3 - < 10 %: Eye Dam. 1, H318; >= 1 %: STOT SE 3, H335;	
cumene			
CAS-No. EC-No.	98-82-8 202-704-5	Flam. Liq. 3; Carc. 1B; STOT SE 3; Asp. Tox. 1;	>= 10 - < 20 %
Index-No.	601-024-00-X *	Aquatic Chronic 2; H226, H350, H335, H304, H411	
2-Phenylpropan-2-ol			
CAS-No.	617-94-7	Acute Tox. 4; Skin Irrit. 2;	>= 10 - < 20
EC-No.	210-539-5	Eye Irrit. 2; H302, H315, H319	%
	*		

<sup>\*</sup>A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, or the annual tonnage does not require a registration.

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Pulmonary failure possible after aspiration of vomit. Call a physician immediately. Do not attempt to neutralise.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

Aldrich- 247502 Page 4 of 17

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

Explosive decomposition possible on heating.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Aldrich- 247502 Page 5 of 17

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons. Separately or together with other organic peroxides only and away from sources of ignition and heat.

**Storage stability**Recommended storage temperature

2 - 8 °C

#### **Storage class**

Storage class (TRGS 510): 5.2: Organic peroxides and self-reacting hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Ingredients with workplace control parameters

#### 8.2 Exposure controls

Personal protective equipment

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm Break through time: 240 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

# **Body Protection**

protective clothing

#### Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Physical state liquid

b) Color colorless, to, light yellow

c) Odord) MeltingNo data available

point/freezing point

NO data available

e) Initial boiling point 100 - 101 °C at 10 hPa - lit. and boiling range

f) Flammability (solid, No data available

gas)

g) Upper/lower No data available flammability or explosive limits

h) Flash point 79 °C

i) Autoignition No data available

temperature

j) Decomposition 70 °C

temperature Self-Accelerating decomposition temperature (SADT)

k) pH No data available

I) Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

m) Water solubility soluble

n) Partition coefficient: No data available

n-octanol/water

o) Vapor pressure 0,5 hPa at 55 °C

< 0,04 hPa at 20 °C

p) Density 1,03 g/mL at 25 °C

Relative density No data available
Relative vapor No data available

density

Aldrich- 247502 Page 7 of 17

r) Particle characteristics

No data available

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

#### 9.2 Other safety information

Relative vapor

5,25 - (Air = 1.0)

density

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

#### 10.2 Chemical stability

Self-Accelerating decomposition temperature (SADT) 70°C

The product is chemically stable under standard ambient conditions (room temperature) .

# 10.3 Possibility of hazardous reactions

Exothermic reaction with:

alkalines

Lead

Cobalt

Copper

Bases

carbon/soot

Risk of explosion with:

**Amines** 

combustible substances

hvdrides

mineral acids

iodides

nitrides

**Organic Substances** 

oxidisable substances

Reducing agents

Rust

acids

Sulfides

Heavy metal salts

#### 10.4 Conditions to avoid

Do not expose to temperatures above: 40°C

Strong heating.

# 10.5 Incompatible materials

No data available

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Mixture

# **Acute toxicity**

Acute toxicity estimate Oral - 477,87 mg/kg

(Calculation method)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute toxicity estimate Inhalation - 4 h - 4,03 mg/l - vapor(Calculation method)

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Acute toxicity estimate Dermal - 1.429 mg/kg

(Calculation method)

#### Skin corrosion/irritation

Remarks: Mixture causes burns.

#### Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Risk of blindness!

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

Possible carcinogen.

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

Mixture may cause respiratory irritation.

# Specific target organ toxicity - repeated exposure

Mixture may cause damage to organs through prolonged or repeated exposure. - Lungs

# **Aspiration hazard**

Aspiration hazard, Aspiration may cause pulmonary edema and pneumonitis.

#### 11.2 Additional Information

#### **Endocrine disrupting properties**

#### **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

RTECS: MX2450000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

#### Components

#### **Cumol hydroperoxide**

#### **Acute toxicity**

LD50 Oral - Rat - 382 mg/kg

Remarks: Kidney, Ureter, Bladder: Hematuria.

(RTECS)

Acute toxicity estimate Oral - 382 mg/kg (ATE value derived from LD50/LC50 value) LC50 Inhalation - Rat - male - 4 h - 1,37 mg/l

Remarks: (ECHA)

LD50 Dermal - Rat - male and female - 1.200 - 1.520 mg/kg

Remarks: (ECHA)

#### Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns.

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2) (ECHA)

# Serious eye damage/eye irritation

Remarks: No data available

# Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

Test Type: Ames test

Test system: S. typhimurium

Result: positive

Species: Mouse - male and female

Result: negative Remarks: (ECHA)

# Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure. - Lungs

# **Aspiration hazard**

No data available

#### cumene

#### **Acute toxicity**

Symptoms: gastric pain, Vomiting

Symptoms: mucosal irritations, Cough, Shortness of breath, Headache, Nausea,

Vomiting, Possible damages:, damage of respiratory tract

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation (OECD Test Guideline 404)

Remarks: Drying-out effect resulting in rough and chapped skin.

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 72 h (OECD Test Guideline 405)

#### Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

## Germ cell mutagenicity

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Result: negative Test Type: Ames test

Test system: S. typhimurium

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: unscheduled DNA synthesis assay

Test system: rat hepatocytes

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male and female - Red blood cells (erythrocytes)

Result: negative

Method: OECD Test Guideline 474 Species: Rat - male - Bone marrow

Result: Positive results were obtained in some in vivo tests.

#### Carcinogenicity

Presumed to have carcinogenic potential for humans

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory Tract

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Acute oral toxicity - gastric pain, Vomiting

Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath, Headache, Nausea, Vomiting, Possible damages:, damage of respiratory tract

Aldrich- 247502 Page 11 of 17

#### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

Aspiration may cause pulmonary edema and pneumonitis.

#### 2-Phenylpropan-2-ol

#### **Acute toxicity**

LD50 Oral - Rat - 1.300 mg/kg

Remarks: (RTECS)

Inhalation: No data available Dermal: No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: Severe skin irritation

#### Serious eye damage/eye irritation

Remarks: No data available

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Mixture

No data available

# 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

#### **Components**

**Cumol hydroperoxide** 

Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) -

3,9 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic

static test EC50 - Daphnia magna (Water flea) - 18,84 mg/l -

48 h

invertebrates (OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) -

3,1 mg/l - 72 h

(OECD Test Guideline 201)

cumene

Toxicity to fish flow-through test LC50 - Cyprinodon variegatus (sheepshead

minnow) - 4,7 mg/l - 96 h

(US-EPA)

Toxicity to daphnia and other aquatic

static test EC50 - Daphnia magna (Water flea) - 2,14 mg/l - 48

h

invertebrates (OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) -

2,01 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - > 2.000 mg/l - 3 h

(OECD Test Guideline 209)

Toxicity to daphnia

semi-static test NOEC - Daphnia magna (Water flea) - 0,35

and other aquatic mg/l - 21 d

invertebrates(Chronic (OECD Test Guideline 211)

toxicity)

# 2-Phenylpropan-2-ol

No data available

Aldrich- 247502 Page 13 of 17

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

No data available

#### **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 3109 IMDG: 3109 IATA: 3109

14.2 UN proper shipping name

ADR/RID: ORGANIC PEROXIDE TYPE F, LIQUID (CUMYL HYDROPEROXIDE) (Cumyl

hydroperoxide)

IMDG: ORGANIC PEROXIDE TYPE F, LIQUID (CUMYL HYDROPEROXIDE) (Cumyl

hydroperoxide)

Organic peroxide type F, liquid (Cumyl hydroperoxide) (Cumyl hydroperoxide) IATA:

Special Provisions: "Keep away from heat" label required.

14.3 Transport hazard class(es)

ADR/RID: 5.2 IMDG: 5.2 IATA: 5.2

14.4 Packaging group

IMDG: -ADR/RID: -IATA: -

14.5 Environmental hazards

IMDG Marine pollutant: yes ADR/RID: yes IATA: no

14.6 Special precautions for user

Tunnel restriction code : (D)

Further information : No data available

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

H2

**Authorisations and/or restrictions on use** 

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

**National legislation** 

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

**ACUTE TOXIC** 

: cumene

P<sub>6</sub>b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC

**PEROXIDES** 

E2 **ENVIRONMENTAL HAZARDS** 

Page 14 of 17 Aldrich- 247502

#### Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

# **Full text of H-Statements**

H226 H242	Flammable liquid and vapor. Heating may cause a fire.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure if inhaled.
H411	Toxic to aquatic life with long lasting effects.

#### Relevant changes since previous version

- 5. Fire-fighting measures
- 10. Stability and reactivity
- 14. Transport information

Aldrich- 247502 Page 15 of 17

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture		Classification procedure:
Org. Perox.F	H242	Based on product data or assessment
Acute Tox.4	H302	Calculation method
Acute Tox.3	H331	Calculation method
Acute Tox.4	H312	Calculation method
Skin Corr.1B	H314	Calculation method
Eye Dam.1	H318	Calculation method
Carc.1B	H350	Calculation method
STOT SE3	H335	Calculation method
STOT RE2	H373	Calculation method
Asp. Tox.1	H304	Calculation method
Aquatic Chronic2	H411	Calculation method

Aldrich- 247502 Page 16 of 17

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



Aldrich- 247502 Page 17 of 17