

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 7.3 Revision Date 20.11.2024 Print Date 04.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Ammonium chloride-ammonium hydroxide

buffer solution

Product Number : 318604

Brand : Sigma-Aldrich

UFI : AW43-2653-D99G-YUQQ

REACH No. :

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances Uses advised against : This product is not intended for consumer use.

1.3

1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

## **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Skin irritation, (Category 2) H315: Causes skin irritation.

Serious eye damage, (Category H318: Causes serious eye damage.

1)

Short-term (acute) aquatic H400: Very toxic to aquatic life.

hazard, (Category 1)

Long-term (chronic) aquatic H411: Toxic to aquatic life with long lasting

hazard, (Category 2) effects.

Sigma-Aldrich- 318604 Page 1 of 14

#### 2.2 Label elements

## Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

**Precautionary Statements** 

P264 Wash skin thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

Supplemental Hazard

Statements

none

## Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

**Hazard Statements** 

H318 Causes serious eye damage.

**Precautionary Statements** 

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **Ecological information:**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sigma-Aldrich- 318604 Page 2 of 14

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Component		Classification	Concentration	
ammonia solution				
CAS-No. EC-No. Index-No. Registration number	1336-21-6 215-647-6 007-001-01-2 01-2119488876-14- XXXX	Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 1; H332, H314, H318, H335, H400, H410 Concentration limits: >= 5 %: STOT SE 3, H335; M-Factor - Aquatic Acute: 10 M-Factor - Aquatic Chronic: 1	>= 3 - < 5 %	
ammonium chloride				
CAS-No.	12125-02-9	Acute Tox. 4; Eye Irrit. 2;	>= 1 - < 10	
EC-No.	235-186-4	H302, H319	%	
Index-No.	017-014-00-8			
Registration	01-2119489385-24-			
number	XXXX			

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

## **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

Sigma-Aldrich- 318604 Page 3 of 14

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Hydrogen chloride gas

Not combustible.

Ambient fire may liberate hazardous vapours.

## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® OH-, Merck Art. No. 101596). Dispose of properly. Clean up affected area.

## 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions

Tightly closed.

#### Storage class

Storage class (TRGS 510): 12: Non Combustible Liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma-Aldrich- 318604 Page 4 of 14

## **SECTION 8: Exposure controls/personal protection**

## **Control parameters**

**Ingredients with workplace control parameters** 

#### 8.2 **Exposure controls**

## **Personal protective equipment**

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

## Skin protection

required

## **Body Protection**

protective clothing

## **Respiratory protection**

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## Control of environmental exposure

Do not let product enter drains.

### **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

a) Physical state liquid b) Color colorless No data available c) Odor d) Meltina No data available point/freezing point e) Initial boiling point No data available and boiling range No data available f) Flammability (solid,

gas)

g) Upper/lower No data available flammability or explosive limits

h) Flash point Not applicable

Page 5 of 14 Sigma-Aldrich- 318604

Not applicable Autoignition

temperature

No data available Decomposition j)

temperature 10 - 11 рΗ k)

Viscosity, kinematic: No data available I) Viscosity

Viscosity, dynamic: No data available

m) Water solubility at 20 °C soluble n) Partition coefficient: No data available

n-octanol/water

No data available o) Vapor pressure

0,99 g/cm3 at 25 °C p) Density

Relative density No data available

q) Relative vapor

density

No data available

r) Particle characteristics No data available

s) Explosive properties No data available Oxidizing properties No data available

#### Other safety information 9.2

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

## 10.3 Possibility of hazardous reactions

Violent reactions possible with:

The generally known reaction partners of water.

#### 10.4 Conditions to avoid

no information available

### 10.5 Incompatible materials

No data available

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

Page 6 of 14 Sigma-Aldrich- 318604

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Mixture**

## **Acute toxicity**

Acute toxicity estimate Oral - > 2.000 mg/kg

(Calculation method)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and

gastrointestinal tract.

Acute toxicity estimate Inhalation - 4 h - > 5 mg/l - dust/mist(Calculation method)

Symptoms: Possible symptoms:, mucosal irritations

Dermal: No data available

Skin corrosion/irritation
Remarks: No data available

Remarks: Mixture causes skin irritation.

Serious eye damage/eye irritation

Remarks: No data available

Remarks: Mixture causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

**Aspiration hazard** 

No data available

#### 11.2 Additional Information

#### **Endocrine disrupting properties**

## **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Sigma-Aldrich- 318604 Page 7 of 14

## Components

#### ammonia solution

## **Acute toxicity**

Oral: No data available

LC50 Inhalation - Rat - male - 4 h - 4,9 mg/l - dust/mist

Remarks: (ECHA)

Acute toxicity estimate Inhalation - 4,9 mg/l - dust/mist

(ATE value derived from LD50/LC50 value)

Dermal: No data available

## Skin corrosion/irritation

Remarks: Causes skin burns.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

## Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitization

No data available

## Germ cell mutagenicity

No data available

## Carcinogenicity

No data available

### Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

May cause respiratory irritation.

## Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### ammonium chloride

#### **Acute toxicity**

LD50 Oral - Rat - male and female - 1.410 mg/kg

(OECD Test Guideline 401)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus

and gastrointestinal tract.

Symptoms: Possible damages:, mucosal irritations LD50 Dermal - Rat - male and female - > 2.000 mg/kg

Remarks: (ECHA)

## Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h

(Draize Test)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation Remarks: (ECHA)

Sigma-Aldrich- 318604 Page 8 of 14

## Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

## Germ cell mutagenicity

In vivo tests did not show mutagenic effects

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster lung cells

Result: positive

Method: OECD Test Guideline 474 Species: Mouse - male - Bone marrow

Result: negative

Carcinogenicity

No data available

## **Reproductive toxicity**

No data available

## Specific target organ toxicity - single exposure

Acute oral toxicity - Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity - Possible damages:, mucosal irritations

## Specific target organ toxicity - repeated exposure

## **Aspiration hazard**

No data available

## **SECTION 12: Ecological information**

## 12.1 Toxicity

#### **Mixture**

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sigma-Aldrich- 318604 Page 9 of 14

#### 12.7 Other adverse effects

No data available

## **Components**

#### ammonia solution

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead

minnow) - 0,068 mg/l - 96 h

Remarks: (ECHA)

The value is given in analogy to the following substances:

ammonium sulphate

Toxicity to daphnia

and other aquatic

invertebrates

static test LC50 - Daphnia magna (Water flea) - 101 mg/l - 48

Remarks: (ECHA)

anhydrous

Toxicity to

toxicity)

fish(Chronic toxicity)

flow-through test NOEC - Ictalurus punctatus - 0,048 mg/l - 31

(OECD Test Guideline 215)

Remarks: anhydrous

Toxicity to daphnia and other aquatic invertebrates(Chronic flow-through test LC50 - Daphnia magna (Water flea) - 4,07

mg/l - 96 h(US-EPA)

Remarks: The value is given in analogy to the following

substances:

The value is given in analogy to the following substances:

ammonium chloride

flow-through test NOEC - Daphnia magna (Water flea) - 0,79

mq/l - 96 h(US-EPA)

Remarks: The value is given in analogy to the following

substances:

The value is given in analogy to the following substances:

ammonium chloride

ammonium chloride

semi-static test LC50 - Cyprinus carpio (Carp) - 209,00 mg/l -Toxicity to fish

96 h

Remarks: (ECHA)

Toxicity to daphnia and other aquatic

invertebrates

static test EC50 - Daphnia magna (Water flea) - 101 mg/l - 48

h

Remarks: (ECHA)

Toxicity to algae static test ErC50 - Chlorella vulgaris (Fresh water algae) -

1.300 mg/l - 5 d

Page 10 of 14 Sigma-Aldrich- 318604

Remarks: (ECHA)

Toxicity to bacteria static test EC50 - activated sludge - 1.310 mg/l - 0,5 h

(OECD Test Guideline 209)

Toxicity to daphnia semi-static test NOEC - Daphnia magna (Water flea) - 14,6

and other aquatic mg/l - 21 d invertebrates(Chronic Remarks: (ECHA)

toxicity)

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

No data available

## **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 3082 IMDG: 3082 IATA: 3082

14.2 UN proper shipping name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ammonia

solution)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ammonia

solution)

IATA: Environmentally hazardous substance, liquid, n.o.s. (ammonia solution)

14.3 Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: yes

14.6 Special precautions for user

Tunnel restriction code : (-)

#### **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Sigma-Aldrich- 318604 Page 11 of 14

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

E1

## **Authorisations and/or restrictions on use**

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: ammonium chloride

## **National legislation**

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

**ENVIRONMENTAL HAZARDS** 

## Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

## **SECTION 16: Other information**

### **Full text of H-Statements**

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Sigma-Aldrich- 318604 Page 12 of 14

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the	mixture	Classification procedure:	
Skin Irrit.2	H315	Calculation method	
Eye Dam.1	H318	Calculation method	
Aquatic Acute1	H400	Calculation method	
Aquatic Chronic2	H411	Calculation method	

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the

Sigma-Aldrich- 318604 Page 13 of 14

document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



Sigma-Aldrich- 318604 Page 14 of 14