

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.15 Revision Date 01.03.2024 Print Date 30.04.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Ethyl acetate

Product Number : 319902 Brand : SIGALD

Index-No. : 607-022-00-5

REACH No. : 01-2119475103-46-XXXX

CAS-No. : 141-78-6

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3

CHEMIKART

#### 1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Flammable liquids, (Category 2) H225: Highly flammable liquid and vapor.

Eye irritation, (Category 2) H319: Causes serious eye irritation.

Specific target organ toxicity - single exposure, (Category 3),

Central nervous system

H336: May cause drowsiness or dizziness.

SIGALD- 319902 Page 1 of 13

#### 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

**Hazard Statements** 

H225 Highly flammable liquid and vapor.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

**Precautionary Statements** 

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use non-sparking tools.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard information (EU)

EUH066 Repeated exposure may cause skin dryness or cracking.

# Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard Statements none

Precautionary Statements none

Supplemental Hazard information (EU)

EUH066 Repeated exposure may cause skin dryness or cracking.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SIGALD- 319902 Page 2 of 13

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Component		Classification	Concentration
ethyl acetate			
CAS-No. EC-No. Index-No.	141-78-6 205-500-4 607-022-00-5	Flam. Liq. 2; Eye Irrit. 2; STOT SE 3; H225, H319, H336 Concentration limits: 20 %: STOT SE 3, H336;	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

SIGALD- 319902 Page 3 of 13

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

#### **5.3** Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### **5.4** Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

# 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

# Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

# Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

# **Hygiene measures**

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

SIGALD- 319902 Page 4 of 13

#### 7.2 Conditions for safe storage, including any incompatibilities

#### **Storage conditions**

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

## Storage class

Storage class (TRGS 510): 3: Flammable liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Ingredients with workplace control parameters**

**Derived No Effect Level (DNEL)** 

DCITTOU ITO EITOC	Delived No Ellect Level (DNLL)					
Application Area	Routes of	Health effect	Value			
	exposure					
Workers	Inhalation	Acute systemic effects	1468 mg/m3			
Workers	Inhalation	Acute local effects	1468 mg/m3			
Workers	Skin contact	Long-term systemic effects	63mg/kg BW/d			
Workers	Inhalation	Long-term systemic effects	734 mg/m3			
Workers	Inhalation	Long-term local effects	734 mg/m3			
Consumers	Inhalation	Acute local effects, Acute systemic	734 mg/m3			
		effects				
Consumers	Skin contact	Long-term systemic effects	37mg/kg BW/d			
Consumers	Inhalation	Long-term systemic effects	367 mg/m3			
Consumers	Ingestion	Long-term systemic effects	4,5mg/kg BW/d			
Consumers	Inhalation	Long-term local effects	367 mg/m3			

**Predicted No Effect Concentration (PNEC)** 

redicted no Effect concentration (1 NEC)			
Compartment	Value		
Soil	0,24 mg/kg		
Sea water	0,026 mg/l		
Fresh water	0,26 mg/l		
Sea sediment	0,125 mg/kg		
Fresh water sediment	1,25 mg/kg		

#### 8.2 Exposure controls

# Personal protective equipment

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

SIGALD- 319902 Page 5 of 13

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0,7 mm Break through time: 120 min

Material tested:Butoject® (KCL 898)

#### **Body Protection**

Flame retardant antistatic protective clothing.

# **Respiratory protection**

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Physical state clear, liquid

b) Color colorless

c) Odor fruity

d) Melting Melting point/freezing point: -83 °C point/freezing point

e) Initial boiling point 77,1 °C at 1.013 hPa and boiling range

f) Flammability (solid, No data available gas)

g) Upper/lower Upper explosion limit: 11,5 %(V) flammability or explosive limits Upper explosion limit: 2,1 %(V)

h) Flash point -4 °C - closed cup
i) Autoignition No data available temperature

j) Decomposition Distillable in an undecomposed state at normal pressure. temperature

k) pH No data available

SIGALD- 319902 Page 6 of 13

Viscosity, kinematic: No data available Viscosity

Viscosity, dynamic: No data available

m) Water solubility No data available

n) Partition coefficient: log Pow: 0,73 - Bioaccumulation is not expected., (Lit.)

n-octanol/water

o) Vapor pressure No data available 0,90 g/cm3 at 20 °C p) Density

No data available Relative density

q) Relative vapor

density

No data available

r) Particle

No data available

characteristics

s) Explosive properties No data available

t) Oxidizing properties none

#### 9.2 Other safety information

Relative vapor 3,04 density

**SECTION 10: Stability and reactivity** 

# 10.1 Reactivity

Vapors may form explosive mixture with air.

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

# 10.3 Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with:

Exothermic reaction with:

Fluorine

chlorosulfonic acid

Strong oxidizing agents

fuming sulfuric acid

Risk of explosion with:

lithium aluminium hydride

Alkali metals

hydrides

Alkaline earth metals

Violent reactions possible with:

Strong acids and strong bases

# 10.4 Conditions to avoid

Warming.

SIGALD- 319902 Page 7 of 13

#### 10.5 Incompatible materials

No data available

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - 5.620 mg/kg

Remarks: (RTECS)

Inhalation: No data available

LD50 Dermal - Rabbit - male - > 20.000 mg/kg

Remarks: (ECHA)

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation Remarks: (IUCLID)

#### Serious eye damage/eye irritation

Remarks: Causes serious eye irritation.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

#### Germ cell mutagenicity

Test Type: UDS (Unscheduled DNA synthesis assay)

Test system: Escherichia coli

Metabolic activation: with and without metabolic activation

Method: US-EPA Result: negative Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: Micronucleus test Species: Chinese hamster

Cell type: Red blood cells (erythrocytes)

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

SIGALD- 319902 Page 8 of 13

#### Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

May cause drowsiness or dizziness. - Central nervous system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### 11.2 Additional Information

#### **Endocrine disrupting properties**

#### **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - 92 Days - NOAEL (No observed adverse effect level) - 900 mg/kg - LOAEL (Lowest observed adverse effect level) - 3.600 mg/kg

RTECS: AH5425000

Inhalation of high concentrations may cause:, Headache, Drowsiness, Dizziness, Vomiting, narcosis, anemia, Central nervous system depression

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Kidney - Irregularities - Based on Human Evidence

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) -

230 mg/l - 96 h

(US-EPA)

Toxicity to algae static test NOEC - Desmodesmus subspicatus (green algae) - > 100

mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria Remarks: (IUCLID)

(ethyl acetate)

SIGALD- 319902 Page 9 of 13

Toxicity to daphnia semi-static test NOEC - Daphnia magna (Water flea) - 2,4 mg/l - 21

and other aquatic

invertebrates(Chronic (OECD Test Guideline 211) toxicity)

12.2 Persistence and degradability

aerobic - Exposure time 20 d Biodegradability

Result: ca.69 % - Readily biodegradable.

Remarks: (ECHA)

Theoretical oxygen 1.820 mg/g demand Remarks: (Lit.)

12.3 Bioaccumulative potential

Bioaccumulation Leuciscus idus melanotus - 3 Days

at 22,5 °C(ethyl acetate)

Bioconcentration factor (BCF): 30

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

**Product:** Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SIGALD- 319902 Page 10 of 13

#### **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 1173 IMDG: 1173 IATA: 1173

14.2 UN proper shipping name

ADR/RID: ETHYL ACETATE IMDG: ETHYL ACETATE IATA: Ethyl acetate

14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (D/E)

Further information : No data available

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Authorisations and/or restrictions on use

#### **National legislation**

Seveso III: Directive 2012/18/EU of the P5c FLAMMABLE LIQUIDS European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

#### Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H225 Highly flammable liquid and vapor.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

SIGALD- 319902 Page 11 of 13

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

SIGALD- 319902 Page 12 of 13

# CHEMIKART

SIGALD- 319902 Page 13 of 13