

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.6 Revision Date 30.06.2023 Print Date 03.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifiers** 1.1

Product name : Phenol – 1,1,2,2-Tetrachloroethane mixture

: 33514 Product Number Brand : Aldrich

REACH No. This product is a mixture. REACH Registration Number see

section 3.

## Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3

## **Emergency telephone**

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

# SECTION 2: Hazards identification

#### Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 2), H330

Acute toxicity, Dermal (Category 1), H310

Skin corrosion (Sub-category 1B), H314

Serious eye damage (Category 1), H318

Germ cell mutagenicity (Category 2), H341

Specific target organ toxicity - repeated exposure (Category 2), Nervous system, Kidney,

Liver, Skin, H373

Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

Aldrich- 33514 Page 1 of 16

#### 2.2 Label elements

## Labelling according Regulation (EC) No 1272/2008

Danger

Pictogram

Signal Word

Signal Word	Danger
Hazard statement(s)	
H301	Toxic if swallowed.
H310 + H330	Fatal in contact with skin or if inhaled.
H314	Causes severe skin burns and eye damage.
H341	Suspected of causing genetic defects.
H373	May cause damage to organs (Nervous system, Kidney, Liver,
	Skin) through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P202	Do not handle until all safety precautions have been read and understood.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
	<u></u>

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

For use in industrial installations only.

# Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard statement(s)

H301 Toxic if swallowed.

H341 Suspected of causing genetic defects. H314 Causes severe skin burns and eye damage. H310 + H330 Fatal in contact with skin or if inhaled.

Precautionary statement(s)

P202 Do not handle until all safety precautions have been read and

understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

Aldrich- 33514 Page 2 of 16

P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Vesicant., Rapidly absorbed through skin.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Synonyms : 1,1,2,2-Tetrachloroethane – Phenol mixture

Component		Classification	Concentration		
Phenol					
CAS-No. EC-No. Index-No. Registration number	108-95-2 203-632-7 604-001-00-2 01-2119471329-32- XXXX	Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Muta. 2; STOT RE 2; Aquatic Chronic 2; H301, H331, H311, H314, H318, H341, H373, H411 Concentration limits: >= 3 %: Skin Corr. 1B, H314; 1 - < 3 %: Skin Irrit. 2, H315; 1 - < 3 %: Eye Irrit. 2, H319;	>= 50 - < 70 %		
1,1,2,2-tetrachloroethane					
CAS-No. EC-No. Index-No.	79-34-5 201-197-8 602-015-00-3 *	Acute Tox. 2; Acute Tox. 1; Aquatic Chronic 2; H330, H310, H411	>= 30 - < 50 %		

Aldrich- 33514 Page 3 of 16

\*A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

## In case of skin contact

After contact with skin: rinse out with polyethylene glycol 400 or a mixture of polyethylene glycol 300/ethanol 2:1 and wash with plenty of water. If neither is available wash with plenty of water. Immediately take off contaminated clothing. Call a physician immediately.

## In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

#### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### Suitable extinguishing media

Foam Carbon dioxide (CO2) Dry powder

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides Hydrogen chloride gas Combustible.

Aldrich- 33514 Page 4 of 16

Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

# **6.2 Environmental precautions**

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### **6.4** Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

## Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### **Storage conditions**

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

#### Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Aldrich- 33514 Page 5 of 16

#### **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## Ingredients with workplace control parameters

## 8.2 Exposure controls

#### Personal protective equipment

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Fluorinated rubber Minimum layer thickness: 0,7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 30 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

protective clothing

#### **Respiratory protection**

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

Aldrich- 33514 Page 6 of 16

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Physical state clear, liquid b) Color colorless c) Odor No data available d) Meltina No data available point/freezing point e) Initial boiling point No data available and boiling range f) Flammability (solid, No data available gas) g) Upper/lower No data available flammability or explosive limits

h) Flash point Not applicable
i) Autoignition No data available temperature

j) Decomposition temperature

No data available

k) pH No data available

I) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available

m) Water solubility No data available
 n) Partition coefficient: No data available
 n-octanol/water
 o) Vapor pressure No data available

p) Density No data available
 Relative density No data available
 q) Relative vapor density

No data available

r) Particle No data available characteristics

Aldrich- 33514 Page 7 of 16

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

#### 9.2 Other safety information

No data available

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

no information available

# 10.5 Incompatible materials

Strong bases, Strong oxidizing agents, Potassium, Strong acids, 2,4-dinitrophenyl disulfide, Sodium/sodium oxides, Nitrates

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Mixture**

#### **Acute toxicity**

Oral: No data available

Acute toxicity estimate Oral - 165,45 mg/kg

(Calculation method)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of

perforation of the esophagus and the stomach.

Acute toxicity estimate Inhalation - 4 h - 0,5001 mg/l - vapor(Calculation method)

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Acute toxicity estimate Dermal - 12,21 mg/kg

(Calculation method)

### Skin corrosion/irritation

Remarks: Mixture causes burns.

#### Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Risk of blindness!

# Respiratory or skin sensitization

No data available

Aldrich- 33514 Page 8 of 16

## Germ cell mutagenicity

Evidence of genetic defects.

## Carcinogenicity

No data available

# **Reproductive toxicity**

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

Mixture may cause damage to organs through prolonged or repeated exposure.

- Nervous system, Kidney, Liver, Skin

## **Aspiration hazard**

No data available

#### 11.2 Additional Information

## **Endocrine disrupting properties**

#### **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Tremors, Incoordination., fatigue, Dizziness, Anorexia., Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

#### Components

#### Phenol

#### **Acute toxicity**

Acute toxicity estimate Oral - 100,1 mg/kg

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

Acute toxicity estimate Inhalation - 4 h - 0,51 mg/l - dust/mist

(Expert judgment)

Symptoms: Irritation, Lung edema

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

Aldrich- 33514 Page 9 of 16

LD50 Dermal - Rat - female - 660 mg/kg (OECD Test Guideline 402) Acute toxicity estimate Dermal - 660 mg/kg (ATE value derived from LD50/LC50 value)

# Skin corrosion/irritation

Skin - In vitro study Result: Causes burns. (OECD Test Guideline 431)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive

(OECD Test Guideline 405)

Remarks: Causes serious eye damage.

Risk of blindness!

## Respiratory or skin sensitization

Sensitisation test: - Guinea pig

Result: negative Remarks: (IUCLID)

## Germ cell mutagenicity

Suspected of causing genetic defects.

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Result: positive

Test Type: Mutagenicity (mammal cell test): micronucleus.

Test system: Chinese hamster ovary cells

Result: positive

#### Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

## Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

Acute inhalation toxicity - Irritation, Lung edema

# Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

- Nervous system, Kidney, Liver, Skin

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

# **Aspiration hazard**

No data available

#### 1,1,2,2-tetrachloroethane

#### **Acute toxicity**

LD50 Oral - Rat - 200,0 mg/kg

LC50 Inhalation - Mouse - 2 h - 4.500 mg/m3

Inhalation: No data available

Aldrich- 33514 Page 10 of 16

LD50 Dermal - 5 mg/kg

# Skin corrosion/irritation

Remarks: No data available

# Serious eye damage/eye irritation

Remarks: No data available

# Respiratory or skin sensitization

No data available

#### **Germ cell mutagenicity**

No data available

#### Carcinogenicity

This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

#### Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

## **SECTION 12: Ecological information**

# 12.1 Toxicity

#### **Mixture**

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

# Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Aldrich- 33514 Page 11 of 16

#### 12.7 Other adverse effects

No data available

## **Components**

**Phenol** 

Toxicity to fish flow-through test LC50 - Onchorhynchus clarki - 8,9 mg/l - 96

(US-EPA)

Toxicity to daphnia

and other aquatic invertebrates

static test EC50 - Ceriodaphnia dubia (water flea) - 3,1 mg/l -

48 h (US-EPA)

static test EC50 - Pseudokirchneriella subcapitata (algae) - 61,1 Toxicity to algae

> mg/l - 96 h(US-EPA)

Toxicity to bacteria static test IC50 - microorganisms - 21 mg/l - 24 h

Remarks: (ECHA)

semi-static test NOEC - Fish - 0,077 mg/l - 60 d Toxicity to

fish(Chronic toxicity) Remarks: (ECHA)

Toxicity to daphnia and other aquatic

invertebrates(Chronic Remarks: (ECHA)

semi-static test NOEC - Daphnia magna (Water flea) - 0,16

mg/l - 16 d

toxicity)

1,1,2,2-tetrachloroethane

LC50 - Pimephales promelas (fathead minnow) - 20 mg/l -Toxicity to fish

96,0 h

Toxicity to daphnia

and other aquatic invertebrates

Immobilization EC50 - Daphnia magna (Water flea) - 23 mg/l -

Toxicity to

fish(Chronic toxicity)

LOEC - other fish - 7,23 mg/l - 10 d

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

No data available

Aldrich- 33514 Page 12 of 16

#### **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 2810 IMDG: 2810 IATA: 2810

14.2 UN proper shipping name

ADR/RID: TOXIC LIQUID, ORGANIC, N.O.S. (Phenol, 1,1,2,2-tetrachloroethane) IMDG: TOXIC LIQUID, ORGANIC, N.O.S. (Phenol, 1,1,2,2-tetrachloroethane) IATA: Toxic liquid, organic, n.o.s. (Phenol, 1,1,2,2-tetrachloroethane)

14.3 Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (D/E)

Further information : No data available

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

**National legislation** 

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

ACUTE TOXIC

E2 ENVIRONMENTAL HAZARDS

#### Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

H1

Take note of Dir 94/33/EC on the protection of young people at work.

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

Aldrich- 33514 Page 13 of 16

# **SECTION 16: Other information**

# Full text of H-Statements referred to under sections 2 and 3.

H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H310 + H330	Fatal in contact with skin or if inhaled.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Toxic if swallowed, in contact with skin or if inhaled.
H318	Causes severe skin burns and eye damage.
H319	Suspected of causing genetic defects.
H330	May cause damage to organs (Nervous system, Kidney, Liver, Skin)
	through prolonged or repeated exposure.
H331	Toxic to aquatic life with long lasting effects.
H341	Causes skin irritation.
H373	Causes serious eye damage.
H411	Causes serious eye irritation.



Aldrich- 33514 Page 14 of 16

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the	Classification procedure:	
Acute Tox.3	H301	Calculation method
Acute Tox.2	H330	Calculation method
Acute Tox.1	H310	Calculation method
Skin Corr.1B	H314	Calculation method
Eye Dam.1	H318	Calculation method
Muta.2	H341	Calculation method
STOT RE2	H373	Calculation method
Aquatic Chronic2	H411	Calculation method

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the

Aldrich- 33514 Page 15 of 16

present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



Aldrich- 33514 Page 16 of 16