

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.11 Revision Date 23.01.2025 Print Date 30.04.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Acetaldehyde solution, 50 wt. % in Ethanol

Product Number : 36392

Brand : Sigma-Aldrich

REACH No. :

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

Uses advised against : For R&D use only. Not for pharmaceutical, household or other

uses.

1.3

CHEMIKART

1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flammable liquids, (Category 1) H224: Extremely flammable liquid and

vapor.

Eye irritation, (Category 2) H319: Causes serious eye irritation.

Germ cell mutagenicity, H341: Suspected of causing genetic

(Category 2) defects.

Carcinogenicity, (Category 1B) H350: May cause cancer.

Specific target organ toxicity - H335: May cause respiratory irritation. single exposure, (Category 3),

Respiratory system

Sigma-Aldrich- 36392 Page 1 of 14

2.2 **Label elements**

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger Hazard Statements H224 Extremely flammable liquid and vapor. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H350 May cause cancer. **Precautionary Statements** Do not handle until all safety precautions have been read and P202 understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsina.

IF exposed or concerned: Get medical advice/ attention. P308 + P313

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Supplemental Hazard

Statements

none

Restricted to professional users.

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard Statements

H224 Extremely flammable liquid and vapor. H341 Suspected of causing genetic defects.

H350 May cause cancer.

Precautionary Statements

Do not handle until all safety precautions have been read and P202

understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Keep container tightly closed. P233

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Supplemental Hazard none

Statements

Other hazards 2.3

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Page 2 of 14 Sigma-Aldrich- 36392

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Component | | Classification | Concentration | | |
|--|---|---|-------------------|--|--|
| ethanol | | | | | |
| CAS-No. EC-No. Index-No. Registration number | 64-17-5 200-578-6 603-002-00-5 01-2119457610-43- XXXX | Flam. Liq. 2; Eye Irrit. 2; H225, H319 Concentration limits: >= 50 %: Eye Irrit. 2A, H319; | >= 50 - < 70 % | | |
| acetaldehyde | | | | | |
| CAS-No. EC-No. Index-No. Registration number | 75-07-0 200-836-8 605-003-00-6 01-2119451152-51- XXXX | Flam. Liq. 1; Eye Irrit. 2; Muta. 2; Carc. 1B; STOT SE 3; H224, H319, H341, H350, H335 | >= 50 - < 70 % | | |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

Sigma-Aldrich- 36392 Page 3 of 14

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Mixture with combustible ingredients.

Pav attention to flashback.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Sigma-Aldrich- 36392 Page 4 of 14

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage stabilityRecommended storage temperature

2 - 8 °C

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

required

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state liquid

b) Color No data available

| c) | Odor | No data available | |
|----|--|--|--|
| d) | Melting point/freezing point | No data available | |
| e) | Initial boiling point and boiling range | No data available | |
| f) | Flammability (solid, gas) | No data available | |
| g) | Upper/lower flammability or explosive limits | No data available | |
| h) | Flash point | No data available | |
| i) | Autoignition temperature | No data available | |
| j) | Decomposition temperature | No data available | |
| k) | рН | No data available | |
| I) | Viscosity | Viscosity, kinematic: No data available Viscosity, dynamic: No data available | |
| m) | Water solubility | No data available | |
| n) | Partition coefficient: n-octanol/water | No data available | |
| o) | Vapor pressure | No data available | |
| p) | Density | No data available | |
| | Relative density | No data available | |
| q) | Relative vapor density | No data available | |
| , | D 11 1 | AL LICENSE TO A LI | |

s) Explosive properties Not classified as explosive.

No data available

t) Oxidizing properties none

9.2 Other safety information

characteristics

No data available

r) Particle

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapors may form explosive mixture with air.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Warming.

Sigma-Aldrich- 36392 Page 6 of 14

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available

Symptoms: Possible symptoms:, mucosal irritations, Cough, Shortness of breath, Possible

damages:, damage of respiratory tract

Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

Remarks: Mixture causes serious eye irritation.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Evidence of genetic defects.

Carcinogenicity

Possible carcinogen.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Mixture may cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

Sigma-Aldrich- 36392 Page 7 of 14

Components

ethanol

Acute toxicity

LD50 Oral - Rat - male and female - 10.470 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - 124,7 mg/l - vapor

(OECD Test Guideline 403) Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye irritation.

(OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Methanol

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Method: OECD Test Guideline 478

Species: Mouse - male

Result: Positive results were obtained in some in vivo tests.

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Aspiration hazard

No data available

acetaldehyde

Acute toxicity

Oral: No data available Inhalation: No data available

Sigma-Aldrich- 36392 Page 8 of 14

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Severe irritations

Remarks: (RTECS)

Remarks: Lacrimal irritation due to vapours.

conjunctivitis

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Suspected of causing genetic defects.

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Result: negative Remarks: (ECHA)

Carcinogenicity

Presumed to have carcinogenic potential for humans

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent,

Sigma-Aldrich- 36392 Page 9 of 14

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

: The substance/mixture does not contain components Assessment

> considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

Components

ethanol

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead

minnow) - 15.300 mg/l - 96 h

(US-EPA)

Toxicity to daphnia

and other aquatic invertebrates

static test LC50 - Ceriodaphnia dubia (water flea) - 5.012 mg/l

- 48 h

Remarks: (ECHA)

static test ErC50 - Chlorella vulgaris (Fresh water algae) - 275 Toxicity to algae

mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test IC50 - activated sludge - > 1.000 mg/l - 3 h

(OECD Test Guideline 209)

semi-static test NOEC - Danio rerio (zebra fish) - 250 mg/l -Toxicity to

fish(Chronic toxicity) 120 h

Remarks: (ECHA)

Toxicity to daphnia

and other aquatic

- 9 d

toxicity)

invertebrates(Chronic Remarks: (ECHA)

acetaldehyde

Toxicity to fish static test LC50 - Pimephales promelas (fathead minnow) - 31

mg/I - 96 h

Remarks: (ECHA)

Toxicity to daphnia

and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - ca. 48,3 mg/l

semi-static test NOEC - Daphnia magna (Water flea) - 9,6 mg/l

- 48 h

Remarks: (ECHA)

Toxicity to algae static test EC10 - Pseudokirchneriella subcapitata - > 100 mg/l

- 72 h

(OECD Test Guideline 201)

static test ErC50 - Pseudokirchneriella subcapitata - > 100 mg/l

Page 10 of 14 Sigma-Aldrich- 36392

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1993 IMDG: 1993 IATA: 1993

14.2 UN proper shipping name

ADR/RID: FLAMMABLE LIQUID, N.O.S. (ethanol)
IMDG: FLAMMABLE LIQUID, N.O.S. (ethanol)
IATA: Flammable liquid, n.o.s. (ethanol)

14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (D/E)

Further information : No data available

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture, : acetaldehyde placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

National legislation

Seveso III: Directive 2012/18/EU of the P5a FLAMMABLE LIQUIDS

European Parliament and of the Council

Sigma-Aldrich- 36392 Page 11 of 14

P5a FLAMMABLE LIQUIDS

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements

| H224 | Extremely flammable liquid and vapor. |
|------|---------------------------------------|
| H225 | Highly flammable liquid and vapor. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H341 | Suspected of causing genetic defects. |
| H350 | May cause cancer. |



Sigma-Aldrich- 36392 Page 12 of 14

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

| Classification of t | the mixture | Classification procedure: |
|---------------------|-------------|---------------------------|
| Flam. Liq.1 | H224 | Calculation method |
| Eye Irrit.2 | H319 | Calculation method |
| Muta.2 | H341 | Calculation method |
| Carc.1B | H350 | Calculation method |
| STOT SE3 | H335 | Calculation method |

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Sigma-Aldrich- 36392 Page 13 of 14

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



Sigma-Aldrich- 36392 Page 14 of 14