

# **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

Version 7.6 Revision Date 31.05.2024 Print Date 02.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : 2,6-Dimethylphenol

Product Number : 36715

Brand : Sigma-Aldrich Index-No. : 604-006-00-X

REACH No. : 01-2119552794-29-xxxx

CAS-No. : 576-26-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3

CHEMIKART

1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

#### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Acute toxicity, (Category 3) H301: Toxic if swallowed.

Acute toxicity, (Category 3) H311: Toxic in contact with skin.

Skin corrosion, (Sub-category H314: Causes severe skin burns and eye

1B) damage.

Serious eye damage, (Category H318: Causes serious eye damage.

1)

Sigma-Aldrich- 36715 Page 1 of 13

Specific target organ toxicity - single exposure, (Category 3),

Respiratory system

H335: May cause respiratory irritation.

Long-term (chronic) aquatic hazard, (Category 2)

H411: Toxic to aquatic life with long lasting

effects.

#### 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

**Hazard Statements** 

H301 + H311 Toxic if swallowed or in contact with skin. H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary Statements** 

P260 Do not breathe dust.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

#### Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

**Hazard Statements** 

H314 Causes severe skin burns and eye damage. H301 + H311 Toxic if swallowed or in contact with skin.

**Precautionary Statements** 

P260 Do not breathe dust.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

Sigma-Aldrich- 36715 Page 2 of 13

for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : 2-Hydroxy-m-xylene

vic.-m-Xylenol

Formula :  $C_8H_{10}O$ 

Molecular weight : 122,16 g/mol CAS-No. : 576-26-1 EC-No. : 209-400-1 Index-No. : 604-006-00-X

Component		Classification	Concentration
Xylenol			
CAS-No. EC-No. Index-No.	576-26-1 209-400-1 604-006-00-X	Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; STOT SE 3; Aquatic Chronic 2; H301, H311, H314, H318, H335, H411	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

# **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

Sigma-Aldrich- 36715 Page 3 of 13

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# **4.3** Indication of any immediate medical attention and special treatment needed No data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

# 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Keep away from

Sigma-Aldrich- 36715 Page 4 of 13

heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

# 6.2 Environmental precautions

Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

# 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

# Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

# **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

# Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

#### Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma-Aldrich- 36715 Page 5 of 13

# SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

**Ingredients with workplace control parameters** 

#### 8.2 **Exposure controls**

# Personal protective equipment

#### **Eve/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

#### **Body Protection**

Flame retardant antistatic protective clothing.

# **Respiratory protection**

Recommended Filter type: Filter A-(P3)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# Control of environmental exposure

Do not let product enter drains.

Sigma-Aldrich- 36715 Page 6 of 13

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Physical state crystallineb) Color beige

c) Odor No data available

d) Melting Melting point/range: 43 - 45 °C - lit. point/freezing point

e) Initial boiling point and boiling range

203 °C - lit.

f) Flammability (solid, No data available gas)

g) Upper/lower No data available flammability or explosive limits

h) Flash point 86 °C - closed cupi) Autoignition No data available temperature

j) Decomposition No data available temperature

k) pH No data available

I) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available

m) Water solubility No data availablen) Partition coefficient: No data available n-octanol/water

o) Vapor pressure No data available

p) Density 1,13 g/cm3

q) Relative density No data available density No data available density

r) Particle No data available characteristics

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

# 9.2 Other safety information

Dissociation constant 10,6 at 25 °C

Sigma-Aldrich- 36715 Page 7 of 13

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

# 10.3 Possibility of hazardous reactions

Exothermic reaction with:

Strong oxidizing agents

#### 10.4 Conditions to avoid

Strong heating.

#### 10.5 Incompatible materials

Aluminum, Copper, various alloys

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - 296 mg/kg

Remarks: (RTECS)

Acute toxicity estimate Oral - 296 mg/kg

(Calculation method)

Inhalation: No data available LD50 Dermal - 300 mg/kg

Acute toxicity estimate Dermal - 300 mg/kg

(Calculation method)

#### Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 24 h (OECD Test Guideline 404)

Remarks: Dermatitis

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes burns.

Remarks: (Lit.)

Remarks: Causes serious eye damage.

# Respiratory or skin sensitization

- Guinea pig

Sigma-Aldrich- 36715 Page 8 of 13

Result: negative Remarks: (ECHA)

# Germ cell mutagenicity

Test Type: Ames test

Test system: S. typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: Positive results were obtained in some in vitro tests.

Test Type: Chromosome aberration test

Species: Rat

Application Route: Oral

Method: OECD Test Guideline 475

Result: negative

# Carcinogenicity

No data available

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

May cause respiratory irritation.

#### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

# 11.2 Additional Information

# **Endocrine disrupting properties**

#### **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - 28 Days - NOAEL (No observed adverse effect level) - >= 200 mg/kg

Sigma-Aldrich- 36715 Page 9 of 13

RTECS: ZE6125000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - >

27 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 11,2 mg/l - 48 h

Remarks: (IUCLID)

NOEC - Daphnia - 0,54 mg/l - 21 d

Remarks: (ECHA)

Toxicity to algae ErC50 - Pseudokirchneriella subcapitata - 45 mg/l - 72 h

(OECD Test Guideline 201)

# 12.2 Persistence and degradability

No data available

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# 12.7 Other adverse effects

No data available

Sigma-Aldrich- 36715 Page 10 of 13

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

No data available

# **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 2261 IMDG: 2261 IATA: 2261

14.2 UN proper shipping name

ADR/RID: XYLENOLS, SOLID IMDG: XYLENOLS, SOLID IATA: Xylenols, solid

14.3 Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

14.6 Special precautions for user

Tunnel restriction code : (D/E)

Further information : No data available

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

# **National legislation**

Seveso III: Directive 2012/18/EU of the E2 ENVIRONMENTAL HAZARDS European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

#### Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

# 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

Sigma-Aldrich- 36715 Page 11 of 13

#### SECTION 16: Other information

#### **Full text of H-Statements**

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

# **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact

Sigma-Aldrich- 36715 Page 12 of 13

with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



Sigma-Aldrich- 36715 Page 13 of 13