

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 7.5 Revision Date 15.04.2023 Print Date 02.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifiers** 1.1

Product name Trichloroethylene

**Product Number** : 372145

Brand : Sigma-Aldrich Index-No. : 602-027-00-9

REACH No. : A registration number is not available for this substance as the

> substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No. : 79-01-6

#### Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Scientific research and development

1.3

# **Emergency telephone**

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

# **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008

Skin irritation (Category 2), H315

Eye irritation (Category 2), H319

Skin sensitization (Category 1), H317 Germ cell mutagenicity (Category 2), H341

Carcinogenicity (Category 1B), H350

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Long-term (chronic) aquatic hazard (Category 3), H412

Sigma-Aldrich- 372145 Page 1 of 14 For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word	Danger
Hazard statement(s)	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statement(s)	
P202	Do not handle until all safety precautions have been read and understood.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes.

rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

none

Danger

Restricted to professional users.

Remove contact lenses, if present and easy to do. Continue

# Reduced Labeling (<= 125 ml)

Pictogram

Signal Word

P308 + P313

Hazard statement(s)	
H317	May cause an allergic skin reaction.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statement(s)	
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352	IF ON SKIN: Wash with plenty of water.

IF exposed or concerned: Get medical advice/ attention.

Sigma-Aldrich- 372145 Page 2 of 14

Supplemental Hazard Statements none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Synonyms : TCE

Trichloroethene

Formula :  $C_2HCl_3$ 

Molecular weight : 131,39 g/mol CAS-No. : 79-01-6 EC-No. : 201-167-4 Index-No. : 602-027-00-9

Component		Classification	Concentration
(SVHC) according to	Regulation (EC) No. 19		T
CAS-No.	79-01-6	Skin Irrit. 2; Eye Irrit. 2;	<= 100 %
EC-No.	201-167-4	Skin Sens. 1; Muta. 2;	
Index-No.	602-027-00-9	Carc. 1B; STOT SE 3; Aquatic Chronic 3; H315, H319, H317, H341, H350, H336, H412 Concentration limits: >= 20 %: STOT SE 3, H336;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

# In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

Sigma-Aldrich- 372145 Page 3 of 14

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Hydrogen chloride gas

Not combustible.

Ambient fire may liberate hazardous vapours.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

# 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb $^{\circ}$ ). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

Sigma-Aldrich- 372145 Page 4 of 14

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Light sensitive. Handle and store under inert gas.

# Storage class

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

# Ingredients with workplace control parameters

**Derived No Effect Level (DNEL)** 

20.1104 110 21100 2010: (21122)			
Application Area	Routes of exposure	Health effect	Value
Worker DNEL, acute	inhalation	Systemic effects	164,1 mg/m3
Worker DNEL, acute	inhalation	Local effects	164,1 mg/m3
Worker DNEL, longterm	dermal	Systemic effects	
Worker DNEL, longterm	inhalation	Systemic effects	54,7 mg/m3

Predicted No Effect Concentration (PNEC)

Fredicted No Effect Concentration (FNEC)		
Compartment	Value	
Fresh water	0,115 mg/l	
Sea water	0,0115 mg/l	
Aquatic intermittent release	0,208 mg/l	
Sewage treatment plant	2,6 mg/l	
Fresh water sediment	2,04 mg/kg	
Sea sediment	0,204 mg/kg	
Soil	0,344 mg/kg	
oral	13,8 mg/kg	

Sigma-Aldrich- 372145 Page 5 of 14

#### 8.2 Exposure controls

#### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Full contact Material: Viton®

Minimum layer thickness: 0,7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm

Break through time: 10 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

# **Body Protection**

protective clothing

#### **Respiratory protection**

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# Control of environmental exposure

Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Physical state liquid, clearb) Color colorless

c) Odor characteristic

Sigma-Aldrich- 372145 Page 6 of 14

d) Melting Melting point/range: -84,8 °C - lit.

point/freezing point

e) Initial boiling point 86,7 °C - lit. and boiling range

f) Flammability (solid, No data available gas)

g) Upper/lower Upper explosion limit: > 99 %(V) - (Saturation - at high volume flammability or fractions, explosion turns into a decomposition reaction)

explosive limits Lower explosion limit: 7,9 %(V)

h) Flash point - closed cupdoes not flash

i) Autoignition 410,0 °C temperature

j) Decomposition No data available temperature

k) pH No data available

 Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: 0,58 mPa.s at 20 °C

m) Water solubility 1,1 g/l at 20 °C

n) Partition coefficient: log Pow: 2,53 at 20 °C - Bioaccumulation is not expected.

n-octanol/water

o) Vapor pressure 81,3 hPa at 20,0 °C

p) Density 1,463 g/cm3 at 25 °C - lit.

Relative density 1,46 at 20 °C

q) Relative vapor density

r) Particle No data available

s) Explosive properties No data available

t) Oxidizing properties none

#### 9.2 Other safety information

characteristics

No data available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) . Contains the following stabilizer(s): diisopropylamine (>0.003 - <0.005 %)

Sigma-Aldrich- 372145 Page 7 of 14

#### 10.3 Possibility of hazardous reactions

Violent reactions possible with:

Oxygen

(as liquefied gas)

Alkaline earth metals

alkali amides

semimetallic hydrogen compounds

perchloric acid

Light metals

aluminium chloride

Strong oxidizing agents

potassium nitrate

Risk of explosion with:

Alkali metals

Aluminum

Barium

alkali hydroxides

Lithium

magnesium

Powdered metals

sodium amide

Strong oxidizing agents

nitrogen dioxide

Boranes

Oxygen

with

alkali hydroxides

Oxygen

with

Pressure

Risk of ignition or formation of inflammable gases or vapours with:

**Titanium** 

Beryllium

**Epoxy** constituents

# 10.4 Conditions to avoid

no information available

#### 10.5 Incompatible materials

various plastics

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### **Acute toxicity**

Oral: No data available

LC50 Inhalation - Rat - male - 4 h - 67,41 mg/l

Sigma-Aldrich- 372145 Page 8 of 14

Remarks: (ECHA)

LD50 Dermal - Rabbit - > 20.000 mg/kg

#### Skin corrosion/irritation

Skin - Rabbit

Result: Skin irritation (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation - 24 h

Remarks: (RTECS)

#### Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: positive

(OECD Test Guideline 429)

#### Germ cell mutagenicity

In vitro tests showed mutagenic effects

Test Type: Ames test

Test system: S. typhimurium Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative Remarks: (ECHA)

Test Type: in vivo assay

Species: Mouse

Result: negative Remarks: (ECHA)

#### Carcinogenicity

Possible human carcinogen

#### **Reproductive toxicity**

No data available

# Specific target organ toxicity - single exposure

May cause drowsiness or dizziness. - Central nervous system

#### Specific target organ toxicity - repeated exposure

No data available

Sigma-Aldrich- 372145 Page 9 of 14

#### Aspiration hazard

No data available

#### 11.2 Additional Information

# **Endocrine disrupting properties**

**Product:** 

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

RTECS: KX4550000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea,

Vomiting, Exposure to and/or consumption of alcohol may increase toxic effects.,

Gastrointestinal disturbance, Kidney injury may occur., narcosis

To the best of our knowledge, the chemical, physical, and toxicological properties have not

been thoroughly investigated.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Jordanella floridae - 28,3 mg/l - 96 h

(US-EPA)

Toxicity to daphnia and other aquatic

Remarks: No data available

(trichloroethylene)

invertebrates

Toxicity to algae

ErC50 - Chlamydomonas reinhardtii (green algae) - 36,5 mg/l - 72 h

Remarks: (ECHA) (trichloroethylene)

Toxicity to bacteria

Toxicity to flow-through test NOEC - Jordanella floridae (flagfish) - 5,76 mg/l -

fish(Chronic toxicity) 10 d

Remarks: (ECHA)

#### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 19 % - Not readily biodegradable.

(OECD Test Guideline 301D)

#### 12.3 Bioaccumulative potential

Bioaccumulation Lepomis macrochirus - 14 d

(trichloroethylene)

Bioconcentration factor (BCF): 17

Sigma-Aldrich- 372145 Page 10 of 14

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

**Product:** 

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

No data available

#### **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 1710 IMDG: 1710 IATA: 1710

14.2 UN proper shipping name

ADR/RID: TRICHLOROETHYLENE IMDG: TRICHLOROETHYLENE IATA: Trichloroethylene

14.3 Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

Sigma-Aldrich- 372145 Page 11 of 14

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **Authorisations and/or restrictions on use**

REACH - Candidate List of Substances of Very : trichloroethylene High Concern for Authorisation (Article 59).

This product contains a substance listed on Annex XIV of the REACH Regulation (EC) Nr. 1907/2006.

Listed substance / Sunset Date : trichloroethylene / 21.04.2016

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

REACH - Restrictions on the manufacture, : trichloroethylene placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

# Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

#### **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	Causes skin irritation.
H341	May cause an allergic skin reaction.
H350	Causes serious eye irritation.
H412	May cause drowsiness or dizziness.

Sigma-Aldrich- 372145 Page 12 of 14

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- 372145 Page 13 of 14

# CHEMIKART

Sigma-Aldrich- 372145 Page 14 of 14