

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.11 Revision Date 22.03.2025 Print Date 03.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Trimethyltin chloride solution

Product Number : 375187 Brand : Aldrich

REACH No. :

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

Uses advised against : For R&D use only. Not for pharmaceutical, household or other

uses.

1.3

CHEMIKART

#### 1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Flammable liquids, (Category 2) H225: Highly flammable liquid and vapor.

Acute toxicity, (Category 2) H300: Fatal if swallowed.

Acute toxicity, (Category 2) H330: Fatal if inhaled.

Acute toxicity, (Category 1) H310: Fatal in contact with skin.

Skin irritation, (Category 2) H315: Causes skin irritation.

Reproductive toxicity, (Category H361f: Suspected of damaging fertility.

2)

Aldrich- 375187 Page 1 of 17

Specific target organ toxicity single exposure, (Category 3), Central nervous system

H336: May cause drowsiness or dizziness.

Specific target organ toxicity repeated exposure, (Category 1), Nervous system

H372: Causes damage to organs through prolonged or repeated exposure if inhaled.

Aspiration hazard, (Category 1)

H304: May be fatal if swallowed and enters

airways.

Short-term (acute) aquatic hazard, (Category 1)

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, (Category 1)

H410: Very toxic to aquatic life with long

lasting effects.

#### 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger Hazard Statements H225 Highly flammable liquid and vapor. Fatal if swallowed, in contact with skin or if inhaled. H300 + H310 + H330 May be fatal if swallowed and enters airways. H304 Causes skin irritation. H315 H336 May cause drowsiness or dizziness. Suspected of damaging fertility. H361f

H372

Causes damage to organs (Nervous system) through prolonged

or repeated exposure if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

**Precautionary Statements** 

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Wash skin thoroughly after handling. P264 P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

Supplemental Hazard

Statements

none

#### Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Aldrich- 375187 Page 2 of 17 **Hazard Statements** 

H372 Causes damage to organs through prolonged or repeated

exposure if inhaled.

H304 May be fatal if swallowed and enters airways.

H361f Suspected of damaging fertility.

H300 + H310 + H330 Fatal if swallowed, in contact with skin or if inhaled.

**Precautionary Statements** 

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

Supplemental Hazard

Statements

none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Formula :  $C_3H_9ClSn$ Molecular weight : 199,27 g/mol

Component		Classification	Concentration
methylcyclopentane			
CAS-No. EC-No.	96-37-7 202-503-2	Flam. Liq. 2; Asp. Tox. 1; H225, H304	>= 90 - <= 100 %
	*		
n-Hexane			
CAS-No. EC-No. Index-No. Registration number	110-54-3 203-777-6 601-037-00-0 01-2119480412-44- XXXX	Flam. Liq. 2; Skin Irrit. 2; Repr. 2; STOT SE 3; STOT RE 1; Asp. Tox. 1; Aquatic Chronic 2; H225, H315, H361f, H336, H372, H304, H411 Concentration limits: >= 5 %: STOT RE 2, H373; >= 20 %: STOT SE 3, H336;	>= 50 - < 70 %

Aldrich- 375187 Page 3 of 17

trimethyltin chloride					
CAS-No. EC-No. Index-No.	1066-45-1 213-917-8 050-005-00-7 *	Acute Tox. 2; Acute Tox. 1; Aquatic Acute 1; Aquatic Chronic 1; H300, H330, H310, H400, H410 M-Factor - Aquatic Acute: 1 M-Factor - Aquatic Chronic: 1	>= 25 - < 30 %		
2-Methylpentane					
CAS-No. EC-No. Index-No.	107-83-5 203-523-4 601-007-00-7	Flam. Liq. 2; Skin Irrit. 2; STOT SE 3; Asp. Tox. 1; Aquatic Chronic 2; H225, H315, H336, H304, H411	>= 2,5 - < 10 %		
3-methylpentane					
CAS-No. EC-No. Index-No.	96-14-0 202-481-4 601-007-00-7 *	Flam. Liq. 2; Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; Asp. Tox. 1; Aquatic Chronic 2; H225, H315, H319, H336, H304, H411	>= 2,5 - < 10 %		

<sup>\*</sup>A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, or the annual tonnage does not require a registration.

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Pulmonary failure possible after aspiration of vomit.

Aldrich- 375187 Page 4 of 17

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

## Suitable extinguishing media

Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Hydrogen chloride gas

Tin/tin oxides

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **5.4 Further information**

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### **6.4** Reference to other sections

For disposal see section 13.

Aldrich- 375187 Page 5 of 17

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

# Storage class

Storage class (TRGS 510): 3: Flammable liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

Ingredients with workplace control parameters

#### 8.2 Exposure controls

Personal protective equipment

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm Break through time: 480 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact

Aldrich- 375187 Page 6 of 17

Material: Nitrile rubber

Minimum layer thickness: 0,2 mm Break through time: 30 min

Material tested: Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Flame retardant antistatic protective clothing.

#### **Respiratory protection**

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

#### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Physical state liquid

b) Colorc) Odord) MeltingNo data availableNo data available

point/freezing point

e) Initial boiling point No data available

and boiling rangef) Flammability (solid, No data available

gas)
g) Upper/lower No data available

flammability or explosive limits

h) Flash point -23 °C - closed cup i) Autoignition No data available

temperature

Decomposition

j)

No data available

temperature

Aldrich- 375187 Page 7 of 17

k) pH No data available

I) Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

m) Water solubilityNo data availablen) Partition coefficient:No data available

n-octanol/water

o) Vapor pressure No data available

p) Density 0,797 g/mL at 25 °C

Relative density No data available q) Relative vapor No data available

density

r) Particle No data available

characteristics

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

#### 9.2 Other safety information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Vapors may form explosive mixture with air.

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Warming.

#### 10.5 Incompatible materials

Strong oxidizing agents

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Mixture**

### **Acute toxicity**

Oral: No data available

Acute toxicity estimate Inhalation - 4 h - 0,169 mg/l - dust/mist(Calculation method)

Aldrich- 375187 Page 8 of 17

Acute toxicity estimate Dermal - 16,86 mg/kg (Calculation method)

# Skin corrosion/irritation

Remarks: No data available

Remarks: Mixture causes skin irritation.

Serious eve damage/eve irritation

Remarks: No data available

# Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

Evidence to impair fertility.

# Specific target organ toxicity - single exposure

Remarks: No data available

Mixture may cause drowsiness or dizziness.

#### Specific target organ toxicity - repeated exposure

Remarks: No data available

Mixture causes damage to organs through prolonged or repeated exposure.

- Nervous system

#### Aspiration hazard

No data availableAspiration hazard, Aspiration may cause pulmonary edema and pneumonitis.

#### 11.2 Additional Information

#### **Endocrine disrupting properties**

## **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.18% or higher

2018/605 at levels of 0.1% or higher.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

Aldrich- 375187 Page 9 of 17

#### **Components**

#### methylcyclopentane

#### **Acute toxicity**

Oral: No data available Inhalation: No data available Dermal: No data available

# Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

Aspiration hazard, Aspiration may cause pulmonary edema and pneumonitis.

#### n-Hexane

#### **Acute toxicity**

LD50 Oral - Rat - male and female - 16.000 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - 4 h - 172 mg/l - vapor Remarks: (RTECS)

LD50 Dermal - Rabbit - male - > 2.000 mg/kg

(OECD Test Guideline 402)

#### Skin corrosion/irritation

Skin - Rabbit

Result: Skin irritation - 24 h (OECD Test Guideline 404)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 72 h (OECD Test Guideline 405)

#### Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Aldrich- 375187 Page 10 of 17

Result: negative

(OECD Test Guideline 429)

# **Germ cell mutagenicity**

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Result: negative

Method: OECD Test Guideline 478

Species: Mouse - male

Result: negative

Method: OECD Test Guideline 475

Species: Rat - male and female - Bone marrow

Result: negative

# Carcinogenicity

No data available

#### Reproductive toxicity

Suspected of damaging fertility.

# Specific target organ toxicity - single exposure

May cause drowsiness or dizziness. - Central nervous system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

# Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure.

- Nervous system

#### **Aspiration hazard**

Aspiration may cause pulmonary edema and pneumonitis.

#### trimethyltin chloride

#### **Acute toxicity**

Oral: No data available Inhalation: No data available LD50 Dermal - 5 mg/kg

#### Skin corrosion/irritation Remarks: No data available

#### Serious eye damage/eye irritation

Remarks: No data available

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

# Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

#### 2-Methylpentane

# **Acute toxicity**

Oral: No data available Inhalation: No data available Dermal: No data available

# **Skin corrosion/irritation** Remarks: No data available

# Serious eye damage/eye irritation

Remarks: No data available

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

May be fatal if swallowed and enters airways.

# 3-methylpentane

#### **Acute toxicity**

Oral: No data available Inhalation: No data available Dermal: No data available Skin corrosion/irritation

# Remarks: No data available

# Serious eye damage/eye irritation

Remarks: No data available

#### Respiratory or skin sensitization

Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

#### Germ cell mutagenicity

No data available

Aldrich- 375187 Page 12 of 17

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

## Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Mixture**

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

# **Product:**

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

#### **Components**

#### methylcyclopentane

No data available

#### n-Hexane

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 2,5 mg/l - 96

h

Remarks: (ECOTOX Database)

Toxicity to daphnia EC50 - Daphnia magna (Water flea) - 2,1 mg/l - 48 h

and other aquatic Remarks: (Lit.)

Aldrich- 375187 Page 13 of 17

invertebrates

trimethyltin chloride

Toxicity to fish LC50 - Oryzias latipes - 5,62 mg/l - 48 h

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 0,47 mg/l - 24 h

Toxicity to algae Growth inhibition EC50 - Skeletonema costatum - 0,214 mg/l -

72 h

Toxicity to LC100 - Oncorhynchus mykiss (rainbow trout) - 0,01 mg/l - 14

fish(Chronic toxicity)

2-Methylpentane

Toxicity to daphnia static test EC50 - Daphnia magna (Water flea) - 4,2 mg/l - 48

and other aquatic

invertebrates Remarks: (ECHA)

h

3-methylpentane

No data available

# CHEMIKART

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

No data available

#### **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 1992 IMDG: 1992 IATA: 1992

14.2 UN proper shipping name

ADR/RID: FLAMMABLE LIQUID, TOXIC, N.O.S. (trimethyltin chloride, n-Hexane) IMDG: FLAMMABLE LIQUID, TOXIC, N.O.S. (trimethyltin chloride, n-Hexane) IATA: Flammable liquid, toxic, n.o.s. (trimethyltin chloride, n-Hexane)

Passenger Aircraft: Not permitted for transport

14.3 Transport hazard class(es)

ADR/RID: 3 (6.1) IMDG: 3 (6.1) IATA: 3 (6.1)

14.4 Packaging group

ADR/RID: I IMDG: I IATA: I

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Aldrich- 375187 Page 14 of 17

Tunnel restriction code : (C/E)

Further information : No data available

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

H1

#### **Authorisations and/or restrictions on use**

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: trimethyltin chloride

# **National legislation**

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

**ACUTE TOXIC** 

P5c FLAMMABLE LIQUIDS

Ε1 **ENVIRONMENTAL HAZARDS** 

#### Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H225	Highly flammable liquid and vapor.
H300	Fatal if swallowed.
H304	May be fatal if swallowed and enters airways.
H310	Fatal in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

Page 15 of 17 Aldrich- 375187

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

# Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture		Classification procedure:
Flam. Liq.2	H225	Based on product data or assessment
Acute Tox.2	H300	Calculation method
Acute Tox.2	H330	Calculation method
Acute Tox.1	H310	Calculation method
Skin Irrit.2	H315	Calculation method
Repr.2	H361f	Calculation method
STOT SE3	H336	Calculation method
STOT RE1	H372	Calculation method
Asp. Tox.1	H304	Calculation method
Aquatic Acute1	H400	Calculation method
Aquatic Chronic1	H410	Calculation method

Aldrich- 375187 Page 16 of 17

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



Aldrich- 375187 Page 17 of 17