

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 7.1 Revision Date 20.02.2025 Print Date 03.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Dimethylamine solution

Product Number : 426458 Brand : Aldrich

REACH No. :

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances Uses advised against : This product is not intended for consumer use.

1.3

CHEMIKART

1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Flammable liquids, (Category 2) H225: Highly flammable liquid and vapor.

Acute toxicity, (Category 4) H332: Harmful if inhaled.

Skin corrosion, (Sub-category H314: Causes severe skin burns and eye

1B) damage.

Serious eye damage, (Category H318: Causes serious eye damage.

Specific target organ toxicity - H335: May cause respiratory irritation.

single exposure, (Category 3),

Respiratory system

1)

Aldrich- 426458 Page 1 of 13

lasting effects.

# 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word	Danger
Hazard Statements H225 H314 H332 H335 H412	Highly flammable liquid and vapor. Causes severe skin burns and eye damage. Harmful if inhaled. May cause respiratory irritation. Harmful to aquatic life with long lasting effects.
Precautionary Statements P210	Keep away from heat, hot surfaces, sparks, open flames and
P273 P280	other ignition sources. No smoking.  Avoid release to the environment.  Wear protective gloves/ protective clothing/ eye protection/ face
P303 + P361 + P353	protection.  IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

# Reduced Labeling (<= 125 ml)

Pictogram

Signal Word	Danger
Hazard Statements H314 H412	Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.
Precautionary Statements	
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

Aldrich- 426458 Page 2 of 13

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **Ecological information:**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Lachrymator.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Formula :  $C_2H_7N$ Molecular weight : 45,08 g/mol

Component		Classification	Concentration	
dimethylamine in solution				
CAS-No. EC-No. Index-No.	124-40-3 204-697-4 612-001-01-6	Flam. Liq. 1; Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; STOT SE 3; Aquatic Chronic 3; H224, H302, H332, H314, H318, H335, H412 Concentration limits: >= 5 %: STOT SE 3, H335;	>= 30 - < 50 %	

<sup>\*</sup>A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, or the annual tonnage does not require a registration.

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

Aldrich- 426458 Page 3 of 13

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Mixture with combustible ingredients.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

#### Storage class

Storage class (TRGS 510): 3: Flammable liquids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

**Ingredients with workplace control parameters** 

### 8.2 Exposure controls

Personal protective equipment

# **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,3 mm

Aldrich- 426458 Page 5 of 13

Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,2 mm Break through time: 30 min

Material tested: Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Flame retardant antistatic protective clothing.

### **Respiratory protection**

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### Control of environmental exposure

Do not let product enter drains. Risk of explosion.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a) Physical state clear, liquidb) Color colorless

c) Odord) MeltingNo data available

point/freezing point

e) Initial boiling point No data available and boiling range

f) Flammability (solid, No data available gas)

g) Upper/lower Upper explosion limit: 14,4 %(V) flammability or explosive limits Upper explosion limit: 2,8 %(V)

h) Flash pointi) Autoignition No data available temperature

Aldrich- 426458 Page 6 of 13

j) Decomposition No data available

temperature

k) pH No data available

1) Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

m) Water solubility at 20 °C soluble

n) Partition coefficient: No data available

n-octanol/water

o) Vapor pressure 1.170 hPa at 55 °C

p) Density 0,890 g/cm3

Relative density No data available

q) Relative vapor

density

No data available

r) Particle No data available characteristics

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

### 9.2 Other safety information

No data available

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Vapors may form explosive mixture with air.

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Exothermic reaction with:

Risk of ignition or formation of inflammable gases or vapours with:

Oxidizing agents

Metals

Halogens

Acid anhydrides

Aldehydes

**Alcohols** 

Acids

Risk of explosion with:

Mercury

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines!

#### 10.4 Conditions to avoid

Warming.

### 10.5 Incompatible materials

Copper, Zinc, Tin

Aldrich- 426458 Page 7 of 13

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Mixture**

### **Acute toxicity**

Oral: No data available

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Remarks: Mixture causes burns.

### Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Risk of blindness!

### Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

Mixture may cause respiratory irritation.

### **Specific target organ toxicity - repeated exposure**

No data available

#### **Aspiration hazard**

No data available

#### 11.2 Additional Information

### **Endocrine disrupting properties**

### Product:

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Aldrich- 426458 Page 8 of 13

### Components

### dimethylamine in solution

### **Acute toxicity**

LD50 Oral - Rat - male and female - 1.000 mg/kg

Remarks: (ECHA)

Acute toxicity estimate Oral - 1.000 mg/kg (ATE value derived from LD50/LC50 value) LC50 Inhalation - Rat - 4 h - 2645 ppm - gas

Remarks: The value is calculated

(ECHA)

Acute toxicity estimate Inhalation - 2645 ppm - gas

(ATE value derived from LD50/LC50 value)

LD50 Dermal - Rat - male and female - 3.900 mg/kg

Remarks: Aqueous solution

(ECHA)

### Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 3 min - 4 h

Remarks: (ECHA)

### Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive (Draize Test) Remarks: (ECHA)

### Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative Remarks: (ECHA)

Test Type: Mutagenicity (mammal cell test): Test system: Chinese hamster ovary cells

Result: negative Remarks: (ECHA)

Species: Rat - male - Bone marrow

Result: negative Remarks: (ECHA)

# Carcinogenicity

No data available

### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory Tract, Lungs

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

Aldrich- 426458 Page 9 of 13

### **SECTION 12: Ecological information**

### 12.1 Toxicity

#### Mixture

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

### **Product:**

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

### Components

### dimethylamine in solution

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 17 mg/l - 96 h

Remarks: (ECHA)

Toxicity to daphnia

and other aquatic

EC50 - Daphnia magna (Water flea) - 46 mg/l - 48 h Remarks: (ECOTOX Database)

invertebrates

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata - 6,2 mg/l -

96 h

Remarks: (ECOTOX Database)

Toxicity to bacteria static test EC10 - activated sludge - > 1.000 mg/l - 30 min

(ISO 8192)

Remarks: Aqueous solution

Toxicity to flow-through test NOEC - Oncorhynchus mykiss (rainbow trout)

fish(Chronic toxicity) - 0,6 mg/l - 50 d

Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates (Chronic

NOEC - Daphnia magna (Water flea) - 4,2 mg/l - 21 d

(OECD Test Guideline 211)

Aldrich- 426458 Page 10 of 13

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

No data available

### **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 1160 IMDG: 1160 IATA: 1160

14.2 UN proper shipping name

ADR/RID: DIMETHYLAMINE AQUEOUS SOLUTION IMDG: DIMETHYLAMINE AQUEOUS SOLUTION IATA: Dimethylamine aqueous solution

14.3 Transport hazard class(es)

ADR/RID: 3 (8) IMDG: 3 (8) IATA: 3 (8)

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (D/E)

Further information : No data available

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

### Authorisations and/or restrictions on use

### **National legislation**

Seveso III: Directive 2012/18/EU of the P5c FLAMMABLE LIQUIDS European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Aldrich- 426458 Page 11 of 13

#### Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

### **SECTION 16: Other information**

#### **Full text of H-Statements**

H224	Extremely flammable liquid and vapor.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Aldrich- 426458 Page 12 of 13

Classification of the mixture		Classification procedure:	
Flam. Liq.2	H225	Based on product data or assessment	
Acute Tox.4	H332	Calculation method	
Skin Corr.1B	H314	Calculation method	
Eye Dam.1	H318	Calculation method	
STOT SE3	H335	Calculation method	
Aquatic Chronic3	H412	Calculation method	

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



Aldrich- 426458 Page 13 of 13