

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 7.1

Revision Date 19.10.2022

Print Date 03.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Dichlorodimethylsilane

Product Number : 440272

Brand : Aldrich

Index-No. : 014-003-00-X

REACH No. : 01-2119437250-51-XXXX

CAS-No. : 75-78-5

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

### 1.3

CHEMIKART

### 1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 2), H225

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 3), H331

Skin corrosion (Sub-category 1A), H314

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008

Pictogram

|                                |                                                                                                                                  |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Signal Word                    | Danger                                                                                                                           |
| Hazard statement(s)            |                                                                                                                                  |
| H225                           | Highly flammable liquid and vapor.                                                                                               |
| H302                           | Harmful if swallowed.                                                                                                            |
| H314                           | Causes severe skin burns and eye damage.                                                                                         |
| H331                           | Toxic if inhaled.                                                                                                                |
| H335                           | May cause respiratory irritation.                                                                                                |
| Precautionary statement(s)     |                                                                                                                                  |
| P210                           | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.                                   |
| P280                           | Wear protective gloves/ protective clothing/ eye protection/ face protection.                                                    |
| P301 + P312                    | IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.                                                                   |
| P303 + P361 + P353             | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.                                     |
| P304 + P340 + P310             | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.             |
| P305 + P351 + P338             | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Supplemental Hazard Statements | none                                                                                                                             |

### Reduced Labeling (<= 125 ml)

Pictogram

|                                |                                                                                                                                  |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Signal Word                    | Danger                                                                                                                           |
| Hazard statement(s)            |                                                                                                                                  |
| H331                           | Toxic if inhaled.                                                                                                                |
| H314                           | Causes severe skin burns and eye damage.                                                                                         |
| Precautionary statement(s)     |                                                                                                                                  |
| P280                           | Wear protective gloves/ protective clothing/ eye protection/ face protection.                                                    |
| P303 + P361 + P353             | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.                                     |
| P304 + P340 + P310             | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.             |
| P305 + P351 + P338             | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Supplemental Hazard Statements | none                                                                                                                             |

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Synonyms : Dimethyldichlorosilane  
DMDCS

Formula : C<sub>2</sub>H<sub>6</sub>Cl<sub>2</sub>Si  
Molecular weight : 129,06 g/mol  
CAS-No. : 75-78-5  
EC-No. : 200-901-0  
Index-No. : 014-003-00-X

| Component                     |              | Classification                                                                                                                 | Concentration |
|-------------------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------|---------------|
| <b>dichlorodimethylsilane</b> |              |                                                                                                                                |               |
| CAS-No.                       | 75-78-5      | Flam. Liq. 2; Acute Tox. 4;<br>Acute Tox. 3; Skin Corr.<br>1A; Eye Dam. 1; STOT SE<br>3; H225, H302, H331,<br>H314, H318, H335 | <= 100 %      |
| EC-No.                        | 200-901-0    |                                                                                                                                |               |
| Index-No.                     | 014-003-00-X |                                                                                                                                |               |

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### **Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>) Dry powder

#### **Unsuitable extinguishing media**

Foam Water

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Hydrogen chloride gas

silicon oxides

Flash back possible over considerable distance., Container explosion may occur under fire conditions.

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Water hydrolyzes material liberating acidic gas which in contact with metal surfaces can generate flammable and/or explosive hydrogen gas. Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g.

Chemizorb®). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### **Advice on safe handling**

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

**Advice on protection against fire and explosion**

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

**Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

**7.2 Conditions for safe storage, including any incompatibilities****Storage conditions**

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Keep away from water.

**Storage stability**

Recommended storage temperature

2 - 8 °C

Handle and store under inert gas.

**Storage class**

Storage class (TRGS 510): 3: Flammable liquids

**7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with workplace control parameters****8.2 Exposure controls****Personal protective equipment****Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

**Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Viton®

Minimum layer thickness: 0,7 mm

Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please

contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm

Break through time: 30 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

### **Body Protection**

Flame retardant antistatic protective clothing.

### **Respiratory protection**

Recommended Filter type: Filter type B

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

### **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- |                                                 |                                                                                  |
|-------------------------------------------------|----------------------------------------------------------------------------------|
| a) Physical state                               | liquid                                                                           |
| b) Color                                        | colorless                                                                        |
| c) Odor                                         | No data available                                                                |
| d) Melting point/freezing point                 | Melting point/range: -76 °C - lit.                                               |
| e) Initial boiling point and boiling range      | 70 °C - lit.                                                                     |
| f) Flammability (solid, gas)                    | No data available                                                                |
| g) Upper/lower flammability or explosive limits | Upper explosion limit: 10,4 %(V)<br>Lower explosion limit: 5,5 %(V)              |
| h) Flash point                                  | 1 °C - closed cup                                                                |
| i) Autoignition temperature                     | 425 °C<br>at 1.013 hPa                                                           |
| j) Decomposition temperature                    | No data available                                                                |
| k) pH                                           | No data available                                                                |
| l) Viscosity                                    | Viscosity, kinematic: No data available<br>Viscosity, dynamic: No data available |
| m) Water solubility                             | hydrolyzes                                                                       |
| n) Partition coefficient: n-octanol/water       | log Pow: 1,81                                                                    |
| o) Vapor pressure                               | 146,26 hPa at 20 °C                                                              |

- |                             |                                        |
|-----------------------------|----------------------------------------|
| p) Density                  | 1,07 g/cm <sup>3</sup> at 25 °C - lit. |
| Relative density            | No data available                      |
| q) Relative vapor density   | No data available                      |
| r) Particle characteristics | No data available                      |
|                             |                                        |
| s) Explosive properties     | No data available                      |
| t) Oxidizing properties     | none                                   |

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Vapors may form explosive mixture with air.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Exothermic reaction with:

Water

Alcohols

Acetone

Esters

Ketones

Aldehydes

Amines

alkalines

Oxidizing agents

acids

Risk of ignition or formation of inflammable gases or vapours with:

Ammonia

### 10.4 Conditions to avoid

Do not allow water to enter container because of violent reaction.

Warming.

### 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 595 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - 2,77 mg/l - vapor

(OECD Test Guideline 403)

Dermal: No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: Causes severe burns. - 4 h

(OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

Test Type: Ames test

Test system: *S. typhimurium*

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Species: Rat

Application Route: Intraperitoneal

Method: OECD Test Guideline 475

Result: negative

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

May cause respiratory irritation.

#### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

### 11.2 Additional Information

#### Endocrine disrupting properties

##### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU)

2017/2100 or Commission Regulation (EU)  
2018/605 at levels of 0.1% or higher.

RTECS: VV3150000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish                      LC0 - Danio rerio (zebra fish) -  $\geq$  1.000 mg/l - 96 h  
Remarks: (External MSDS)

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment                                      : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

No data available

---

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 1162

IMDG: 1162

IATA: 1162

**14.2 UN proper shipping name**

ADR/RID: DIMETHYLDICHLOROSILANE  
IMDG: DIMETHYLDICHLOROSILANE  
IATA: Dimethyldichlorosilane  
Passenger Aircraft: Not permitted for transport

**14.3 Transport hazard class(es)**

ADR/RID: 3 (8)                      IMDG: 3 (8)                      IATA: 3 (8)

**14.4 Packaging group**

ADR/RID: II                      IMDG: II                      IATA: II

**14.5 Environmental hazards**

ADR/RID: no                      IMDG Marine pollutant: no                      IATA: no

**14.6 Special precautions for user**

No data available

---

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

**National legislation**

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

: FLAMMABLE LIQUIDS

**Other regulations**

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

**15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

---

**SECTION 16: Other information****Full text of H-Statements referred to under sections 2 and 3.**

|      |                                          |
|------|------------------------------------------|
| H225 | Highly flammable liquid and vapor.       |
| H302 | Harmful if swallowed.                    |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage.               |
| H331 | Toxic if inhaled.                        |
| H335 | May cause respiratory irritation.        |

## Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

## Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).