

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.6 Revision Date 13.08.2024 Print Date 02.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : 1-Dodecanol

Product Number : 443816 Brand : SIGALD

REACH No. : 01-2119485976-15-XXXX

CAS-No. : 112-53-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3

CHEMIKART

1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Eye irritation, (Category 2) H319: Causes serious eye irritation.

Short-term (acute) aquatic

hazard, (Category 1)

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic

H410: Very toxic to aquatic life with long

hazard, (Category 1) lasting effects.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

SIGALD- 443816 Page 1 of 11

Signal Word Warning

Hazard Statements

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

**Precautionary Statements** 

P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P391 Collect spillage.

Supplemental Hazard

Statements

none

# Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Warning
Hazard Statements none
Precautionary Statements none
Supplemental Hazard none

Statements

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Synonyms : Lauryl alcohol

Dodecyl alcohol Alcohol C12

SIGALD- 443816 Page 2 of 11

Component		Classification	Concentration
1-Dodecanol			
CAS-No. EC-No.	112-53-8 203-982-0	Eye Irrit. 2; Aquatic Acute 1; Aquatic Chronic 1; H319, H400, H410 M-Factor - Aquatic Acute: 1 - Aquatic Chronic: 1	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

# Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

### **5.3** Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

SIGALD- 443816 Page 3 of 11

#### 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed. Dry.

### Storage class

Storage class (TRGS 510): 11: Combustible Solids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Ingredients with workplace control parameters

### 8.2 Exposure controls

Personal protective equipment

# **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other

SIGALD- 443816 Page 4 of 11

substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Full contact

Material: Chloroprene

Minimum layer thickness: 0,65 mm Break through time: 480 min

Material tested: KCL 720 Camapren®

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Chloroprene

Minimum layer thickness: 0,65 mm Break through time: 480 min

Material tested: KCL 720 Camapren®

### **Body Protection**

protective clothing

### **Respiratory protection**

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic

compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### Control of environmental exposure

Do not let product enter drains.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a) Physical state solidb) Color white

c) Odor No data available

d) Melting Melting point/ range: 22 - 26 °C - lit.

point/freezing point

e) Initial boiling point 260 - 262 °C - lit.

and boiling range
f) Flammability (solid, N

No data available

gas)

g) Upper/lower Upper explosion limit: 4 %(V) flammability or Lower explosion limit: 0,6 %(V)

flammability or explosive limits

h) Flash point 121 °C - closed cup

i) Autoignition ca.275 °C temperature at 1.013 hPa

SIGALD- 443816 Page 5 of 11

No data available Decomposition i)

temperature

No data available k) рΗ

Viscosity Viscosity, kinematic: No data available I)

Viscosity, dynamic: No data available

0,004 g/l at 25 °C - (HSDB) m) Water solubility

n) Partition coefficient: log Pow: 5,13 - Potential bioaccumulation, (HSDB)

n-octanol/water

o) Vapor pressure 0,1 hPa at 20 °C

0,833 g/mL at 25 °C - lit. p) Density

Relative density No data available No data available a) Relative vapor

density

No data available

r) Particle characteristics

s) Explosive properties Not classified as explosive.

Oxidizing properties none

#### Other safety information 9.2

No data available

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

# 10.3 Possibility of hazardous reactions

Violent reactions possible with: Strong oxidizing agents

### 10.4 Conditions to avoid

Strong heating.

### 10.5 Incompatible materials

No data available

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

Page 6 of 11 SIGALD- 443816

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - > 5.000 mg/kg (OECD Test Guideline 401) Inhalation: No data available

LD50 Dermal - Rabbit - male and female - 8.000 mg/kg

(US-EPA)

### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irritating to eyes. - 24 h (OECD Test Guideline 405)

# Respiratory or skin sensitization

Buehler Test - Guinea pig

Result: negative

(US-EPA)

# Germ cell mutagenicity

Test Type: Ames test

Test system: S. typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: Micronucleus test Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

Result: negative

Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

# Carcinogenicity

No data available

# Reproductive toxicity

SIGALD- 443816 Page 7 of 11

No data available

### Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# Aspiration hazard

No data available

### 11.2 Additional Information

### **Endocrine disrupting properties**

### **Product:**

Assessment The substance/mixture does not contain

> components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Dermal - NOAEL (No observed adverse effect level) - 1.000 mg/kg - LOAEL (Lowest observed adverse effect level) - 100 mg/kg

Repeated dose toxicity - Rat - male and female - Oral - 28 Days - NOAEL (No observed adverse effect level) - > 1.000 mg/kg

RTECS: 1R5775000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

The following applies to aliphatic alcohols in general: effect when product is not handled and used properly: mucosal irritations; after absorption of large quantities: narcosis.

Handle in accordance with good industrial hygiene and safety practice.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) -

1,01 mg/l - 96 h

Remarks: (ECOTOX Database)

Toxicity to daphnia

and other aquatic

semi-static test EC50 - Daphnia magna (Water flea) - 0,39 mg/l - 48

invertebrates

(OECD Test Guideline 202)

Toxicity to algae

static test ErC50 - Desmodesmus subspicatus (green algae) - 0,33

mg/l - 72 h

Remarks: (ECOTOX Database)

Toxicity to

flow-through test NOEC - Pimephales promelas (fathead minnow) -

fish(Chronic toxicity) 0,26 mg/l - 33 d

Page 8 of 11 SIGALD- 443816

(OECD Test Guideline 210)

Toxicity to daphnia

semi-static test NOEC - Daphnia magna (Water flea) - 0,014 mg/l -

and other aquatic

21 d

invertebrates(Chronic (OECD Test Guideline 211)

toxicity)

# 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 87,5 % - Readily biodegradable.

(OECD Test Guideline 301B)

### 12.3 Bioaccumulative potential

Indication of bioaccumulation.

# 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

### **Product:**

Assessment : The substance/mixture does not contain components

> considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

Discharge into the environment must be avoided.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

No data available

### **SECTION 14: Transport information**

# 14.1 UN number

ADR/RID: 3077 IMDG: 3077 IATA: 3077

### 14.2 UN proper shipping name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1-Dodecanol) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1-Dodecanol) IMDG:

IATA: Environmentally hazardous substance, solid, n.o.s. (1-Dodecanol)

# 14.3 Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

SIGALD- 443816 Page 9 of 11

### 14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

### 14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: yes

# 14.6 Special precautions for user

Tunnel restriction code : (-)

### **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

# **National legislation**

Seveso III: Directive 2012/18/EU of the E1 ENVIRONMENTAL HAZARDS European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

# Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

# 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

### **SECTION 16: Other information**

### **Full text of H-Statements**

H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

SIGALD- 443816 Page 10 of 11

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

SIGALD- 443816 Page 11 of 11