

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.9 Revision Date 12.01.2024 Print Date 30.04.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : EPA 8270 Nitrosamines Mix

Product Number : 48489 Brand : Supelco

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3

1.4

Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Flammable liquids, (Category 2) H225: Highly flammable liquid and vapor.

Acute toxicity, (Category 3) H301: Toxic if swallowed.

Acute toxicity, (Category 3) H331: Toxic if inhaled.

Acute toxicity, (Category 3) H311: Toxic in contact with skin.

Carcinogenicity, (Category 1B) H350: May cause cancer.

Specific target organ toxicity - H370: Causes damage to organs.

Supelco- 48489 Page 1 of 19

#### 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

H225 Highly flammable liquid and vapor.

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.

H350 May cause cancer.

H370 Causes damage to organs (Eyes, Central nervous system).

**Precautionary Statements** 

P202 Do not handle until all safety precautions have been read and

understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor.

Supplemental Hazard

Statements

none

# Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

**Hazard Statements** 

H350 May cause cancer.

H370 Causes damage to organs.

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.

**Precautionary Statements** 

P202 Do not handle until all safety precautions have been read and

understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor.

Supplemental Hazard none

Supelco- 48489 Page 2 of 19

#### Statements

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Component		Classification	Concentration	
Methanol				
CAS-No. EC-No. Index-No. Registration number	67-56-1 200-659-6 603-001-00-X 01-2119433307-44- XXXX	Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301, H331, H311, H370 Concentration limits: >= 10 %: STOT SE 1, H370; 3 - < 10 %: STOT SE 2, H371;	>= 90 - <= 100 %	
Diethylnitrosoamine				
CAS-No. EC-No.	55-18-5 200-226-1 *	Acute Tox. 3; Carc. 1B; Aquatic Chronic 3; H301, H350, H412	>= 0,1 - < 0,25 %	
1-Nitrosopiperidine				
CAS-No. EC-No.	100-75-4 202-886-6 *	Acute Tox. 3; Carc. 2; H301, H351	>= 0,1 - < 1 %	
N-Nitroso-N-methylethylamine				
CAS-No. EC-No.	10595-95-6 621-991-1	Acute Tox. 3; Carc. 2; H301, H351	>= 0,1 - < 1 %	
	*			
Nitrosomorpholine CAS-No.	59-89-2	Acute Tox. 3; Carc. 2; H301, H351	>= 0,1 - < 1 %	

Supelco- 48489 Page 3 of 19

*				
N-Nitrosodi-n-butylamine				
924-16-3 213-101-1 *	Acute Tox. 4; Carc. 2; H302, H351	>= 0,1 - < 1 %		
1-Nitrosopyrrolidine				
930-55-2 213-218-8	Acute Tox. 4; Carc. 2; H302, H351	>= 0,1 - < 1 %		
	ylamine 924-16-3 213-101-1 * ne 930-55-2	ylamine  924-16-3 213-101-1  *  ne  930-55-2 213-218-8  Acute Tox. 4; Carc. 2; H302, H351  Acute Tox. 4; Carc. 2; H302, H351		

<sup>\*</sup>A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: fresh air. Make victim drink ethanol (e.g. 1 drinking glass of a 40% alcoholic beverage). Call a doctor immediately (mention methanol ingestion). Only in exceptional cases, if no medical care is available within one hour, induce vomiting (only in fully conscious persons) and make victim drink ethanol again (approx. 0.3 ml of a 40% alcoholic beverage/kg body weight/hour).

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

Supelco- 48489 Page 4 of 19

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Pay attention to flashback.

Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

# 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **5.4** Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

# 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

# Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### **Hygiene measures**

Supelco- 48489 Page 5 of 19

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

### Storage class

Storage class (TRGS 510): 3: Flammable liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Ingredients with workplace control parameters

# 8.2 Exposure controls

Personal protective equipment

# Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm Break through time: 30 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

Supelco- 48489 Page 6 of 19

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Flame retardant antistatic protective clothing.

### Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

	<del>-</del>	
a)	Physical state	liquid
b)	Color	No data available
c)	Odor	No data available
d)	Melting point/freezing point	No data available
e)	Initial boiling point and boiling range	No data available
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	No data available
i)	Autoignition temperature	No data available
j)	Decomposition temperature	No data available
k)	pH	No data available
l)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available

Supelco- 48489 Page 7 of 19

m) Water solubility at 20 °C soluble
 n) Partition coefficient: No data available n-octanol/water

o) Vapor pressure No data available
 p) Density No data available
 Relative density No data available
 q) Relative vapor No data available

density

r) Particle No data available

characteristics

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

# 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Vapors may form explosive mixture with air.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

# 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Warming.

# 10.5 Incompatible materials

Acids, Oxidizing agents, Alkali metals, Strong oxidizing agents, Strong acids, Acid chlorides, Acid anhydrides, Reducing agents, Heavy metals, Avoid contact with:, copper salts, mercury salts

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Mixture**

# **Acute toxicity**

Acute toxicity estimate Oral - 100,82 mg/kg (Calculation method)

Acute toxicity estimate Inhalation - 4 h - 3,14 mg/l - vapor(Calculation method)

Supelco- 48489 Page 8 of 19

Acute toxicity estimate Dermal - 303,74 mg/kg (Calculation method)

# Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitization

No data available

### **Germ cell mutagenicity**

No data available

### Carcinogenicity

Possible carcinogen.

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

Mixture causes damage to organs. - Eyes, Central nervous system

# Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

#### 11.2 Additional Information

# **Endocrine disrupting properties**

### **Product:**

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Methyl alcohol may be fatal or cause blindness if swallowed., Cannot be made non-poisonous., Effects due to ingestion may include:, Nausea, Dizziness, Gastrointestinal disturbance, Weakness, Confusion., Drowsiness, Unconsciousness, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

Supelco- 48489 Page 9 of 19

### **Components**

#### Methanol

### **Acute toxicity**

Acute toxicity estimate Oral - 100,1 mg/kg

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

Symptoms: Nausea, Vomiting

Acute toxicity estimate Inhalation - 4 h - 3,1 mg/l - vapor

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

Symptoms: Irritation symptoms in the respiratory tract.

Acute toxicity estimate Dermal - 300,1 mg/kg

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

Remarks: (ECHA)

Remarks: Drying-out effect resulting in rough and chapped skin.

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation Remarks: (ECHA)

# Respiratory or skin sensitization

Sensitisation test: - Guinea pig

Result: negative

(OECD Test Guideline 406)

### Germ cell mutagenicity

Based on available data the classification criteria are not met.

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male and female - Bone marrow

Result: negative

### Carcinogenicity

Did not show carcinogenic effects in animal experiments.

# Reproductive toxicity

Based on available data the classification criteria are not met.

# Specific target organ toxicity - single exposure

Causes damage to organs. - Eyes, Central nervous system

Supelco- 48489 Page 10 of 19

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Acute oral toxicity - Nausea, Vomiting

Acute inhalation toxicity - Irritation symptoms in the respiratory tract.

# Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

# Diethylnitrosoamine

### **Acute toxicity**

LD50 Oral - Rat - 220 mg/kg

Remarks: Diarrhea

Liver: Fatty liver degeneration.

Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

(RTECS)

Acute toxicity estimate Oral - 220 mg/kg (ATE value derived from LD50/LC50 value)

Inhalation: No data available Dermal: No data available

# Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitization

No data available

### **Germ cell mutagenicity**

No data available

#### Carcinogenicity

Presumed to have carcinogenic potential for humans

# **Reproductive toxicity**

No data available

# Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

### 1-Nitrosopiperidine

# **Acute toxicity**

LD50 Oral - Rat - 200 mg/kg

Remarks: (RTECS)

Supelco- 48489 Page 11 of 19

Inhalation: No data available Dermal: No data available

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

**Aspiration hazard** 

No data available

# N-Nitroso-N-methylethylamine

**Acute toxicity** 

LD50 Oral - Rat - 90 mg/kg

Remarks: (RTECS)

Acute toxicity estimate Oral - 90 mg/kg (ATE value derived from LD50/LC50 value)

Inhalation: No data available Dermal: No data available

**Skin corrosion/irritation**No data available

no data avanabie

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

No data available

Supelco- 48489 Page 12 of 19

### Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

# **Nitrosomorpholine**

# **Acute toxicity**

LD50 Oral - Rat - 282 mg/kg

Remarks: (RTECS)

Inhalation: No data available Dermal: No data available

# **Skin corrosion/irritation** Remarks: No data available

Remarks. No data available

# Serious eye damage/eye irritation

Remarks: No data available

### Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

Limited evidence of carcinogenicity in animal studies

# **Reproductive toxicity**

No data available

# Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

### N-Nitrosodi-n-butylamine

### **Acute toxicity**

LD50 Oral - Rat - 1.200 mg/kg

Remarks: (RTECS)

Inhalation: No data available Dermal: No data available

# Skin corrosion/irritation

No data available

Supelco- 48489 Page 13 of 19

### Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

No data available

# Carcinogenicity

Limited evidence of carcinogenicity in animal studies

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

# 1-Nitrosopyrrolidine

### **Acute toxicity**

LD50 Oral - Rat - 900 mg/kg

Remarks: (RTECS)

Acute toxicity estimate Oral - 900 mg/kg (ATE value derived from LD50/LC50 value)

Inhalation: No data available Dermal: No data available

# Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

No data available

# Carcinogenicity

Suspected of causing cancer.

# Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

Supelco- 48489 Page 14 of 19

### **Aspiration hazard**

No data available

# **SECTION 12: Ecological information**

### 12.1 Toxicity

#### Mixture

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

# **Components**

**Methanol** 

Toxicity to fish flow-through test LC50 - Lepomis macrochirus (Bluegill) -

15.400,0 mg/l - 96 h

(US-EPA)

Toxicity to daphnia

and other aquatic

invertebrates

semi-static test EC50 - Daphnia magna (Water flea) - 18.260 mg/l - 96 h

(OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green

algae) - ca. 22.000,0 mg/l - 96 h

(OECD Test Guideline 201)

Toxicity to bacteria  $\,$  static test IC50 - activated sludge - > 1.000 mg/l - 3 h

(OECD Test Guideline 209)

Toxicity to NOEC - Oryzias latipes (Orange-red killifish) - 7.900 mg/l - 200

fish(Chronic toxicity)

Remarks: (External MSDS)

Supelco- 48489 Page 15 of 19

Diethylnitrosoamine

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 775 mg/l - 96

h

Remarks: (ECOTOX Database)

Toxicity to algae EC50 - Pseudokirchneriella subcapitata (green algae) - 10,2

mg/l - 96 h

Remarks: (ECOTOX Database)

# 1-Nitrosopiperidine

No data available

# N-Nitroso-N-methylethylamine

No data available

# **Nitrosomorpholine**

No data available

# N-Nitrosodi-n-butylamine

No data available

# 1-Nitrosopyrrolidine

No data available

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

No data available

# **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 1230 IMDG: 1230 IATA: 1230

14.2 UN proper shipping name

ADR/RID: METHANOL, SOLUTION IMDG: METHANOL, SOLUTION IATA: Methanol, SOLUTION

Supelco- 48489 Page 16 of 19

14.3 Transport hazard class(es)

ADR/RID: 3 (6.1) IMDG: 3 (6.1) IATA: 3 (6.1)

14.4 Packaging group

IMDG: II IATA: II ADR/RID: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (D/E)

Further information : No data available

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

**Authorisations and/or restrictions on use** 

REACH - Restrictions on the manufacture, : Methanol placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

**National legislation** 

Seveso III: Directive 2012/18/EU of the H2 **ACUTE TOXIC** European Parliament and of the Council

on the control of major-accident hazards involving dangerous substances.

> P5c FLAMMABLE LIQUIDS

### Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

### **SECTION 16: Other information**

### **Full text of H-Statements**

H225	Highly flammable liquid and vapor.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H350	May cause cancer.

Supelco- 48489 Page 17 of 19

H351	Suspected of causing cancer.
H370	Causes damage to organs.
H371	May cause damage to organs.
H412	Harmful to aquatic life with long lasting effects.

### **Full text of other abbreviations**

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of t	he mixture	Classification procedure:
Flam. Liq.2	H225	Calculation method
Acute Tox.3	H301	Calculation method
Acute Tox.3	H331	Calculation method
Acute Tox.3	H311	Calculation method
Carc.1B	H350	Calculation method
STOT SE1	H370	Calculation method

Supelco- 48489 Page 18 of 19

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



Supelco- 48489 Page 19 of 19