

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.9

Revision Date 25.12.2023

Print Date 02.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : 2-Propanol

Product Number : 59300

Brand : SIGALD

Index-No. : 603-117-00-0

REACH No. : 01-2119457558-25-XXXX

CAS-No. : 67-63-0

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

### 1.3

CHEMIKART

### 1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Flammable liquids, (Category 2) H225: Highly flammable liquid and vapor.

Eye irritation, (Category 2) H319: Causes serious eye irritation.

Specific target organ toxicity -  
single exposure, (Category 3),  
Central nervous system H336: May cause drowsiness or dizziness.

## 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

#### Pictogram

|                                |                                                                                                                                  |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Signal Word                    | Danger                                                                                                                           |
| Hazard Statements              |                                                                                                                                  |
| H225                           | Highly flammable liquid and vapor.                                                                                               |
| H319                           | Causes serious eye irritation.                                                                                                   |
| H336                           | May cause drowsiness or dizziness.                                                                                               |
| Precautionary Statements       |                                                                                                                                  |
| P210                           | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.                                   |
| P233                           | Keep container tightly closed.                                                                                                   |
| P240                           | Ground and bond container and receiving equipment.                                                                               |
| P241                           | Use explosion-proof electrical/ ventilating/ lighting/ equipment.                                                                |
| P242                           | Use non-sparking tools.                                                                                                          |
| P305 + P351 + P338             | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Supplemental Hazard Statements | none                                                                                                                             |

### Reduced Labeling (<= 125 ml)

#### Pictogram

|                                |        |
|--------------------------------|--------|
| Signal Word                    | Danger |
| Hazard Statements              | none   |
| Precautionary Statements       | none   |
| Supplemental Hazard Statements | none   |

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Synonyms : sec-Propyl alcohol  
Isopropyl alcohol  
Isopropanol

Formula : C<sub>3</sub>H<sub>8</sub>O  
Molecular weight : 60,10 g/mol  
CAS-No. : 67-63-0  
EC-No. : 200-661-7  
Index-No. : 603-117-00-0

| Component         |              | Classification                                                                                                         | Concentration |
|-------------------|--------------|------------------------------------------------------------------------------------------------------------------------|---------------|
| <b>2-Propanol</b> |              |                                                                                                                        |               |
| CAS-No.           | 67-63-0      | Flam. Liq. 2; Eye Irrit. 2;<br>STOT SE 3; H225, H319,<br>H336<br>Concentration limits:<br>>= 20 %: STOT SE 3,<br>H336; | <= 100 %      |
| EC-No.            | 200-661-7    |                                                                                                                        |               |
| Index-No.         | 603-003-00-0 |                                                                                                                        |               |

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>) Foam Dry powder

#### **Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

### **5.2 Special hazards arising from the substance or mixture**

Carbon oxides

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

### **5.3 Advice for firefighters**

In the event of fire, wear self-contained breathing apparatus.

### **5.4 Further information**

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### **6.2 Environmental precautions**

Do not let product enter drains. Risk of explosion.

### **6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemisorb® ).

Dispose of properly. Clean up affected area.

### **6.4 Reference to other sections**

For disposal see section 13.

---

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

#### **Advice on safe handling**

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Advice on protection against fire and explosion**

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Change contaminated clothing. Wash hands after working with substance.  
For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Handle and store under inert gas.

### Storage class

Storage class (TRGS 510): 3: Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

##### Derived No Effect Level (DNEL)

| Application Area | Routes of exposure | Health effect              | Value                 |
|------------------|--------------------|----------------------------|-----------------------|
| Workers          | Inhalation         | Long-term systemic effects | 500 mg/m <sup>3</sup> |
| Workers          | Skin contact       | Long-term systemic effects | 888mg/kg BW/d         |
| Consumers        | Inhalation         | Long-term systemic effects | 89 mg/m <sup>3</sup>  |
| Consumers        | Skin contact       | Long-term systemic effects | 319mg/kg BW/d         |
| Consumers        | Ingestion          | Long-term systemic effects | 26mg/kg BW/d          |

##### Predicted No Effect Concentration (PNEC)

| Compartment          | Value      |
|----------------------|------------|
| Soil                 | 28 mg/kg   |
| Sea water            | 140,9 mg/l |
| Fresh water          | 140,9 mg/l |
| Sea sediment         | 552 mg/kg  |
| Fresh water sediment | 552 mg/kg  |

### 8.2 Exposure controls

#### Personal protective equipment

##### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

##### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please

contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm

Break through time: 480 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Chloroprene

Minimum layer thickness: 0,65 mm

Break through time: 120 min

Material tested: KCL 720 Camapren®

### **Body Protection**

Flame retardant antistatic protective clothing.

### **Respiratory protection**

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- |                                                 |                                                                   |
|-------------------------------------------------|-------------------------------------------------------------------|
| a) Physical state                               | liquid                                                            |
| b) Color                                        | colorless                                                         |
| c) Odor                                         | alcohol-like                                                      |
| d) Melting point/freezing point                 | Melting point/range: -89,5 °C - lit.                              |
| e) Initial boiling point and boiling range      | 82 °C - lit.                                                      |
| f) Flammability (solid, gas)                    | No data available                                                 |
| g) Upper/lower flammability or explosive limits | Upper explosion limit: 13,4 %(V)<br>Lower explosion limit: 2 %(V) |
| h) Flash point                                  | 12,0 °C - closed cup                                              |

- |                                           |                                                                                   |
|-------------------------------------------|-----------------------------------------------------------------------------------|
| i) Autoignition temperature               | 425,0 °C                                                                          |
| j) Decomposition temperature              | Distillable in an undecomposed state at normal pressure.                          |
| k) pH                                     | at 20 °C<br>neutral                                                               |
| l) Viscosity                              | Viscosity, kinematic: No data available<br>Viscosity, dynamic: 2,2 mPa.s at 20 °C |
| m) Water solubility                       | at 20 °C soluble                                                                  |
| n) Partition coefficient: n-octanol/water | log Pow: 0,05 - Bioaccumulation is not expected.                                  |
| o) Vapor pressure                         | 43 hPa at 20 °C                                                                   |
| p) Density                                | 0,785 g/mL at 25 °C - lit.0,785 g/mL at 20 °C                                     |
| Relative density                          | No data available                                                                 |
| q) Relative vapor density                 | No data available                                                                 |
| r) Particle characteristics               | No data available                                                                 |
|                                           |                                                                                   |
| s) Explosive properties                   | No data available                                                                 |
| t) Oxidizing properties                   | none                                                                              |

## 9.2 Other safety information

|                         |                      |
|-------------------------|----------------------|
| Minimum ignition energy | 0,65 mJ              |
| Conductivity            | < 0,1 µS/cm          |
| Surface tension         | 20,8 mN/m at 25,0 °C |
| Relative vapor density  | 2,07                 |

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Formation of peroxides possible.  
Vapors may form explosive mixture with air.

### 10.2 Chemical stability

Reacts with air to form peroxides.  
The product is chemically stable under standard ambient conditions (room temperature) .  
Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Warming.

#### 10.5 Incompatible materials

No data available

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

LD50 Oral - Rat - 5.840 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - 37,5 mg/l - vapor

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - 12.800 mg/kg

Remarks: (RTECS)

##### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h

(OECD Test Guideline 404)

##### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation

(OECD Test Guideline 405)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

##### Respiratory or skin sensitization

Buehler Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

##### Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: In vivo micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal injection



Method: OECD Test Guideline 474

Result: negative

**Carcinogenicity**

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

Inhalation, Oral - May cause drowsiness or dizziness. - Central nervous system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2 Additional Information**

**Endocrine disrupting properties**

**Product:**

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

RTECS: NT8050000

Central nervous system depression, prolonged or repeated exposure can cause:, Nausea, Headache, Vomiting, narcosis, Drowsiness, Overexposure may cause mild, reversible liver effects., Aspiration may lead to:, Lung edema, Pneumonia

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

Headache

Dizziness

inebriation

Unconsciousness

narcosis

After uptake of large quantities:

Coma

Handle in accordance with good industrial hygiene and safety practice.

Kidney - Irregularities - Based on Human Evidence

---

## SECTION 12: Ecological information

### 12.1 Toxicity

|                                                     |                                                                                                                |
|-----------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                    | flow-through test LC50 - Pimephales promelas (fathead minnow) - 9.640 mg/l - 96 h<br>(OECD Test Guideline 203) |
| Toxicity to daphnia and other aquatic invertebrates | EC50 - Daphnia magna (Water flea) - 13.299 mg/l - 48 h<br>Remarks: (IUCLID)                                    |
| Toxicity to algae                                   | IC50 - Desmodesmus subspicatus (green algae) - > 1.000 mg/l - 72 h<br>Remarks: (IUCLID)                        |
| Toxicity to bacteria                                | EC5 - Pseudomonas putida - 1.050 mg/l - 16 h<br>Remarks: (Lit.)                                                |

### 12.2 Persistence and degradability

|                           |                                                                                                              |
|---------------------------|--------------------------------------------------------------------------------------------------------------|
| Biodegradability          | aerobic - Exposure time 5 d<br>Result: 53 % - Readily biodegradable.<br>(Directive 67/548/EEC, Annex V, C.6) |
| Theoretical oxygen demand | 2.400 mg/g<br>Remarks: (Lit.)                                                                                |
| Ratio BOD/ThBOD           | 49 %<br>Remarks: (IUCLID)                                                                                    |

### 12.3 Bioaccumulative potential

No bioaccumulation is to be expected ( $\log Pow \leq 4$ ).

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

No data available

---

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 1219

IMDG: 1219

IATA: 1219

### 14.2 UN proper shipping name

ADR/RID: ISOPROPANOL

IMDG: ISOPROPANOL

IATA: Isopropanol

### 14.3 Transport hazard class(es)

ADR/RID: 3

IMDG: 3

IATA: 3

### 14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

### 14.6 Special precautions for user

Tunnel restriction code : (D/E)

Further information : No data available

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Authorisations and/or restrictions on use

##### National legislation

Seveso III: Directive 2012/18/EU of the P5c FLAMMABLE LIQUIDS  
European Parliament and of the Council  
on the control of major-accident hazards  
involving dangerous substances.

##### Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

---

## SECTION 16: Other information

### Full text of H-Statements

|      |                                    |
|------|------------------------------------|
| H225 | Highly flammable liquid and vapor. |
| H319 | Causes serious eye irritation.     |
| H336 | May cause drowsiness or dizziness. |

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

CHEMIKART