

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.7 Revision Date 16.09.2022 Print Date 03.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Palladium Matrix Modifier

Product Number : 76040

Brand : Sigma-Aldrich

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3

1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Oxidizing liquids (Category 1), H271 Corrosive to Metals (Category 1), H290 Acute toxicity, Inhalation (Category 4), H332 Skin corrosion (Sub-category 1B), H314 Serious eye damage (Category 1), H318 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Sigma-Aldrich- 76040 Page 1 of 15

Hazard statement(s) H271 H290 H314 H332 H411	May cause fire or explosion; strong oxidizer. May be corrosive to metals. Causes severe skin burns and eye damage. Harmful if inhaled. Toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard information (EU)

EUH071 Corrosive to the respiratory tract.

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word	Danger
Hazard statement(s) H271 H314	May cause fire or explosion; strong oxidizer. Causes severe skin burns and eye damage.
Precautionary statement(s)	
P210	Keep away from heat, hot surfaces, sparks, open flames and
	other ignition sources. No smoking.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

EUH071

Supplemental Hazard information (EU)

Corrosive to the respiratory tract.

Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 **Mixtures**

Sigma-Aldrich- 76040 Page 2 of 15 : Palladium(II) nitrate - nitric acidsolution

Palladium modifier

Component		Classification	Concentration
nitric acid			
CAS-No. EC-No. Index-No. Registration number	7697-37-2 231-714-2 007-030-00-3 01-2119487297-23- XXXX	Ox. Liq. 3; Met. Corr. 1; Acute Tox. 3; Skin Corr. 1A; Eye Dam. 1; H272, H290, H331, H314, H318 Concentration limits: >= 1 %: Met. Corr. 1, H290; 1 - < 5 %: Skin Irrit. 2, H315; 1 - < 3 %: Eye Irrit. 2, H319; >= 3 %: 1, H318; >= 65 %: Ox. Liq. 3, H272; >= 20 %: Skin Corr. 1A, H314; 5 - < 20 %: Skin Corr. 1B, H314; >= 3 %: Eye Dam. 1, H318; 1 - < 3 %: Eye Irrit. 2, H319; 1 - < 5 %: Skin Irrit. 2, H315;	>= 10 - < 20 %
_	Palladium matrix modifi		T
EC-No.	233-265-8	Ox. Sol. 1; Met. Corr. 1; Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; Aquatic	>= 1 - < 2,5 %
CH	*	Acute 1; Aquatic Chronic 1; H271, H290, H302, H314, H318, H400, H410 M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 10	

^{*}A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

Sigma-Aldrich- 76040 Page 3 of 15

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Palladium oxides

Nitrogen oxides (NOx)

Nitrogen oxides (NOx)

Not combustible.

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb \circledR). Dispose of properly. Clean up affected area.

Sigma-Aldrich- 76040 Page 4 of 15

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal containers.

Tightly closed. Separately or together with other oxidising substances only and away from sources of ignition and heat. Because of their oxidation potential these products can raise the burning rate of combustible substances substantially or ignite combustible substances on contact with them.

Storage class

Storage class (TRGS 510): 5.1A: Strongly oxidizing hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Sigma-Aldrich- 76040 Page 5 of 15

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state liquidb) Color orange

c) Odord) MeltingNo data available

point/freezing point

e) Initial boiling point No data available and boiling range

f) Flammability (solid, No data available gas)

g) Upper/lower No dat flammability or explosive limits

No data available

h) Flash point No data availablei) Autoignition Not applicable

Sigma-Aldrich- 76040 Page 6 of 15

temperature

j) Decomposition No data available

temperature

k) pH No data available

I) Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

m) Water solubility completely miscibleat 20 °C soluble

n) Partition coefficient: No data available

n-octanol/water

o) Vapor pressure No data available

p) Density 1,110 g/cm3

Relative density No data available q) Relative vapor No data available

density

r) Particle No data available

characteristics

s) Explosive properties No data availablet) Oxidizing properties No data available

0.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

The generally known reaction partners of water.

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

Amines, Bases, Aluminum, Brass, Copper, Corrodes steel., Iron, Organic materials, Reducing agentsMetals

10.6 Hazardous decomposition products

In the event of fire: see section 5

Sigma-Aldrich- 76040 Page 7 of 15

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute toxicity estimate Oral - > 2.000 mg/kg

(Calculation method)

Symptoms: Possible symptoms:, mucosal irritations, Cough, Shortness of breath, Possible

damages:, damage of respiratory tract

Acute toxicity estimate Inhalation - 4 h - 17,67 mg/l - vapor(Calculation method)

Dermal: No data available

Skin corrosion/irritationNo data available

Mixture causes burns.

Serious eye damage/eye irritation

No data available

Mixture causes serious eye damage. Risk of blindness!

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis,

Sigma-Aldrich- 76040 Page 8 of 15

pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

nitric acid

Acute toxicity

Oral: No data available

Acute toxicity estimate Inhalation - 4 h - 2,65 mg/l - vapor

(Expert judgment)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes severe burns.

Remarks: (IUCLID)

Causes poorly healing wounds.

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes burns. Remarks: (IUCLID)

Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative **Carcinogenicity**

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Palladium nitrate (Palladium matrix modifier)

Acute toxicity

LD50 Oral - Rat - male and female - 200 - 2.000 mg/kg

(OECD Test Guideline 423) Inhalation: No data available Dermal: No data available

Sigma-Aldrich- 76040 Page 9 of 15

Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: Causes burns. - 4 h (OECD Test Guideline 435)

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Result: negative

Test Type: Micronucleus test

Test system: Chinese hamster ovary cells

Result: negative Species: Rat

Remarks: DNA inhibition

(RTECS)

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent,

Sigma-Aldrich- 76040 Page 10 of 15

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

Components

nitric acid

No data available

Palladium nitrate (Palladium matrix modifier)

Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) -

0,306 mg/l - 96 h

(OECD Test Guideline 203)

Remarks: The value is given in analogy to the following

substances: diamminedichloropalladium

Toxicity to daphnia

and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 0,069 mg/l -

48 h

(OECD Test Guideline 202)

Remarks: The value is given in analogy to the following

substances: diamminedichloropalladium

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata - 0,058 mg/l

- 72 h

(OECD Test Guideline 201)

Remarks: The value is given in analogy to the following

substances: diamminedichloropalladium

static test NOEC - Pseudokirchneriella subcapitata - 0,002 mg/l

- 72 h

(OECD Test Guideline 201)

Remarks: The value is given in analogy to the following

substances: diamminedichloropalladium

Toxicity to bacteria static test EC50 - activated sludge - 61 mg/l - 3 h

(OECD Test Guideline 209)

Remarks: The value is given in analogy to the following

substances: diamminedichloropalladium

static test NOEC - activated sludge - 18 mg/l - 3 h

(OECD Test Guideline 209)

Sigma-Aldrich- 76040 Page 11 of 15

Remarks: The value is given in analogy to the following

substances: diamminedichloropalladium

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 2031 IMDG: 2031 IATA: 2031

14.2 UN proper shipping name

ADR/RID: NITRIC ACID IMDG: NITRIC ACID IATA: Nitric acid

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

Regulation (EU) 2019/1148 on the marketing : nitric acid ...% [C \leq 70 %]

and use of explosives precursors

National legislation

Seveso III: Directive 2012/18/EU of the European : OXIDISING LIQUIDS AND SOLIDS Parliament and of the Council on the control of

major-accident hazards involving dangerous

substances.

: ENVIRONMENTAL HAZARDS

Sigma-Aldrich- 76040 Page 12 of 15

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

EUH071	Corrosive to the respiratory tract.
H271	May cause fire or explosion; strong oxidizer.
H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.



Sigma-Aldrich- 76040 Page 13 of 15

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture		Classification procedure:
Ox. Liq.1	H271	Calculation method
Met. Corr.1	H290	Calculation method
Acute Tox.4	H332	Calculation method
Skin Corr.1B	H314	Calculation method
Eye Dam.1	H318	Calculation method
Aquatic Chronic2	H411	Calculation method

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See

Sigma-Aldrich- 76040 Page 14 of 15

www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



Sigma-Aldrich- 76040 Page 15 of 15