

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 7.12

Revision Date 11.03.2025

Print Date 02.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Phenol – chloroform – isoamyl alcohol mixture

Product Number : 77617

Brand : Sigma

UFI : GJWY-D591-A99Y-PSH9

REACH No. :

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

Uses advised against : This product is not intended for consumer use.

### 1.3

CHEMIKART

### 1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Acute toxicity, (Category 3) H301: Toxic if swallowed.

Acute toxicity, (Category 3) H331: Toxic if inhaled.

Acute toxicity, (Category 4) H312: Harmful in contact with skin.

Skin corrosion, (Sub-category 1B) H314: Causes severe skin burns and eye damage.

Serious eye damage, (Category 1) H318: Causes serious eye damage.

|   |  |
|---|--|
| Germ cell mutagenicity,<br>(Category 2)   | H341: Suspected of causing genetic defects.  |
| Carcinogenicity, (Category 2)   | H351: Suspected of causing cancer.   |
| Reproductive toxicity, (Category 2)   | H361d: Suspected of damaging the unborn child.                                     |
| Specific target organ toxicity - single exposure, (Category 3), Central nervous system                | H336: May cause drowsiness or dizziness.   |
| Specific target organ toxicity - repeated exposure, (Category 1), Liver, Kidney                       | H372: Causes damage to organs through prolonged or repeated exposure if swallowed. |
| Specific target organ toxicity - repeated exposure, (Category 2), Nervous system, Kidney, Liver, Skin | H373: May cause damage to organs through prolonged or repeated exposure.           |
| Long-term (chronic) aquatic hazard, (Category 2)  | H411: Toxic to aquatic life with long lasting effects.                             |

## 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

#### Pictogram

#### Signal Word

#### Danger

#### Hazard Statements

H301 + H331

Toxic if swallowed or if inhaled.

H312

Harmful in contact with skin.

H314

Causes severe skin burns and eye damage.

H336

May cause drowsiness or dizziness.

H341

Suspected of causing genetic defects.

H351

Suspected of causing cancer.

H361d

Suspected of damaging the unborn child.

H372

Causes damage to organs (Liver, Kidney) through prolonged or repeated exposure if swallowed.

H373

May cause damage to organs (Nervous system, Kidney, Liver, Skin) through prolonged or repeated exposure.

H411

Toxic to aquatic life with long lasting effects.

#### Precautionary Statements

P202

Do not handle until all safety precautions have been read and understood.

P273

Avoid release to the environment.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

|                    |  |
|--------------------|--|
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
|--------------------|--|

|                                |      |
|--------------------------------|------|
| Supplemental Hazard Statements | none |
|--------------------------------|------|

For use in industrial installations only.

### Reduced Labeling (<= 125 ml)

#### Pictogram

|             |        |
|-------------|--------|
| Signal Word | Danger |
|-------------|--------|

#### Hazard Statements

|             |  |
|-------------|--|
| H341        | Suspected of causing genetic defects.  |
| H351        | Suspected of causing cancer.   |
| H372        | Causes damage to organs through prolonged or repeated exposure if swallowed. |
| H314        | Causes severe skin burns and eye damage.                                     |
| H361d       | Suspected of damaging the unborn child.                                      |
| H301 + H331 | Toxic if swallowed or if inhaled.  |

#### Precautionary Statements

|                    |  |
|--------------------|--|
| P202               | Do not handle until all safety precautions have been read and understood.  |
| P280               | Wear protective gloves/ protective clothing/ eye protection/ face protection.  |
| P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.                                     |
| P304 + P340 + P310 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.             |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |

|                                |      |
|--------------------------------|------|
| Supplemental Hazard Statements | none |
|--------------------------------|------|

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.  
Rapidly absorbed through skin., Vesicant.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

| Component              |                       | Classification   | Concentration  |
|------------------------|-----------------------|--|----------------|
| <b>Phenol</b>          |                       |  |                |
| CAS-No.                | 108-95-2              | Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Muta. 2; STOT RE 2; Aquatic Chronic 2; H301, H331, H311, H314, H318, H341, H373, H411<br>Concentration limits:<br>>= 3 %: Skin Corr. 1B, H314; 1 - < 3 %: Skin Irrit. 2, H315; 1 - < 3 %: Eye Irrit. 2, H319; | >= 50 - < 70 % |
| EC-No.                 | 203-632-7             |  |                |
| Index-No.              | 604-001-00-2          |  |                |
| Registration number    | 01-2119471329-32-XXXX |  |                |
| <b>Chloroform</b>      |                       |  |                |
| CAS-No.                | 67-66-3               | Acute Tox. 4; Acute Tox. 3; Skin Irrit. 2; Eye Irrit. 2; Carc. 2; Repr. 2; STOT SE 3; STOT RE 1; H302, H331, H315, H319, H351, H361d, H336, H372<br>Concentration limits:<br>20 %: STOT SE 3, H336;  | >= 30 - < 50 % |
| EC-No.                 | 200-663-8             |  |                |
| Index-No.              | 602-006-00-4          |  |                |
| Registration number    | 01-2119486657-20-XXXX |  |                |
| <b>Isoamyl alcohol</b> |                       |  |                |
| CAS-No.                | 123-51-3              | Flam. Liq. 3; Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; STOT SE 3; H226, H332, H315, H318, H335   | >= 1 - < 3 %   |
| EC-No.                 | 204-633-5             |  |                |
| Index-No.              | 603-006-00-7          |  |                |
| Registration number    | 01-2119493725-26-XXXX |  |                |

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

After contact with skin: rinse out with polyethylene glycol 400 or a mixture of polyethylene glycol 300/ethanol 2:1 and wash with plenty of water. If neither is available wash with plenty of water. Immediately take off contaminated clothing. Call a physician immediately.

**In case of eye contact**

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.  
Remove contact lenses.

**If swallowed**

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

**Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

**5.2 Special hazards arising from the substance or mixture**

Carbon oxides

Hydrogen chloride gas

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

**5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

**5.4 Further information**

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

**6.2 Environmental precautions**

Do not let product enter drains.

### **6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

### **6.4 Reference to other sections**

For disposal see section 13.

---

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

#### **Advice on safe handling**

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Advice on protection against fire and explosion**

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.  
For precautions see section 2.2.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Storage conditions**

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

#### **Storage stability** Recommended storage temperature

2 - 8 °C

Air and light sensitive. Store under inert gas.

#### **Storage class**

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

### **7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **Ingredients with workplace control parameters**

### **8.2 Exposure controls**

#### **Personal protective equipment**

##### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

##### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact

with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Fluorinated rubber

Minimum layer thickness: 0,7 mm

Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact

Material: Fluorinated rubber

Minimum layer thickness: 0,7 mm

Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

protective clothing

### **Respiratory protection**

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

### **Control of environmental exposure**

Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- |  |                   |
|--|-------------------|
| a) Physical state                          | clear, liquid     |
| b) Color                                   | yellow            |
| c) Odor                                    | No data available |
| d) Melting point/freezing point            | No data available |
| e) Initial boiling point and boiling range | No data available |
| f) Flammability (solid,                    | No data available |

|    |  |  |
|----|--|--|
|    | gas)   |  |
| g) | Upper/lower flammability or explosive limits | No data available  |
| h) | Flash point                                  | 79 °C  |
| i) | Autoignition temperature                     | No data available  |
| j) | Decomposition temperature                    | No data available  |
| k) | pH   | 7,20 - 8,34  |
| l) | Viscosity                                    | Viscosity, kinematic: No data available<br>Viscosity, dynamic: No data available |
| m) | Water solubility                             | No data available  |
| n) | Partition coefficient: n-octanol/water       | No data available  |
| o) | Vapor pressure                               | No data available  |
| p) | Density                                      | 1,28 g/cm <sup>3</sup> at 20 °C  |
|    | Relative density                             | No data available  |
| q) | Relative vapor density                       | No data available  |
| r) | Particle characteristics                     | No data available  |
| s) | Explosive properties                         | Not classified as explosive.   |
| t) | Oxidizing properties                         | none   |

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Risk of explosion with:

Ammonia

Amines

nitrogen oxides

bases

Oxygen

alkali amides

organic nitro compounds

strong alkalis

Fluorine



peroxi compounds  
Alkaline earth metals  
Alkali metals  
Powdered metals  
salts of oxyhalogenic acids  
nitrites  
nitrates  
Peroxides  
Methanol  
with  
alcoholates  
Methanol  
with  
strong alkalis  
Iron  
in powder form  
various alloys  
sensitive to shock  
Methanol  
with  
Sodium hydroxide  
magnesium  
in powder form  
Oxygen  
with  
alkali compounds  
Aluminum  
in powder form  
Acetone  
with  
alkali compounds  
Potassium  
sensitive to shock  
sodium  
sensitive to shock  
Violent reactions possible with:  
phosphines  
bis(dimethylamino)dimethyl tin  
nonmetallic hydrogen compounds  
Powdered metals  
Light metals  
Ketones  
mineral acids  
Strong oxidizing agents  
semimetallic hydrogen compounds  
Aluminum  
Aldehydes  
Halogens  
hydrogen peroxide  
iron(III) compounds  
Oxidizing agents  
Strong acids  
Strong bases  
formaldehyde

#### 10.4 Conditions to avoid

Strong heating.

#### 10.5 Incompatible materials

No data available

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Mixture

##### Acute toxicity

Acute toxicity estimate Oral - 181,04 mg/kg

(Calculation method)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute toxicity estimate Inhalation - 4 h - 3 mg/l - vapor (Calculation method)

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages: damage of respiratory tract

Acute toxicity estimate Dermal - 1.320 mg/kg

(Calculation method)

##### Skin corrosion/irritation

Remarks: Mixture causes burns.

##### Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Risk of blindness!

##### Respiratory or skin sensitization

No data available

##### Germ cell mutagenicity

Evidence of genetic defects.

##### Carcinogenicity

Evidence of a carcinogenic effect.

##### Reproductive toxicity

Evidence of harm to the unborn child.

##### Specific target organ toxicity - single exposure

Mixture may cause drowsiness or dizziness.

##### Specific target organ toxicity - repeated exposure

Mixture causes damage to organs through prolonged or repeated exposure.

- Liver, Kidney

Mixture may cause damage to organs through prolonged or repeated exposure.

- Nervous system, Kidney, Liver, Skin

##### Aspiration hazard

No data available

## 11.2 Additional Information

### Endocrine disrupting properties

#### **Product:**

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

### Components

#### **Phenol**

##### **Acute toxicity**

Acute toxicity estimate Oral - 100,1 mg/kg

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Acute toxicity estimate Inhalation - 4 h - 0,51 mg/l - dust/mist

(Expert judgment)

Symptoms: Irritation, Lung edema

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

LD50 Dermal - Rat - female - 660 mg/kg

(OECD Test Guideline 402)

Acute toxicity estimate Dermal - 660 mg/kg

(ATE value derived from LD50/LC50 value)

##### **Skin corrosion/irritation**

Skin - In vitro study

Result: Causes burns.

(OECD Test Guideline 431)

##### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Corrosive

(OECD Test Guideline 405)

Remarks: Causes serious eye damage.

Risk of blindness!

##### **Respiratory or skin sensitization**

Sensitisation test: - Guinea pig

Result: negative

Remarks: (IUCLID)

**Germ cell mutagenicity**

Suspected of causing genetic defects.

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Result: positive

Test Type: Mutagenicity (mammal cell test): micronucleus.

Test system: Chinese hamster ovary cells

Result: positive

**Carcinogenicity**

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

Acute inhalation toxicity - Irritation, Lung edema

**Specific target organ toxicity - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

- Nervous system, Kidney, Liver, Skin

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

**Aspiration hazard**

No data available

**Chloroform****Acute toxicity**

LD50 Oral - Rat - male - 908 mg/kg

(OECD Test Guideline 401)

Acute toxicity estimate Oral - 908 mg/kg

(ATE value derived from LD50/LC50 value)

LC50 Inhalation - Rat - 6 h - 9,17 mg/l - vapor

Acute toxicity estimate Inhalation - Expert judgment - 4 h - 3,1 mg/l - vapor

Dermal: No data available

**Skin corrosion/irritation**

Skin - Rabbit

Result: Irritating to skin. - 24 h

Remarks: (ECHA)

Remarks: Drying-out effect resulting in rough and chapped skin.

Skin - Rabbit

Result: slight irritation

Remarks: (IUCLID)

**Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Irritating to eyes.

Remarks: (ECHA)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

**Respiratory or skin sensitization**

Maximization Test - Guinea pig

Result: negative  
(Regulation (EC) No. 440/2008, Annex, B.6)

**Germ cell mutagenicity**

Test Type: Ames test  
Test system: Escherichia coli/Salmonella typhimurium  
Result: negative  
Remarks: (ECHA)  
Test Type: unscheduled DNA synthesis assay  
Test system: Liver  
Result: negative  
Remarks: (ECHA)  
Method: OECD Test Guideline 474  
Species: Rat - male and female - Red blood cells (erythrocytes)  
Result: negative  
Method: OECD Test Guideline 486  
Species: Rat - male - Liver cells  
Result: negative  
Species: Mouse - female  
Result: negative  
Remarks: (ECHA)

**Carcinogenicity**

Suspected of causing cancer.

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Specific target organ toxicity - single exposure**

May cause drowsiness or dizziness.

**Specific target organ toxicity - repeated exposure**

Oral - Causes damage to organs through prolonged or repeated exposure.  
- Liver, Kidney

**Aspiration hazard**

No data available

**Isoamyl alcohol**

**Acute toxicity**

Oral: No data available  
Acute toxicity estimate Inhalation - 11,1 mg/l - vapor  
(Expert judgment)  
Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)  
Dermal: No data available

**Skin corrosion/irritation**

Skin - Rabbit  
Result: Moderate skin irritation - 24 h  
Remarks: (RTECS)

**Serious eye damage/eye irritation**

Eyes - Rabbit  
Result: Risk of serious damage to eyes.  
Remarks: (External MSDS)

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

May cause respiratory irritation. - Respiratory system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

**Specific target organ toxicity - repeated exposure****Aspiration hazard**

No data available

---

**SECTION 12: Ecological information****12.1 Toxicity****Mixture**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Endocrine disrupting properties****Product:**

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7 Other adverse effects**

No data available

**Components****Phenol**

|                     |  |
|---------------------|--|
| Toxicity to fish    | flow-through test LC50 - <i>Onchorhynchus clarki</i> - 8,9 mg/l - 96 h<br>(US-EPA) |
| Toxicity to daphnia | static test EC50 - <i>Ceriodaphnia dubia</i> (water flea) - 3,1 mg/l -             |

|   |  |
|---|--|
| and other aquatic invertebrates                                       | 48 h<br>(US-EPA)   |
| Toxicity to algae   | static test EC50 - <i>Pseudokirchneriella subcapitata</i> (algae) - 61,1 mg/l - 96 h<br>(US-EPA) |
| Toxicity to bacteria  | static test IC50 - microorganisms - 21 mg/l - 24 h<br>Remarks: (ECHA)                            |
| Toxicity to fish(Chronic toxicity)                                    | semi-static test NOEC - Fish - 0,077 mg/l - 60 d<br>Remarks: (ECHA)                              |
| Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity) | semi-static test NOEC - <i>Daphnia magna</i> (Water flea) - 0,16 mg/l - 16 d<br>Remarks: (ECHA)  |

### **Chloroform**

|   |  |
|---|--|
| Toxicity to daphnia and other aquatic invertebrates                   | static test EC50 - <i>Crassostrea gigas</i> - 152,5 mg/l - 48 h<br>Remarks: (ECHA)                       |
| Toxicity to algae   | static test ErC50 - <i>Chlamydomonas reinhardtii</i> (green algae) - 13,3 mg/l - 72 h<br>Remarks: (ECHA) |
| Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity) | semi-static test NOEC - <i>Daphnia magna</i> (Water flea) - 6,3 mg/l - 21 d<br>Remarks: (ECHA)           |

### **Isoamyl alcohol**

|   |   |
|---|---|
| Toxicity to fish                                    | static test LC50 - <i>Oncorhynchus mykiss</i> (rainbow trout) - 700 mg/l - 96 h<br>(OECD Test Guideline 203)<br>Remarks: (IUCLID) |
| Toxicity to daphnia and other aquatic invertebrates | EC50 - <i>Daphnia</i> - 260 mg/l - 48 h<br>Remarks: (IUCLID)  |
| Toxicity to bacteria                                | EC50 - <i>Pseudomonas putida</i> - 2.500 mg/l - 17 h<br>Remarks: (IUCLID)   |

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

No data available

---

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 2922

IMDG: 2922

IATA: 2922

### 14.2 UN proper shipping name

ADR/RID: CORROSIVE LIQUID, TOXIC, N.O.S. (Phenol, Chloroform, Isoamyl alcohol)

IMDG: CORROSIVE LIQUID, TOXIC, N.O.S. (Isoamyl alcohol, Phenol, Chloroform)

IATA: Corrosive liquid, toxic, n.o.s. (Isoamyl alcohol, Phenol, Chloroform)

### 14.3 Transport hazard class(es)

ADR/RID: 8 (6.1)

IMDG: 8 (6.1)

IATA: 8 (6.1)

### 14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

### 14.5 Environmental hazards

ADR/RID: yes

IMDG Marine pollutant: yes

IATA: no

### 14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Chloroform

#### National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. H2 ACUTE TOXIC

E2 ENVIRONMENTAL HAZARDS

#### Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.



Take note of Dir 94/33/EC on the protection of young people at work.

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

---

### SECTION 16: Other information

#### Full text of H-Statements

|        |  |
|--------|--|
| H226   | Flammable liquid and vapor.  |
| H301   | Toxic if swallowed.  |
| H302   | Harmful if swallowed.  |
| H311   | Toxic in contact with skin.  |
| H314   | Causes severe skin burns and eye damage.                                     |
| H315   | Causes skin irritation.  |
| H318   | Causes serious eye damage.   |
| H319   | Causes serious eye irritation.   |
| H331   | Toxic if inhaled.  |
| H332   | Harmful if inhaled.  |
| H335   | May cause respiratory irritation.  |
| H336   | May cause drowsiness or dizziness.   |
| H341   | Suspected of causing genetic defects.  |
| H351   | Suspected of causing cancer.   |
| H361d  | Suspected of damaging the unborn child.                                      |
| H372   | Causes damage to organs through prolonged or repeated exposure if swallowed. |
| H373   | May cause damage to organs through prolonged or repeated exposure.           |
| H411   | Toxic to aquatic life with long lasting effects.                             |
| EUH066 | Repeated exposure may cause skin dryness or cracking.                        |

## Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Classification of the mixture

|                  |       |
|------------------|-------|
| Acute Tox.3      | H301  |
| Acute Tox.3      | H331  |
| Acute Tox.4      | H312  |
| Skin Corr.1B     | H314  |
| Eye Dam.1        | H318  |
| Muta.2           | H341  |
| Carc.2           | H351  |
| Repr.2           | H361d |
| STOT SE3         | H336  |
| STOT RE1         | H372  |
| STOT RE2         | H373  |
| Aquatic Chronic2 | H411  |

### Classification procedure:

|                    |
|--------------------|
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |

**Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

CHEMIKART