



Avanti Polar Lipids, LLC. 700 Industrial Park Drive, Alabaster, AL 35007, USA • (800) 227-0651 • (205) 663-2494  
• Fax (800) 229-1004 • (205) 663-0756 • E-mail General Inquiries: [customerservice@avantiresearch.com](mailto:customerservice@avantiresearch.com)  
• E-mail Technical Questions: [technical@avantiresearch.com](mailto:technical@avantiresearch.com) • Visit [www.avantiresearch.com](http://www.avantiresearch.com)

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : 17:0 LYSO PG-d5

Product Number : 858130L

Brand : Avanti

REACH No. :

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Manufacture of substances

Uses advised against : For R&D use only. Not for pharmaceutical, household or other uses.

**1.3**

CHEMIKART

**1.4 Emergency telephone**

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

---

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**

Flammable liquids, (Category 2) H225: Highly flammable liquid and vapor.

Acute toxicity, (Category 3) H301: Toxic if swallowed.

Acute toxicity, (Category 3) H331: Toxic if inhaled.

Acute toxicity, (Category 3) H311: Toxic in contact with skin.

Skin irritation, (Category 2) H315: Causes skin irritation.

Eye irritation, (Category 2) H319: Causes serious eye irritation.

Carcinogenicity, (Category 2) H351: Suspected of causing cancer.

Specific target organ toxicity -  
single exposure, (Category 1),  
Eyes, Central nervous system

H370: Causes damage to organs.

Specific target organ toxicity -  
single exposure, (Category 3),  
Central nervous system

H336: May cause drowsiness or dizziness.

## 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

#### Pictogram

|                                |                                                                                                                                  |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Signal Word                    | Danger                                                                                                                           |
| Hazard Statements              |                                                                                                                                  |
| H225                           | Highly flammable liquid and vapor.                                                                                               |
| H301 + H311 + H331             | Toxic if swallowed, in contact with skin or if inhaled.                                                                          |
| H315                           | Causes skin irritation.                                                                                                          |
| H319                           | Causes serious eye irritation.                                                                                                   |
| H336                           | May cause drowsiness or dizziness.                                                                                               |
| H351                           | Suspected of causing cancer.                                                                                                     |
| H370                           | Causes damage to organs (Eyes, Central nervous system).                                                                          |
| Precautionary Statements       |                                                                                                                                  |
| P210                           | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.                                   |
| P280                           | Wear protective gloves/ protective clothing/ eye protection/ face protection.                                                    |
| P301 + P310                    | IF SWALLOWED: Immediately call a POISON CENTER/ doctor.                                                                          |
| P303 + P361 + P353             | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.                                     |
| P304 + P340 + P311             | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.                         |
| P305 + P351 + P338             | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Supplemental Hazard Statements | none                                                                                                                             |

### Reduced Labeling (<= 125 ml)

#### Pictogram

|                                |                                                                                                          |
|--------------------------------|----------------------------------------------------------------------------------------------------------|
| Signal Word                    | Danger                                                                                                   |
| Hazard Statements              |                                                                                                          |
| H351                           | Suspected of causing cancer.                                                                             |
| H370                           | Causes damage to organs.                                                                                 |
| H301 + H311 + H331             | Toxic if swallowed, in contact with skin or if inhaled.                                                  |
| Precautionary Statements       |                                                                                                          |
| P280                           | Wear protective gloves/ protective clothing/ eye protection/ face protection.                            |
| P301 + P310                    | IF SWALLOWED: Immediately call a POISON CENTER/ doctor.                                                  |
| P304 + P340 + P311             | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor. |
| Supplemental Hazard Statements | none                                                                                                     |

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

| Component              |                       | Classification                                                                                                                                         | Concentration  |
|------------------------|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| <b>Methanol</b>        |                       |                                                                                                                                                        |                |
| CAS-No.                | 67-56-1               | Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301, H331, H311, H370<br>Concentration limits:<br>>= 10 %: STOT SE 1, H370; 3 - < 10 %: STOT SE 2, H371; | >= 30 - < 50 % |
| EC-No.                 | 200-659-6             |                                                                                                                                                        |                |
| Index-No.              | 603-001-00-X          |                                                                                                                                                        |                |
| Registration number    | 01-2119433307-44-XXXX |                                                                                                                                                        |                |
| <b>Dichloromethane</b> |                       |                                                                                                                                                        |                |
| CAS-No.                | 75-09-2               | Skin Irrit. 2; Eye Irrit. 2; Carc. 2; STOT SE 3; H315, H319, H351, H336<br>Concentration limits:<br>20 %: STOT SE 3, H336;                             | >= 30 - < 50 % |
| EC-No.                 | 200-838-9             |                                                                                                                                                        |                |
| Index-No.              | 602-004-00-3          |                                                                                                                                                        |                |
| Registration number    | 01-2119480404-41-XXXX |                                                                                                                                                        |                |

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

**If swallowed**

After swallowing: fresh air. Make victim drink ethanol (e.g. 1 drinking glass of a 40% alcoholic beverage). Call a doctor immediately (mention methanol ingestion). Only in exceptional cases, if no medical care is available within one hour, induce vomiting (only in fully conscious persons) and make victim drink ethanol again (approx. 0.3 ml of a 40% alcoholic beverage/kg body weight/hour).

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

**Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

**5.2 Special hazards arising from the substance or mixture**

Carbon oxides

Hydrogen chloride gas

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

**5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

**5.4 Further information**

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

**6.2 Environmental precautions**

Do not let product enter drains. Risk of explosion.

**6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemisorb®). Dispose of properly. Clean up affected area.

**6.4 Reference to other sections**

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

**Storage stability** Recommended storage temperature  
-20 °C

#### Storage class

Storage class (TRGS 510): 3: Flammable liquids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

### 8.2 Exposure controls

#### Personal protective equipment

##### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

##### Skin protection

required

##### Body Protection

Flame retardant antistatic protective clothing.

##### Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

##### Control of environmental exposure

Do not let product enter drains. Risk of explosion.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- |                                                 |                                                                                  |
|-------------------------------------------------|----------------------------------------------------------------------------------|
| a) Physical state                               | liquid                                                                           |
| b) Color                                        | No data available                                                                |
| c) Odor                                         | No data available                                                                |
| d) Melting point/freezing point                 | No data available                                                                |
| e) Initial boiling point and boiling range      | No data available                                                                |
| f) Flammability (solid, gas)                    | No data available                                                                |
| g) Upper/lower flammability or explosive limits | No data available                                                                |
| h) Flash point                                  | No data available                                                                |
| i) Autoignition temperature                     | No data available                                                                |
| j) Decomposition temperature                    | No data available                                                                |
| k) pH                                           | No data available                                                                |
| l) Viscosity                                    | Viscosity, kinematic: No data available<br>Viscosity, dynamic: No data available |
| m) Water solubility                             | No data available                                                                |
| n) Partition coefficient: n-octanol/water       | No data available                                                                |
| o) Vapor pressure                               | No data available                                                                |
| p) Density                                      | No data available                                                                |
| Relative density                                | No data available                                                                |
| q) Relative vapor density                       | No data available                                                                |
| r) Particle characteristics                     | No data available                                                                |
|                                                 |                                                                                  |
| s) Explosive properties                         | Not classified as explosive.                                                     |
| t) Oxidizing properties                         | none                                                                             |

### 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Vapors may form explosive mixture with air.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Warming.

### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Mixture

##### Acute toxicity

Acute toxicity estimate Oral - 200,4 mg/kg

(Calculation method)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute toxicity estimate Inhalation - 4 h - 6,21 mg/l - vapor (Calculation method)

Symptoms: Possible symptoms: , mucosal irritations

Acute toxicity estimate Dermal - 600,8 mg/kg

(Calculation method)

##### Skin corrosion/irritation

Remarks: Mixture causes skin irritation.

##### Serious eye damage/eye irritation

Remarks: Mixture causes serious eye irritation.

##### Respiratory or skin sensitization

No data available

##### Germ cell mutagenicity

No data available

##### Carcinogenicity

Evidence of a carcinogenic effect.

##### Reproductive toxicity

No data available

##### Specific target organ toxicity - single exposure

Mixture causes damage to organs. - Eyes, Central nervous system

Mixture may cause drowsiness or dizziness.

##### Specific target organ toxicity - repeated exposure

No data available

##### Aspiration hazard

No data available

### 11.2 Additional Information

#### Endocrine disrupting properties

##### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU)

2017/2100 or Commission Regulation (EU)  
2018/605 at levels of 0.1% or higher.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

## **Components**

### **Methanol**

#### **Acute toxicity**

Acute toxicity estimate Oral - 100,1 mg/kg

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Symptoms: Nausea, Vomiting

Acute toxicity estimate Inhalation - 4 h - 3,1 mg/l - vapor

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Symptoms: Irritation symptoms in the respiratory tract.

Acute toxicity estimate Dermal - 300,1 mg/kg

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### **Skin corrosion/irritation**

Skin - Rabbit

Result: No skin irritation

Remarks: (ECHA)

Remarks: Drying-out effect resulting in rough and chapped skin.

#### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: No eye irritation

Remarks: (ECHA)

#### **Respiratory or skin sensitization**

Sensitisation test: - Guinea pig

Result: negative

(OECD Test Guideline 406)

#### **Germ cell mutagenicity**

Based on available data the classification criteria are not met.

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male and female - Bone marrow

Result: negative

#### **Carcinogenicity**

Did not show carcinogenic effects in animal experiments.



**Reproductive toxicity**

Based on available data the classification criteria are not met.

**Specific target organ toxicity - single exposure**

Causes damage to organs. - Eyes, Central nervous system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Acute oral toxicity - Nausea, Vomiting

Acute inhalation toxicity - Irritation symptoms in the respiratory tract.

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**Dichloromethane****Acute toxicity**

LD50 Oral - Rat - male and female - > 2.000 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Mouse - 4 h - 86 mg/l - vapor

Remarks: (ECHA)

Symptoms: Possible damages: , mucosal irritations

LD50 Dermal - Rat - male and female - > 2.000 mg/kg

(OECD Test Guideline 402)

**Skin corrosion/irritation**

Skin - Rabbit

Result: Irritations - 4 h

(OECD Test Guideline 404)

Remarks: Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

**Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Eye irritation

Remarks: (ECHA)

Remarks: Risk of corneal clouding.

**Respiratory or skin sensitization**

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

**Germ cell mutagenicity**

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Result: positive

Test Type: Ames test

Test system: Salmonella typhimurium

Result: positive

Method: OECD Test Guideline 474

Species: Mouse - male and female - Bone marrow

Result: negative

**Carcinogenicity**

Suspected of causing cancer.

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

Inhalation - May cause drowsiness or dizziness. - Central nervous system

Acute inhalation toxicity - Possible damages: mucosal irritations

**Specific target organ toxicity - repeated exposure****Aspiration hazard**

No data available

---

**SECTION 12: Ecological information****12.1 Toxicity****Mixture**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Endocrine disrupting properties****Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7 Other adverse effects**

No data available

**Components****Methanol**

|                                                     |                                                                                                                               |
|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                    | flow-through test LC50 - <i>Lepomis macrochirus</i> (Bluegill) - 15.400,0 mg/l - 96 h (US-EPA)                                |
| Toxicity to daphnia and other aquatic invertebrates | semi-static test EC50 - <i>Daphnia magna</i> (Water flea) - 18.260 mg/l - 96 h (OECD Test Guideline 202)                      |
| Toxicity to algae                                   | static test ErC50 - <i>Pseudokirchneriella subcapitata</i> (green algae) - ca. 22.000,0 mg/l - 96 h (OECD Test Guideline 201) |
| Toxicity to bacteria                                | static test IC50 - activated sludge - > 1.000 mg/l - 3 h (OECD Test Guideline 209)                                            |
| Toxicity to fish(Chronic toxicity)                  | NOEC - <i>Oryzias latipes</i> (Orange-red killifish) - 7.900 mg/l - 200 h<br>Remarks: (External MSDS)                         |

**Dichloromethane**

|                                                     |                                                                                                       |
|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                    | flow-through test LC50 - Pimephales promelas (fathead minnow) - 193,00 mg/l - 96 h<br>Remarks: (ECHA) |
| Toxicity to daphnia and other aquatic invertebrates | static test LC50 - Daphnia magna (Water flea) - 27 mg/l - 48 h (US-EPA)                               |
| Toxicity to bacteria                                | static test EC50 - activated sludge - 2.590 mg/l - 40 min (OECD Test Guideline 209)                   |
| Toxicity to fish(Chronic toxicity)                  | flow-through test LC50 - Pimephales promelas (fathead minnow) - 471 mg/l - 8 d<br>Remarks: (ECHA)     |

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

No data available

---

**SECTION 14: Transport information****14.1 UN number**

ADR/RID: 1992

IMDG: 1992

IATA: 1992

**14.2 UN proper shipping name**

ADR/RID: FLAMMABLE LIQUID, TOXIC, N.O.S. (Dichloromethane, Methanol)

IMDG: FLAMMABLE LIQUID, TOXIC, N.O.S. (Dichloromethane, Methanol)

IATA: Flammable liquid, toxic, n.o.s. (Dichloromethane, Methanol)

**14.3 Transport hazard class(es)**

ADR/RID: 3 (6.1)

IMDG: 3 (6.1)

IATA: 3 (6.1)

**14.4 Packaging group**

ADR/RID: II

IMDG: II

IATA: II

**14.5 Environmental hazards**

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

**14.6 Special precautions for user**

Tunnel restriction code : (D/E)

Further information : No data available

**14.7 Maritime transport in bulk according to IMO instruments**

Not applicable for product as supplied.

---

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Dichloromethane

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Methanol

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Dichloromethane

#### National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. H2 ACUTE TOXIC

P5c FLAMMABLE LIQUIDS

22 Methanol

#### Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

---

### SECTION 16: Other information

#### Full text of H-Statements

|      |                                    |
|------|------------------------------------|
| H225 | Highly flammable liquid and vapor. |
| H301 | Toxic if swallowed.                |
| H311 | Toxic in contact with skin.        |
| H315 | Causes skin irritation.            |
| H319 | Causes serious eye irritation.     |
| H331 | Toxic if inhaled.                  |
| H336 | May cause drowsiness or dizziness. |
| H351 | Suspected of causing cancer.       |
| H370 | Causes damage to organs.           |

## Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Classification of the mixture

|              |      |
|--------------|------|
| Flam. Liq.2  | H225 |
| Acute Tox.3  | H301 |
| Acute Tox.3  | H331 |
| Acute Tox.3  | H311 |
| Skin Irrit.2 | H315 |
| Eye Irrit.2  | H319 |
| Carc.2       | H351 |
| STOT SE1     | H370 |
| STOT SE3     | H336 |

### Classification procedure:

|                                     |
|-------------------------------------|
| Based on product data or assessment |
| Calculation method                  |
| Calculation method                  |
| Calculation method                  |
| Calculation method                  |
| Calculation method                  |
| Calculation method                  |
| Calculation method                  |
| Calculation method                  |