

# **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

Version 8.12 Revision Date 05.11.2024 Print Date 02.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Elemental Impurities according to ICH Q3D

inhalation, Standard 4

Product Number : 91496 Brand : Supelco

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

Uses advised against : For R&D use only. Not for pharmaceutical, household or other

uses.

1.3

# CHEMIKART

# 1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Corrosive to Metals, (Category 1) H290: May be corrosive to metals.

Skin corrosion, (Sub-category H314: Causes severe skin burns and eye

1B) damage.

Serious eye damage, (Category H318: Causes serious eye damage.

1)

# 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Supelco- 91496 Page 1 of 14

Signal Word Danger

Hazard Statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

**Precautionary Statements** 

P234 Keep only in original packaging.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P363 Wash contaminated clothing before reuse.

Supplemental Hazard information (EU)

EUH071 Corrosive to the respiratory tract.

EUH208 Contains: Nickel dinitrate hexahydrate. May produce an allergic

reaction.

### Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

**Hazard Statements** 

H314 Causes severe skin burns and eye damage.

**Precautionary Statements** 

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsina.

P363 Wash contaminated clothing before reuse.

Supplemental Hazard information (EU)

EUH071 Corrosive to the respiratory tract.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**Ecological information:** 

Supelco- 91496 Page 2 of 14

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Component		Classification	Concentration	
nitric acid				
CAS-No. EC-No. Index-No. Registration number	7697-37-2 231-714-2 007-030-00-3 01-2119487297-23- XXXX	Ox. Liq. 3; Met. Corr. 1; Acute Tox. 3; Skin Corr. 1A; Eye Dam. 1; H272, H290, H331, H314, H318 Concentration limits: >= 1 %: Met. Corr. 1, H290; >= 65 %: Ox. Liq. 3, H272; >= 20 %: Skin Corr. 1A, H314; 5 - < 20 %: Skin Corr. 1B, H314; >= 3 %: Eye Dam. 1, H318; 1 - < 3 %: Eye Irrit. 2, H319; 1 - < 5 %: Skin Irrit. 2, H315;	>= 10 - < 20 %	
		Acute inhalation toxicity(vapor): 2,65 mg/l		
Nickel dinitrate hexahydrate				
CAS-No. EC-No.	13478-00-7 236-068-5 *	Ox. Sol. 2; Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1; Muta. 2; Carc. 1A; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H272, H302, H332, H315, H318, H334, H317, H341, H350, H360, H372, H400, H410 Concentration limits: >= 1 %: STOT RE 1, H372; 0,1 - < 1 %: STOT RE 2, H373; >= 20 %: Skin Irrit. 2, H315; >= 0,01 %: Skin Sens. 1, H317; M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 10	>= 0,0002 - < 0,0025 %	

Supelco- 91496 Page 3 of 14

\*A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, or the annual tonnage does not require a registration.

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Call in physician.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

### In case of eve contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Mercury/mercury oxides.

Cobalt/cobalt oxides

Cadmium/cadmium oxides

Arsenic oxides

Vanadium/vanadium oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Supelco- 91496 Page 4 of 14

### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

No metal containers. Tightly closed.

Store under argon.

### Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Ingredients with workplace control parameters

### 8.2 Exposure controls

Personal protective equipment

# Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Supelco- 91496 Page 5 of 14

### Skin protection

required

# **Body Protection**

protective clothing

# Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# Control of environmental exposure

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# Information on basic physical and chemical properties

a) Physical state liquid

b) Color No data available No data available c) Odor d) Melting

point/freezing point

No data available

e) Initial boiling point No data available and boiling range

Flammability (solid,

No data available

f) gas)

No data available

Upper/lower flammability or explosive limits

h) Flash point Not applicable Autoignition Not applicable

temperature

Decomposition j) temperature

No data available

No data available k) рΗ

Viscosity Viscosity, kinematic: No data available I) Viscosity, dynamic: No data available

at 20 °C soluble

Partition coefficient: n-octanol/water

No data available

Vapor pressure

m) Water solubility

No data available

Density

1,066 g/cm3 at 20 °C

Supelco- 91496 Page 6 of 14 Relative density No data available Relative vapor No data available

density

q)

r) Particle No data available

characteristics

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

# 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No data available

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Violent reactions possible with:

The generally known reaction partners of water.

### 10.4 Conditions to avoid

no information available

# 10.5 Incompatible materials

Strong oxidizing agentsMetals

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

# Mixture

### **Acute toxicity**

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Inhalation: No data available
Dermal: No data available
Skin corrosion/irritation
Remarks: Mixture causes burns.

# Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Risk of blindness!

# Respiratory or skin sensitization

Mixture may produce an allergic reaction.

Supelco- 91496 Page 7 of 14

### Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

### 11.2 Additional Information

# **Endocrine disrupting properties**

### **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

# Components

### nitric acid

# **Acute toxicity**

Oral: No data available

Acute toxicity estimate Inhalation - 2,65 mg/l - vapor

(Acute toxicity estimate according to Regulation (EC) No. 1272/2008)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes severe burns.

Remarks: (IUCLID)

Remarks: Causes poorly healing wounds.

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes burns. Remarks: (IUCLID)

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

No data available

Supelco- 91496 Page 8 of 14

# Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Carcinogenicity

No data available

### Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

### Nickel dinitrate hexahydrate

# **Acute toxicity**

LD50 Oral - Rat - 1.620 mg/kg Inhalation: No data available Dermal: No data available

### **Skin corrosion/irritation** Remarks: No data available

# Serious eye damage/eye irritation

Remarks: No data available

# Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

In vitro tests showed mutagenic effects which were not observed with in vivo test.

### Carcinogenicity

Human carcinogen.

# **Reproductive toxicity**

Presumed human reproductive toxicant

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure.

## **Aspiration hazard**

No data available

Supelco- 91496 Page 9 of 14

# **SECTION 12: Ecological information**

# 12.1 Toxicity

### **Mixture**

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

# Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

### Components

# nitric acid

No data available

### Nickel dinitrate hexahydrate

No data available

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

No data available

# **SECTION 14: Transport information**

### 14.1 UN number

ADR/RID: 2031 IMDG: 2031 IATA: 2031

### 14.2 UN proper shipping name

ADR/RID: NITRIC ACID

Supelco- 91496 Page 10 of 14

IMDG: NITRIC ACID IATA: Nitric acid (12%)

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

14.4 Packaging group

IATA: II ADR/RID: II IMDG: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

(Annex XVII)

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Regulation (EU) 2019/1148 on the marketing

and use of explosives precursors

: Mercury dinitrate monohydrate

: arsenic

: Cadmium nitrate tetrahydrate

: Nickel dinitrate hexahydrate

: Lead(II) nitrate

Cadmium nitrate tetrahydrate

arsenic

: nitric acid

# Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

# 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

Supelco- 91496 Page 11 of 14

# **SECTION 16: Other information**

# **Full text of H-Statements**

H272 May intensify fire; oxidizer.	
H290 May be corrosive to metals.	
H302 Harmful if swallowed.	
H314 Causes severe skin burns and eye damag	ge.
H315 Causes skin irritation.	
H317 May cause an allergic skin reaction.	
H318 Causes serious eye damage.	
H319 Causes serious eye irritation.	
H331 Toxic if inhaled.	
H332 Harmful if inhaled.	
H334 May cause allergy or asthma symptoms	or breathing difficulties if inhaled.
H341 Suspected of causing genetic defects.	
H350 May cause cancer.	
H360 May damage fertility or the unborn child.	•
H372 Causes damage to organs through prolor inhaled.	nged or repeated exposure if
H373 May cause damage to organs through pr	olonged or repeated exposure.
H400 Very toxic to aquatic life.	
H410 Very toxic to aquatic life with long lasting	g effects.
EUH071 Corrosive to the respiratory tract.	



Supelco- 91496 Page 12 of 14

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture		Classification procedure:	
Met. Corr.1	H290	Calculation method	
Skin Corr.1B	H314	Calculation method	
Eve Dam.1	H318	Calculation method	

### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the

Supelco- 91496 Page 13 of 14

document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



Supelco- 91496 Page 14 of 14