

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.8

Revision Date 08.03.2024

Print Date 02.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Chlorpyrifos

Product Number : 94114

Brand : Sigma-Aldrich

Index-No. : 015-084-00-4

REACH No. : A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No. : 2921-88-2

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

### 1.3

CHEMIKART

### 1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Acute toxicity, (Category 3)	H301: Toxic if swallowed.
Short-term (acute) aquatic hazard, (Category 1)	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, (Category 1)	H410: Very toxic to aquatic life with long lasting effects.

## 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

#### Pictogram

Signal Word	Danger
Hazard Statements	
H301	Toxic if swallowed.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary Statements	
P264	Wash skin thoroughly after handling.
P273	Avoid release to the environment.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.
Supplemental Hazard Statements	none

### Reduced Labeling (<= 125 ml)

#### Pictogram

Signal Word	Danger
Hazard Statements	
H301	Toxic if swallowed.
Precautionary Statements	
P264	Wash skin thoroughly after handling.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.
Supplemental Hazard Statements	none

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Formula : C<sub>9</sub>H<sub>11</sub>Cl<sub>3</sub>NO<sub>3</sub>PS  
Molecular weight : 350,59 g/mol  
CAS-No. : 2921-88-2  
EC-No. : 220-864-4  
Index-No. : 015-084-00-4

Component		Classification	Concentration
<b>Chlorpyrifos</b>			
CAS-No.	2921-88-2	Acute Tox. 3; Aquatic Acute 1; Aquatic Chronic 1; H301, H400, H410 M-Factor - Aquatic Acute: 10.000 - Aquatic Chronic: 10.000	<= 100 %
EC-No.	220-864-4		
Index-No.	015-084-00-4		

For the full text of the H-Statements mentioned in this Section, see Section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

##### General advice

Show this material safety data sheet to the doctor in attendance.

##### If inhaled

After inhalation: fresh air.

##### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

##### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

##### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

#### **Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

### **5.2 Special hazards arising from the substance or mixture**

Carbon oxides

Nitrogen oxides (NO<sub>x</sub>)

Sulfur oxides

Oxides of phosphorus

Hydrogen chloride gas

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

### **5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### **5.4 Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### **6.2 Environmental precautions**

Do not let product enter drains.

### **6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### **6.4 Reference to other sections**

For disposal see section 13.

---

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

**Storage stability** Recommended storage temperature

2 - 8 °C

Store under inert gas.

### Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

**Ingredients with workplace control parameters**

### 8.2 Exposure controls

**Personal protective equipment**

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

protective clothing

#### **Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- |   |   |
|---|---|
| a) Physical state                               | powder                                  |
| b) Color  | white                                   |
| c) Odor   | No data available                       |
| d) Melting point/freezing point                 | Melting point/range: 41 - 42 °C         |
| e) Initial boiling point and boiling range      | No data available                       |
| f) Flammability (solid, gas)                    | No data available                       |
| g) Upper/lower flammability or explosive limits | No data available                       |
| h) Flash point                                  | Not applicable                          |
| i) Autoignition temperature                     | 285 °C<br>at 995,1 - 1.031,4 hPa        |
| j) Decomposition temperature                    | No data available                       |
| k) pH   | 4,04 at 22,7 °C                         |
| l) Viscosity                                    | Viscosity, kinematic: No data available |

	Viscosity, dynamic: No data available
m) Water solubility	0,001 g/l at 20 °C - OECD Test Guideline 105- slightly soluble
n) Partition coefficient: n-octanol/water	log Pow: 5,21 at 20 °C - Potential bioaccumulation
o) Vapor pressure	No data available
p) Density	No data available
Relative density	1,51 at 21 °C - OECD Test Guideline 109
q) Relative vapor density	
r) Particle characteristics	No data available
s) Explosive properties	No data available
t) Oxidizing properties	none

## 9.2 Other safety information

Surface tension	72 mN/m at 20 °C - OECD Test Guideline 115
-----------------	---

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Violent reactions possible with:  
strong oxidising agents  
Copper  
Copper alloys  
Strong acids and strong bases  
Amines

### 10.4 Conditions to avoid

no information available

### 10.5 Incompatible materials

Brass

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 82 mg/kg

Remarks: (RTECS)

Acute toxicity estimate Oral - 82 mg/kg

(ATE value derived from LD50/LC50 value)

LC50 Inhalation - Rat - 4 h - > 200 mg/m<sup>3</sup> - dust/mist

Remarks: (RTECS)

LD50 Dermal - Rabbit - male and female - > 5.000 mg/kg

(OECD Test Guideline 402)

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h

(OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

(OECD Test Guideline 405)

#### Respiratory or skin sensitization

Buehler Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

#### Germ cell mutagenicity

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Ames test

Test system: *S. typhimurium*

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Gavage

Method: OECD Test Guideline 474

Result: negative

#### Carcinogenicity



No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2 Additional Information**

**Endocrine disrupting properties**

**Product:**

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Headache, Dizziness, Weakness, fatigue, Tremors, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

**SECTION 12: Ecological information**

**12.1 Toxicity**

Toxicity to fish	static test LC50 - Leuciscus idus (Golden orfe) - 0,1 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 0,000214 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - > 0,73 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	EC50 - activated sludge - > 100 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to fish(Chronic toxicity)	semi-static test NOEC - Pimephales promelas (fathead minnow) - 0,0005679 mg/l - 32 d
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	static test NOEC - Daphnia magna (Water flea) - 0,000056 mg/l - 21 d (OECD Test Guideline 202)

**12.2 Persistence and degradability**

Biodegradability	aerobic - Exposure time 28 d Result: 22 % - Not readily biodegradable.
------------------	---

(OECD Test Guideline 301D)

### 12.3 Bioaccumulative potential

Bioaccumulation      Oncorhynchus mykiss (rainbow trout) - 30 d  
- 0,3 µg/l(Chlorpyrifos)

Bioconcentration factor (BCF): 1.374  
(US-EPA)

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

**Product:**

Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

## 12.7 Other adverse effects

Discharge into the environment must be avoided.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

## Product

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 2811

IMDG: 2811

IATA: 2811

## 14.2 UN proper shipping name

ADR/RID: TOXIC SOLID, ORGANIC, N.O.S. (Chlorpyrifos)

IMDG: TOXIC SOLID, ORGANIC, N.O.S. (Chlorpyrifos)

IATA: Toxic solid, organic, n.o.s. (Chlorpyrifos)

**14.3 Transport hazard class(es)**

ADR/RID: 6.1

IMDG: 6.1

IATA: 6.1

**14.4 Packaging group**

ADR/RID: III

IMDG: III

IATA: III

**14.5 Environmental hazards**

ADR/RID: no

IMDG Marine pollutant: yes

IATA: no

**14.6 Special precautions for user**

Tunnel restriction code : (E)

Further information : No data available

---

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

**National legislation**

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

H2 ACUTE TOXIC  
E1 ENVIRONMENTAL HAZARDS**Other regulations**

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

**15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

---

**SECTION 16: Other information****Full text of H-Statements**

H301	Toxic if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

## Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

## Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

# CHEMIKART