

# **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

Version 8.1 Revision Date 20.12.2022 Print Date 02.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : 1-Amino-3-(aminomethyl)-3,5,5-

trimethylcyclohexane

Product Number : 95323 Brand : Supelco Index-No. : 612-067-00-9

REACH No. : A registration number is not available for this substance as the

substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No. : 2855-13-2

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3

#### 1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Dermal (Category 4), H312 Skin corrosion (Sub-category 1B), H314 Serious eye damage (Category 1), H318 Skin sensitization (Sub-category 1A), H317

Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

Supelco- 95323 Page 1 of 11

#### 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard statement(s)

H302 + H312 Harmful if swallowed or in contact with skin. Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P261 Avoid breathing mist or vapors.
P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

# Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage. H412 Harmful to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

Precautionary statement(s)

P261 Avoid breathing mist or vapors.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Supelco- 95323 Page 2 of 11

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula : C10H22N2
Molecular weight : 170,3 g/mol
CAS-No. : 2855-13-2
EC-No. : 220-666-8
Index-No. : 612-067-00-9

Component		Classification	Concentration
3-aminomethyl-3,5,5-trimethylcyclohexylamine			
CAS-No.	2855-13-2	Acute Tox. 4; Skin Corr.	<= 100 %
EC-No.	220-666-8	1B; Eye Dam. 1; Skin	
Index-No.	612-067-00-9	Sens. 1A; H302, H314,	
		H318, H317	
		Concentration limits:	
		>= 0,001 %: Skin Sens.	
		1A, H317;	
		Acute oral toxicity: 1.030	
		mg/kg	

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

# **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

# If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

Supelco- 95323 Page 3 of 11

#### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

# **6.2 Environmental precautions**

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed.

#### Storage stability

Recommended storage temperature

2 - 30 °C

Supelco- 95323 Page 4 of 11

#### Storage class

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

# **Control parameters**

**Ingredients with workplace control parameters** 

#### 8.2 **Exposure controls**

### Personal protective equipment

# Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

# Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm

Break through time: 480 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Chloroprene

Minimum layer thickness: 0,65 mm

Break through time: 30 min

Material tested: KCL 720 Camapren®

## **Body Protection**

protective clothing

#### **Respiratory protection**

Recommended Filter type: Filter A-(P3)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains.

Page 5 of 11 Supelco- 95323

#### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Physical state clear, liquidb) Color light yellowc) Odor amine-like

d) Melting Melting point/freezing point: 8 °C at 1.006 hPa - OECD Test

point/freezing point Guideline 102

e) Initial boiling point 252,9 °C at 1.013 hPa - OECD Test Guideline 103 and boiling range

f) Flammability (solid, No data available

gas)

g) Upper/lower No data available

flammability or explosive limits

h) Flash point 110 °C - closed cup

i) Autoignition 380 °C temperature at 997 hPa

j) Decomposition No data available

temperature

k) pH No data available

I) Viscosity, kinematic: 19 mm2/s at 20 °C - OECD Test Guideline

114

Viscosity, dynamic: No data available

m) Water solubility 492 g/l at 23,8 °C - OECD Test Guideline 105- completely

soluble

n) Partition coefficient: log Pow: 0,99 at 23 °C - OECD Test Guideline 107 -

n-octanol/water Bioaccumulation is not expected.

o) Vapor pressure 0,0157 hPa at 20 °C - OECD Test Guideline 104

p) Density 0,924 g/cm3 at 20 °C

Relative density

No data available

q) Relative vapor

No data available

density

r) Particle No data available

characteristics

s) Explosive properties No data available

t) Oxidizing properties none

# 9.2 Other safety information

No data available

Supelco- 95323 Page 6 of 11

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

#### 10.3 Possibility of hazardous reactions

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines! Violent reactions possible with:

Exothermic reaction with:

Strong oxidizing agents

acids

# 10.4 Conditions to avoid

Strong heating.

#### 10.5 Incompatible materials

No data available

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - male - 1.030 mg/kg

(OECD Test Guideline 401)

Acute toxicity estimate Oral - 1.030 mg/kg

(Acute toxicity estimate according to Regulation (EC) No. 1272/2008)

LC50 Inhalation - Rat - male and female - 4 h - > 5,01 mg/l - aerosol

(OECD Test Guideline 403)

LD50 Dermal - Rat - male and female - > 2.000 mg/kg

(OECD Test Guideline 402)

# Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 24 h

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Corrosive to eyes - 24 h

(OECD Test Guideline 405)

Remarks: Causes serious eye damage.

#### Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: May cause sensitization by skin contact.

(OECD Test Guideline 406)

#### Germ cell mutagenicity

Test Type: Hamster

Supelco- 95323 Page 7 of 11

Test system: ovary

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Species: Mouse

Method: Mutagenicity (micronucleus test)

Result: negative

Carcinogenicity

No data available

#### **Reproductive toxicity**

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

#### 11.2 Additional Information

## **Endocrine disrupting properties**

#### **Product:**

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish semi-static test LC50 - Leuciscus idus (Golden orfe) - 110 mg/l - 96

h

(Regulation (EC) No. 440/2008, Annex, C.1)

Toxicity to daphnia and other aquatic

static test EC50 - Daphnia magna (Water flea) - 23 mg/l - 48 h

and other aquati invertebrates (OECD Test Guideline 202)

Toxicity to algae

static test EC50 - Desmodesmus subspicatus (green algae) - 37 mg/l

- 72 h

(Regulation (EC) No. 440/2008, Annex, C.3)

#### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Supelco- 95323 Page 8 of 11

Result: 8 % - Not readily biodegradable. (Regulation (EC) No. 440/2008, Annex, C.4-A)

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

**Product:** 

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

No data available

# **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 2289 IMDG: 2289 IATA: 2289

14.2 UN proper shipping name

ADR/RID: ISOPHORONEDIAMINE IMDG: ISOPHORONEDIAMINE IATA: Isophoronediamine

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Further information : No data available

Supelco- 95323 Page 9 of 11

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

# Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

# 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.
H302 + H312	Harmful if swallowed or in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

Supelco- 95323 Page 10 of 11

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Supelco- 95323 Page 11 of 11