

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.8 Revision Date 29.08.2024 Print Date 02.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Animal feed (OCP's)

Product Number : BCR115

Brand : Sigma-Aldrich

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3

CHEMIKART

1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Long-term (chronic) aquatic H411: Toxic to aquatic life with long lasting

hazard, (Category 2) effects.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word none

Hazard Statements

H411 Toxic to aquatic life with long lasting effects.

Sigma-Aldrich- BCR115 Page 1 of 15

Precautionary Statements

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/ container to an approved waste disposal

plant.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word none
Hazard Statements none
Precautionary Statements none
Supplemental Hazard none
Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Component		Classification	Concentration	
2,2-bis(p-Chlorophenyl)-1,1-dichloroethylene				
CAS-No. EC-No.	72-55-9 200-784-6 *	Acute Tox. 3; Carc. 2; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H301, H351, H372, H400, H410 M-Factor - Aquatic Acute: 100	>= 0,0025 - < 0,025 %	
Dieldrin				
CAS-No. EC-No. Index-No.	60-57-1 200-484-5 602-049-00-9 *	Acute Tox. 2; Acute Tox. 1; Carc. 2; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H300, H310, H351, H372, H400, H410 M-Factor - Aquatic Acute:	>= 0,0025 - < 0,025 %	

Sigma-Aldrich- BCR115 Page 2 of 15

		100 M-Factor - Aquatic Chronic: 10		
Hexachlorobenzer	ne			
CAS-No. EC-No. Index-No.	118-74-1 204-273-9 602-065-00-6 *	Carc. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H350, H372, H400, H410 M-Factor - Aquatic Acute: 100 M-Factor - Aquatic Chronic: 100	>= 0,0025 - < 0,025 %	
Endrin				
CAS-No. EC-No. Index-No.	72-20-8 200-775-7 602-051-00-X *	Acute Tox. 1; Aquatic Acute 1; Aquatic Chronic 1; H300, H310, H400, H410 M-Factor - Aquatic Acute: 100 - Aquatic Chronic: 100	>= 0,0025 - < 0,025 %	
Heptachlor				
CAS-No. EC-No. Index-No.	76-44-8 200-962-3 602-046-00-2 *	Acute Tox. 2; Carc. 2; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H300, H310, H351, H373, H400, H410 M-Factor - Aquatic Acute: 100	>= 0,0025 - < 0,025 %	

^{*}A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, or the annual tonnage does not require a registration.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Sigma-Aldrich- BCR115 Page 3 of 15

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nature of decomposition products not known.

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Storage stabilityRecommended storage temperature

2 - 8 °C

Storage class

Sigma-Aldrich- BCR115 Page 4 of 15

Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P1

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state solid

Sigma-Aldrich- BCR115 Page 5 of 15

b) Color
 c) Odor
 d) Melting point/freezing point
 e) Initial boiling point
 No data available
 No data available
 No data available

e) Initial boiling point No data available and boiling range

f) Flammability (solid, The product is not flammable. gas)

g) Upper/lower No data available flammability or explosive limits

h) Flash point No data availablei) Autoignition Not applicable temperature

j) Decomposition No data available temperature

k) pH No data available

I) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available

m) Water solubilityNo data availablen) Partition coefficient: No data available

n-octanol/water

o) Vapor pressure No data available

p) Density No data available

Relative density No data available
Relative vapor No data available

q) Relative vapor density

density Particle

No data available

characteristics

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

r)

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Sigma-Aldrich- BCR115 Page 6 of 15

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

To the best of our knowledge, the chemical, physical, and toxicological properties have not

been thoroughly investigated.

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Sigma-Aldrich- BCR115 Page 7 of 15

Components

2,2-bis(p-Chlorophenyl)-1,1-dichloroethylene

Acute toxicity

LD50 Oral - Rat - 87,0 mg/kg

Remarks: The value is given in analogy to the following substances: 1,1,1-Trichloro-

2,2-bis(4-chlorophenyl)ethane Inhalation: No data available Dermal: No data available

Skin corrosion/irritation Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification. Limited evidence of carcinogenicity in animal studies

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Remarks: No data available

The value is given in analogy to the following substances: 1,1,1-Trichloro-2,2-bis(4-

chlorophenyl)ethane

Ingestion - Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available

Dieldrin

Acute toxicity

LD50 Oral - Rat - 38,3 mg/kg

Remarks: (RTECS)

Acute toxicity estimate Oral - 38,3 mg/kg

(Calculation method)

Inhalation: No data available

Acute toxicity estimate Dermal - 5,1 mg/kg

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Sigma-Aldrich- BCR115 Page 8 of 15

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Ingestion - Causes damage to organs through prolonged or repeated exposure. Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Aspiration hazard

No data available

Hexachlorobenzene

Acute toxicity

LD50 Oral - Rat - 10.000 mg/kg

LD50 Oral - Mouse - 4.000 mg/kg

LD50 Oral - Cat - 1.700 mg/kg

LD50 Oral - Rabbit - 2.600 mg/kg

LD50 Oral - Guinea pig - > 3.000 mg/kg

LD50 Oral - Quail - > 6.400 mg/kg

LD50 Oral - Mammal - > 5.000 mg/kg

Remarks: Behavioral: Somnolence (general depressed activity).

Behavioral: Change in motor activity (specific assay).

LC50 Inhalation - Rat - 3.600 mg/m3 - dust/mist

LC50 Inhalation - Mouse - 4.000 mg/m3 - dust/mist

LC50 Inhalation - Cat - 1.600 mg/m3 - dust/mist

LC50 Inhalation - Rabbit - 1.800 mg/m3 - dust/mist

Dermal: No data available

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

Causes photosensitivity. Exposure to light can result in allergic reactions resulting in dermatologic lesions, which can vary from sunburnlike responses to edematous, vesiculated lesions, or bullae

Germ cell mutagenicity

No data available

Carcinogenicity

This product is or contains a component that has been reported to be probably carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification. Possible human carcinogen

Sigma-Aldrich- BCR115 Page 9 of 15

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Ingestion - Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available

Endrin

Acute toxicity

LD50 Oral - Rat - 3,0 mg/kg Inhalation: No data available LD50 Dermal - Rat - 12,0 mg/kg

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Heptachlor

Acute toxicity

LD50 Oral - Mouse - 68,0 mg/kg

Remarks: (RTECS)

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Inhalation: No data available

LD50 Dermal - Rabbit - 500,0 mg/kg

Remarks: (RTECS)

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Skin corrosion/irritation

No data available

Sigma-Aldrich- BCR115 Page 10 of 15

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

Components

2,2-bis(p-Chlorophenyl)-1,1-dichloroethylene

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 0,01 mg/l -

Sigma-Aldrich- BCR115 Page 11 of 15

96 h

Remarks: The value is given in analogy to the following substances: 1,1,1-Trichloro-2,2-bis(4-chlorophenyl)ethane

LC50 - Lepomis macrochirus (Bluegill sunfish) - 0,01 mg/l - 96

h

Remarks: The value is given in analogy to the following substances: 1,1,1-Trichloro-2,2-bis(4-chlorophenyl)ethane

LC50 - Oncorhynchus mykiss (rainbow trout) - 0,003400 mg/l - 96 h

Remarks: The value is given in analogy to the following substances: 1,1,1-Trichloro-2,2-bis(4-chlorophenyl)ethane

Toxicity to daphnia and other aquatic invertebrates

Immobilization EC50 - Daphnia magna (Water flea) - 0,00108

mg/l - 48 h

Remarks: The value is given in analogy to the following substances: 1,1,1-Trichloro-2,2-bis(4-chlorophenyl)ethane

Toxicity to fish(Chronic toxicity)

NOEC - Oncorhynchus mykiss (rainbow trout) - 113 mg/l - 3,0

Remarks: The value is given in analogy to the following substances: 1,1,1-Trichloro-2,2-bis(4-chlorophenyl)ethane

Dieldrin

Toxicity to fish

static test LC50 - Lepomis cyanellus - 0,011 mg/l - 96 h Remarks: (ECOTOX Database)

Hexachlorobenzene

Toxicity to fish LC50 - Lepomis macrochirus (Bluegill) - 7,6 mg/l - 96,0 h

NOEC - Pimephales promelas (fathead minnow) - > 0,0048

mg/l - 96,0 h

Toxicity to daphnia and other aquatic invertebrates

Immobilization EC50 - Daphnia magna (Water flea) - > 0,005

mg/l - 48 h

Endrin

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - < 0,001 mg/l -

96,0 h

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia pulex (Water flea) - 0,02 mg/l - 48 h

Immobilization EC50 - Daphnia magna (Water flea) - 0,0042

mg/l - 48 h

Toxicity to fish(Chronic toxicity)

NOEC - Pimephales promelas (fathead minnow) - > 0,0002 - <

0,0006 mg/l - 45 d

LOEC - Pimephales promelas (fathead minnow) - 0,00057 mg/l

- 45 d

Sigma-Aldrich- BCR115 Page 12 of 15

Heptachlor

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 0,007 mg/l -

96,0 h

Remarks: (ECOTOX Database)

Toxicity to daphnia and other aquatic invertebrates

LC50 - Daphnia magna (Water flea) - 0,078 mg/l - 48 h

Remarks: (ECOTOX Database)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number

ADR/RID: 3077 IMDG: 3077 IATA: 3077

14.2 UN proper shipping name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Dieldrin,

Hexachlorobenzene, Endrin)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Dieldrin,

Hexachlorobenzene, Endrin)

IATA: Environmentally hazardous substance, solid, n.o.s. (Dieldrin,

Hexachlorobenzene, Endrin)

14.3 Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: yes

14.6 Special precautions for user

Tunnel restriction code : (-)

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Sigma-Aldrich- BCR115 Page 13 of 15

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

E2

Authorisations and/or restrictions on use

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)

: Endosulfan (a isomer)

Dieldrin

 $(1a,2\beta,3a,4\beta,5a,6\beta)-1,2,3,4,5,6-$

Hexachlorocyclohexane

Gammaxene

Hexachlorobenzene

Chlorindan Endrin Heptachlor

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

ENVIRONMENTAL HAZARDS

Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements

H300 H301	Fatal if swallowed. Toxic if swallowed.
H310	Fatal in contact with skin.
H350	May cause cancer.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Sigma-Aldrich- BCR115 Page 14 of 15

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture

Classification procedure:

Aquatic Chronic2

H411

Calculation method

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- BCR115 Page 15 of 15