

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.19

Revision Date 30.04.2025

Print Date 02.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Trace Metals - Sewage Sludge 3

Product Number : CRM031

Brand : Sigma-Aldrich

REACH No. : This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Scientific research and development, Reagent for analysis

Uses advised against : For R&D use only. Not for pharmaceutical, household or other uses.

1.3

CHEMIKART

1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Corrosive to Metals, (Category 1) H290: May be corrosive to metals.

Skin irritation, (Category 2) H315: Causes skin irritation.

Eye irritation, (Category 2) H319: Causes serious eye irritation.

Skin sensitization, (Category 1) H317: May cause an allergic skin reaction.

Carcinogenicity, (Category 1B) H350: May cause cancer.

Short-term (acute) aquatic hazard, (Category 1) H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, (Category 2)

H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word	Danger
Hazard Statements	
H290	May be corrosive to metals.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H350	May cause cancer.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary Statements	
P202	Do not handle until all safety precautions have been read and understood.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
Supplemental Hazard Statements	none
	Restricted to professional users.

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word	Danger
Hazard Statements	
H317	May cause an allergic skin reaction.
H350	May cause cancer.
Precautionary Statements	
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Component		Classification	Concentration
caustic potash			
CAS-No.	1310-58-3	Met. Corr. 1; Acute Tox. 4; Skin Corr. 1A; Eye Dam. 1; H290, H302, H314, H318 Concentration limits: >= 5 %: Skin Corr. 1A, H314; 2 - < 5 %: Skin Corr. 1B, H314; 0,5 - < 2 %: Skin Irrit. 2, H315; 0,5 - < 2 %: Eye Irrit. 2, H319; >= 0,5 %: Met. Corr. 1, H290;	>= 0,5 - < 1 %
EC-No.	215-181-3		
Index-No.	019-002-00-8		
Registration	01-2119487136-33-		
number	XXXX		
nickel(II) nitrate			
CAS-No.	13138-45-9	Ox. Sol. 2; Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1; Muta. 2; Carc. 1B; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H272, H302, H332, H315, H318, H334, H317, H341, H350i, H360D, H372, H400, H410 Concentration limits: >= 1 %: STOT RE 1, H372; 0,1 - < 1 %: STOT RE 2, H373; >= 20 %: Skin Irrit. 2, H315; >= 0,01 %: Skin Sens. 1, H317; M-Factor - Aquatic Acute: 1 - Aquatic Chronic: 1	>= 0,025 - < 0,1 %
EC-No.	236-068-5		
Index-No.	028-012-00-1 *		

Cadmium nitrate Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)			
CAS-No.	10325-94-7	Acute Tox. 3; Acute Tox. 2; Acute Tox. 4; Muta. 1B; Carc. 1B; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H301, H330, H312, H340, H350, H360FD, H372, H400, H410	>= 0,025 - < 0,1 %
EC-No.	233-710-6	Concentration limits: >= 0,01 %: Carc. 1B, H350; >= 7 %: STOT RE 1, H372; 0,1 - < 7 %: STOT RE 2, H373;	
Index-No.	048-001-00-5 *	M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 1	
Cobalt(II) nitrate Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)			
CAS-No.	10141-05-6	Ox. Sol. 2; Acute Tox. 4; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1; Muta. 2; Carc. 1B; Repr. 1B; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H272, H302, H318, H334, H317, H341, H350i, H360F, H373, H400, H410	>= 0,025 - < 0,1 %
EC-No.	233-402-1	Concentration limits: >= 0,01 %: Carc. 1B, H350i;	
Index-No.	027-009-00-2 *	M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 1	
Ammonium dichromate Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)			
CAS-No.	7789-09-5	Ox. Sol. 2; Acute Tox. 3; Acute Tox. 2; Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1; Muta. 1B; Carc. 1B; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H272, H301, H330, H312, H314, H318, H334, H317, H340, H350, H360, H372, H400, H410	>= 0,025 - < 0,1 %
EC-No.	232-143-1	Concentration limits: >= 5 %: STOT SE 3, H335; >= 0,2 %: Resp. Sens. 1, H334; >= 0,2 %:	
Index-No.	024-003-00-1		
Registration number	01-2119661563-36-XXXX		

		Skin Sens. 1, H317; M-Factor - Aquatic Acute: 10	
Silver nitrate			
CAS-No.	7761-88-8	Ox. Sol. 2; Met. Corr. 1; Skin Corr. 1A; Eye Dam. 1; Repr. 1B; Aquatic Acute 1; Aquatic Chronic 1; H272, H290, H314, H318, H360D, H400, H410 Concentration limits: >= 1 %: Met. Corr. 1, H290; 68 %: Ox. Sol. 2, H272; M-Factor - Aquatic Acute: 1.000 - Aquatic Chronic: 100	>= 0,025 - < 0,1 %
EC-No.	231-853-9		
Index-No.	047-001-00-2		
Registration number	01-2119513705-43- XXXX		
Lead(II) nitrate Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)			
CAS-No.	10099-74-8	Acute Tox. 4; Eye Dam. 1; Skin Sens. 1B; Carc. 2; Repr. 1A; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H302, H332, H318, H317, H351, H360Df, H372, H400, H410 Concentration limits: >= 2,5 %: Repr. 2, H361f; >= 0,5 %: STOT RE 2, H373; M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 1	>= 0,025 - < 0,1 %
EC-No.	233-245-9		
Index-No.	082-001-00-6		
Registration number	01-2119492475-28- XXXX		
Mercury(II) nitrate			
CAS-No.	10045-94-0	Ox. Sol. 2; Acute Tox. 2; Acute Tox. 1; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H272, H300, H330, H310, H373, H400, H410 Concentration limits: >= 0,1 %: STOT RE 2, H373; M-Factor - Aquatic Acute: 10 M-Factor - Aquatic Chronic: 10	>= 0,025 - < 0,1 %
EC-No.	233-152-3		
Index-No.	080-002-00-6 *		

*A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, or the annual tonnage does not require a registration.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Iron oxides

Calcium oxide

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.
For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.
For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal containers.
Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|---|-------------------------------|
| a) Physical state | solid |
| b) Color | No data available |
| c) Odor | No data available |
| d) Melting point/freezing point | No data available |
| e) Initial boiling point and boiling range | No data available |
| f) Flammability (solid, gas) | The product is not flammable. |
| g) Upper/lower flammability or explosive limits | No data available |
| h) Flash point | Not applicable |
| i) Autoignition | Not applicable |

- | | | |
|----|--|--|
| | temperature | |
| j) | Decomposition temperature | No data available |
| k) | pH | No data available |
| l) | Viscosity | Viscosity, kinematic: No data available
Viscosity, dynamic: No data available |
| m) | Water solubility | No data available |
| n) | Partition coefficient: n-octanol/water | No data available |
| o) | Vapor pressure | No data available |
| p) | Density | No data available |
| | Relative density | No data available |
| q) | Relative vapor density | No data available |
| r) | Particle characteristics | No data available |
| s) | Explosive properties | Not classified as explosive. |
| t) | Oxidizing properties | none |

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

Strong oxidizing agentsMetals

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Symptoms: Possible symptoms:, mucosal irritations

Dermal: No data available

Skin corrosion/irritation

Remarks: Mixture causes skin irritation.

Serious eye damage/eye irritation

Remarks: Mixture causes serious eye irritation.

Respiratory or skin sensitization

Mixture may cause an allergic skin reaction.

Germ cell mutagenicity

No data available

Carcinogenicity

Possible carcinogen.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

Components

caustic potash

Acute toxicity

LD50 Oral - Rat - male - 333 mg/kg

(OECD Test Guideline 425)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute toxicity estimate Oral - 333 mg/kg
(Calculation method)

Symptoms: burns of mucous membranes, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns.

Remarks: (IUCLID)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

(OECD Test Guideline 405)

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

Sensitisation test: - Guinea pig

Result: negative

Remarks: (IUCLID)

Germ cell mutagenicity

Test Type: Ames test

Test system: S. typhimurium

Result: negative

Remarks: (ECHA)

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Acute oral toxicity - If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute inhalation toxicity - burns of mucous membranes, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

nickel(II) nitrate

Acute toxicity

LD50 Oral - Rat - male - 325 mg/kg

(OECD Test Guideline 401)

Acute toxicity estimate Oral - 325 mg/kg

(ATE value derived from LD50/LC50 value)

LC50 Inhalation - Rat - male and female - 4 h - 1,3 - 4,5 mg/l - dust/mist

(OECD Test Guideline 403)

Acute toxicity estimate Inhalation - 1,5 mg/l - dust/mist

(ATE value derived from LD50/LC50 value)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. - 4 h

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

(OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: positive

May cause an allergic skin reaction.

(Maximization Test)

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available

Cadmium nitrate

Acute toxicity

Acute toxicity estimate Oral - Not tested on animals - 100,1 mg/kg

(Expert judgment)

Acute toxicity estimate Inhalation - Not tested on animals - 0,051 mg/l - dust/mist

(Expert judgment)

Acute toxicity estimate Dermal - Not tested on animals - 1.100,1 mg/kg

(Expert judgment)

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

May cause genetic defects.

In vivo tests showed mutagenic effects

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Cadmium chloride

Test Type: comet assay

Test system: mammalian cells

Result: positive

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: cadmium sulphate

Test Type: In vitro mammalian cell gene mutation test

Test system: mammalian cells

Result: positive

Remarks: (in analogy to similar products)

Carcinogenicity

Carcinogenicity - May cause cancer.

Presumed to have carcinogenic potential for humans

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification. Chronic exposure to cadmium may cause lung and prostate cancer. Presumed to have carcinogenic potential for humans

Reproductive toxicity

May damage the unborn child.

May damage fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Oral - Causes damage to organs through prolonged or repeated exposure.

- Kidney, Bone

Aspiration hazard

No data available

Cobalt(II) nitrate**Acute toxicity**

LD50 Oral - Rat - male and female - 978 mg/kg

(OECD Test Guideline 401)

Remarks: (in analogy to similar compounds)

The value is given in analogy to the following substances: Cobaltous nitrate, hexahydrate

Acute toxicity estimate Oral - 978 mg/kg

(ATE value derived from LD50/LC50 value)

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h
(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.
(OECD Test Guideline 405)

Respiratory or skin sensitization

May cause allergic skin reaction. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

May damage fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure.
- Lungs

Aspiration hazard

No data available

Ammonium dichromate**Acute toxicity**

LD50 Oral - Rat - 53 mg/kg

Acute toxicity estimate Oral - 53 mg/kg
(ATE value derived from LD50/LC50 value)

LC50 Inhalation - Rat - 4 h - 0,2 mg/l - dust/mist

Acute toxicity estimate Inhalation - 0,2 mg/l - dust/mist
(ATE value derived from LD50/LC50 value)

LD50 Dermal - Rabbit - 1.860 mg/kg

Acute toxicity estimate Dermal - 1.860 mg/kg
(ATE value derived from LD50/LC50 value)

Skin corrosion/irritation

Remarks: Causes skin burns.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Severe eye irritation
(Draize Test)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Respiratory or skin sensitization

May cause allergic respiratory and skin reactions Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Germ cell mutagenicity

May alter genetic material. In vivo tests showed mutagenic effects

Carcinogenicity

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification. Possible human carcinogen

Reproductive toxicity

May cause congenital malformation in the fetus. Presumed human reproductive toxicant

May cause reproductive disorders.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Aspiration hazard

No data available

Silver nitrate**Acute toxicity**

Oral: No data available

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: Causes severe burns. - 3 - 60 min

(OECD Test Guideline 431)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

Remarks: (ECHA)

Remarks: Risk of permanent damage due to staining of the cornea.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Micronucleus test

Test system: Human lymphocytes

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: Positive results were obtained in some in vitro tests.

Method: OECD Test Guideline 474

Species: Rat - male and female

Result: Positive results were obtained in some in vivo tests.

Carcinogenicity

No data available

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Aspiration hazard

No data available

Lead(II) nitrate

Acute toxicity

Oral: No data available

Acute toxicity estimate Inhalation - 1,6 mg/l - dust/mist
(Expert judgment)

Symptoms: Possible damages:, mucosal irritations

LD50 Dermal - Rat - male and female - > 2.000 mg/kg
(OECD Test Guideline 402)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Lead(II) oxide red

Skin corrosion/irritation

Skin - In vitro study

Result: non-corrosive
(OECD Test Guideline 431)

Skin - In vitro study

Result: No skin irritation - 42 min
(OECD Test Guideline 439)

Serious eye damage/eye irritation

Eyes - Bovine cornea

Result: Causes serious eye damage. - 4 h
(OECD Test Guideline 437)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: positive

(OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Remarks: (in analogy to similar products)
(ECHA)

Species: Rat - female - Red blood cells (erythrocytes)

Result: positive

Remarks: (in analogy to similar products)
(ECHA)

The value is given in analogy to the following substances: lead(II) acetate

Species: Monkey - male - lymphocyte

Result: positive
Remarks: (in analogy to similar products)
(ECHA)
Species: Mouse - male - Liver cells
Result: negative
Remarks: (in analogy to similar products)
(ECHA)

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

May damage the unborn child. Positive evidence from human epidemiological studies.

Suspected of damaging fertility.

Specific target organ toxicity - single exposure

Acute inhalation toxicity - Possible damages: , mucosal irritations

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

- Blood, Central nervous system, Immune system, Kidney

Aspiration hazard

No data available

Mercury(II) nitrate

Acute toxicity

Acute toxicity estimate Oral - 5,1 mg/kg
(Expert judgment)

Acute toxicity estimate Inhalation - 0,051 mg/l - dust/mist
(Expert judgment)

Acute toxicity estimate Dermal - 5,1 mg/kg
(Expert judgment)

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

- Kidney

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

Components

caustic potash

Toxicity to fish

static test LC50 - Gambusia affinis (Mosquito fish) - 80 mg/l - 96 h
Remarks: (ECOTOX Database)

nickel(II) nitrate

Toxicity to bacteria

Toxicity to fish(Chronic toxicity)

flow-through test NOEC - Pimephales promelas (fathead minnow) - 0,057 mg/l - 32 d
Remarks: (ECHA)

Cadmium nitrate

Toxicity to fish

LC50 - Pimephales promelas (fathead minnow) - 0,0132 mg/l - 96 h
Remarks: (ECOTOX Database)
(referred to the cation)

flow-through test LC50 - *Ictalurus punctatus* - 4,48 mg/l - 96 h
Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates LC50 - *Daphnia magna* (Water flea) - 0,023 mg/l - 48 h
Remarks: (referred to the cation) (ECOTOX Database)

Toxicity to fish(Chronic toxicity) flow-through test NOEC - *Pimephales promelas* (fathead minnow) - 0,014 mg/l - 32 d
Remarks: (referred to the cation) (ECOTOX Database)

Cobalt(II) nitrate

Toxicity to fish semi-static test LC50 - *Pimephales promelas* (fathead minnow) - 1,866 mg/l - 96 h
(US-EPA)

Toxicity to daphnia and other aquatic invertebrates static test LC50 - *Ceriodaphnia dubia* (water flea) - 0,39 mg/l - 48 h
(US-EPA)

Toxicity to algae static test ErC50 - *Pseudokirchneriella subcapitata* - 0,095 mg/l - 72 h
(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - 120 mg/l - 30 min
(OECD Test Guideline 209)

Toxicity to fish(Chronic toxicity) semi-static test NOEC - *Pimephales promelas* (fathead minnow) - 0,9 mg/l - 7 d
(US-EPA)

Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity) semi-static test NOEC - *Ceriodaphnia dubia* (water flea) - 0,02 mg/l - 7 d
(US-EPA)

Ammonium dichromate

No data available

Silver nitrate

Toxicity to fish semi-static test LC50 - *Pimephales promelas* (fathead minnow) - 0,0012 mg/l - 96 h
(US-EPA)

Toxicity to daphnia and other aquatic invertebrates semi-static test EC50 - *Daphnia magna* (Water flea) - 0,00022 mg/l - 48 h
Remarks: (ECHA)

Toxicity to algae static test ErC50 - *Raphidocelis subcapitata* (freshwater green alga) - 0,00252 mg/l - 72 h
(OECD Test Guideline 201)

	static test EC10 - Raphidocelis subcapitata (freshwater green alga) - 0,00046 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to fish(Chronic toxicity)	flow-through test NOEC - Pimephales promelas (fathead minnow) - 0,000351 mg/l - 34 d Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test EC10 - Daphnia magna (Water flea) - 0,0027 mg/l - 21 d Remarks: (ECHA)
Lead(II) nitrate	
Toxicity to fish	static test LC50 - Oncorhynchus mykiss (rainbow trout) - 0,1 mg/l - 96 h Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 1,8 mg/l - 48 h Remarks: (ECOTOX Database)
Toxicity to algae	EC50 - algae - 0,024 - 0,029 mg/l - 28 h Remarks: (Lit.)
Toxicity to fish(Chronic toxicity)	semi-static test NOEC - Pimephales promelas (fathead minnow) - 1,337 mg/l - 7 d Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Ceriodaphnia dubia (water flea) - 0,0224 mg/l - 7 d (US-EPA)
Mercury(II) nitrate	
Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 0,172 mg/l - 96,0 h
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	mortality LOEC - Daphnia magna (Water flea) - 0,0070 mg/l - 21 d LC50 - Daphnia magna (Water flea) - 0,0083 mg/l - 21 d

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number

ADR/RID: 3077

IMDG: 3077

IATA: 3077

14.2 UN proper shipping name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (nickel(II) nitrate)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (nickel(II) nitrate)

IATA: Environmentally hazardous substance, solid, n.o.s. (nickel(II) nitrate)

14.3 Transport hazard class(es)

ADR/RID: 9

IMDG: 9

IATA: 9

14.4 Packaging group

ADR/RID: III

IMDG: III

IATA: III

14.5 Environmental hazards

ADR/RID: yes

IMDG Marine pollutant: yes

IATA: yes

14.6 Special precautions for user

Tunnel restriction code : (-)

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Mercury(II) nitrate

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Arsenic trioxide

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Cadmium nitrate

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : nickel(II) nitrate

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Cadmium nitrate
Cobalt(II) nitrate

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: nickel(II) nitrate

This product contains a substance listed on Annex XIV of the REACH Regulation (EC) Nr. 1907/2006.

Listed substance / Sunset Date

: Arsenic trioxide / 21.05.2015
Ammonium dichromate /
21.09.2017

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Ammonium dichromate

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Lead(II) nitrate

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Ammonium dichromate

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Cadmium nitrate
Lead(II) nitrate
Arsenic trioxide
Ammonium dichromate

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1

ENVIRONMENTAL HAZARDS

E1

ENVIRONMENTAL HAZARDS

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements

H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H301	Toxic if swallowed.

H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H350i	May cause cancer by inhalation.
H351	Suspected of causing cancer.
H360	May damage fertility or the unborn child.
H360D	May damage the unborn child.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H360F	May damage fertility.
H360FD	May damage fertility. May damage the unborn child.
H361f	Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

CHEMIKART

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture

Met. Corr.1	H290
Skin Irrit.2	H315
Eye Irrit.2	H319
Skin Sens.1	H317
Carc.1B	H350
Aquatic Acute1	H400
Aquatic Chronic2	H411

Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

CHEMIKART