

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.8 Revision Date 25.12.2023 Print Date 04.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : E-Toxa-Clean® Concentrate

Product Number : E9029 Brand : Sigma

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3

CHEMIKART

1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Acute toxicity, (Category 4) H302: Harmful if swallowed.

Skin irritation, (Category 2) H315: Causes skin irritation.

Serious eye damage, (Category H318: Causes serious eye damage.

1)

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Sigma- E9029 Page 1 of 15

#### Pictogram

Signal Word Danger

**Hazard Statements** 

H302 Harmful if swallowed. H315 Causes skin irritation.

H318 Causes serious eye damage.

**Precautionary Statements** 

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.
P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

Supplemental Hazard

Statements

none

# Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard Statements

H318 Causes serious eye damage.

**Precautionary Statements** 

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sigma- E9029 Page 2 of 15

# SECTION 3: Composition/information on ingredients

# 3.2 Mixtures

Component		Classification	Concentration		
sodium dodecyl benzenesulfonate					
CAS-No. EC-No.	25155-30-0 246-680-4 *	Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; H302, H315, H319	>= 30 - < 50 %		
tetrasodium diphosphate					
CAS-No. EC-No. Registration	7722-88-5 231-767-1	Acute Tox. 4; Eye Dam. 1; H302, H318	>= 30 - < 50 %		
number	01-2119489794-17- XXXX				
sodium carbonate					
CAS-No. EC-No. Index-No. Registration number	497-19-8 207-838-8 011-005-00-2 01-2119485498-19- XXXX	Eye Irrit. 2; H319	>= 10 - < 20 %		

<sup>\*</sup>A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

# If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

# If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Sigma- E9029 Page 3 of 15

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Oxides of phosphorus

Sodium oxides

Mixture with combustible ingredients.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

# 6.2 Environmental precautions

Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

For disposal see section 13.

Sigma- E9029 Page 4 of 15

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

# Storage conditions

Tightly closed. Dry.

#### Storage class

Storage class (TRGS 510): 11: Combustible Solids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

Ingredients with workplace control parameters

# 8.2 Exposure controls

Personal protective equipment

# **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

# Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

## **Body Protection**

protective clothing

# **Respiratory protection**

required when dusts are generated.

Sigma- E9029 Page 5 of 15

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# Information on basic physical and chemical properties

a)	Physical state	solid
b)	Color	white

c) Odor No data available No data available d) Melting point/freezing point

e) Initial boiling point No data available and boiling range

Flammability (solid, gas)

No data available

g) Upper/lower flammability or explosive limits

No data available

h) Flash point No data available Autoignition No data available i)

temperature

j)

Decomposition

No data available

temperature

No data available k) рН

I) **Viscosity** Viscosity, kinematic: No data available Viscosity, dynamic: No data available

No data available m) Water solubility n) Partition coefficient: No data available n-octanol/water

No data available o) Vapor pressure p) Density No data available No data available Relative density No data available Relative vapor q)

density

Sigma- E9029 Page 6 of 15 r) Particle characteristics

No data available

- s) Explosive properties Not classified as explosive.
- t) Oxidizing properties none

# 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

# 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

no information available

# 10.5 Incompatible materials

Strong oxidizing agents, Strong acids

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### **Mixture**

#### **Acute toxicity**

Oral: No data available

Acute toxicity estimate Oral - 833,33 mg/kg

(Calculation method)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and

gastrointestinal tract.

Symptoms: Possible symptoms:, mucosal irritations

Dermal: No data available

Skin corrosion/irritation

Remarks: Mixture causes skin irritation.

# Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

# Respiratory or skin sensitization

No data available

Sigma- E9029 Page 7 of 15

# Germ cell mutagenicity

No data available

# Carcinogenicity

No data available

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

# 11.2 Additional Information

# **Endocrine disrupting properties**

# **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

sneezing, Effects due to ingestion may include:, Gastrointestinal disturbance Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

#### Components

# sodium dodecyl benzenesulfonate

#### **Acute toxicity**

LD50 Oral - Rat - male and female - 500 - 2.000 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - 0,26 - 31 mg/l - aerosol

Remarks: (ECHA)

Dermal: No data available

# Skin corrosion/irritation

Skin - Rabbit

Result: Skin irritation - 24 h

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation

Remarks: (External MSDS)

# Respiratory or skin sensitization

No data available

Sigma- E9029 Page 8 of 15

# Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Remarks: (National Toxicology Program)

# Carcinogenicity No data available

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

# tetrasodium diphosphate

# **Acute toxicity**

LD50 Oral - Rat - female - > 300 - < 2.000 mg/kg

(OECD Test Guideline 420)

LC50 Inhalation - Rat - male and female - 4 h - > 0,58 mg/l - dust/mist

(OECD Test Guideline 403)

Remarks: (highest concentration to be prepared)

The value is given in analogy to the following substances: Disodium pyrophosphate

LD50 Dermal - Rabbit - male and female - > 2.000 mg/kg

(US-EPA)

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irreversible effects on the eye - 4 h

(OECD Test Guideline 405)

#### Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

Remarks: The value is given in analogy to the following substances: Disodium

pyrophosphate

Sigma- E9029 Page 9 of 15

# Germ cell mutagenicity

Test Type: gene mutation test Test system: Mouse lymphoma test

Result: negative

Test Type: Micronucleus test Test system: lymphocyte

Result: negative

Carcinogenicity

No data available

# **Reproductive toxicity**

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

# **Aspiration hazard**

No data available

#### sodium carbonate

# **Acute toxicity**

LD50 Oral - Rat - male and female - 2.800 mg/kg

Remarks: (ECHA)

Inhalation: No data available

LD50 Dermal - Rabbit - > 2.000 mg/kg

(US-EPA)

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation

(US-EPA)

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

# Carcinogenicity

No data available

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

Sigma- E9029 Page 10 of 15

#### **Aspiration hazard**

No data available

# **SECTION 12: Ecological information**

# 12.1 Toxicity

#### **Mixture**

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

**Product:** 

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

# **Components**

#### sodium dodecyl benzenesulfonate

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - 3,2 -

5,6 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia static test EC50 - Daphnia magna (Water flea) - 6,3 - 9,5 mg/l

and other aquatic - 48 h

invertebrates (OECD Test Guideline 202)

Toxicity to daphnia semi-static test NOEC - Daphnia magna (Water flea) - 1,65

and other aquatic mg/l - 21 d

invertebrates(Chronic (OECD Test Guideline 211)

toxicity)

# tetrasodium diphosphate

Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) -

> 100 mg/l - 96 h

(OECD Test Guideline 203)

Sigma- E9029 Page 11 of 15

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - > 100 mg/l -

48 h (US-EPA)

Toxicity to algae

static test ErC50 - Desmodesmus subspicatus (green algae) - >

100 mg/l - 72 h

(OECD Test Guideline 201)

static test NOEC - Desmodesmus subspicatus (green algae) - >

100 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria

static test EC50 - activated sludge - > 1.000 mg/l - 3 h

(OECD Test Guideline 209)

Remarks: The value is given in analogy to the following

substances: dipotassium hydrogen phosphate

sodium carbonate

Toxicity to fish static test LC50 - Lepomis macrochirus (Bluegill sunfish) - 300

mg/l - 96 h Remarks: (ECHA)

Toxicity to daphnia and other aquatic

semi-static test EC50 - Ceriodaphnia (water flea) - 220 - 227

and other aquatic invertebrates

mg/l - 48 h Remarks: (ECHA)

# CHEMIKART

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

No data available

# **SECTION 14: Transport information**

# 14.1 UN number

ADR/RID: - IMDG: - IATA: -

# 14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

# 14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

Sigma- E9029 Page 12 of 15

# 14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

# 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

#### 14.6 Special precautions for user

No data available

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

# Authorisations and/or restrictions on use

# Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

# 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

#### Full text of H-Statements

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Sigma- E9029 Page 13 of 15

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of t	he mixture	Classification procedure:	
Acute Tox.4	H302	Calculation method	
Skin Irrit.2	H315	Calculation method	
Eye Dam.1	H318	Calculation method	

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Sigma- E9029 Page 14 of 15

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



Sigma- E9029 Page 15 of 15