

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.4
Revision Date 09.01.2025
Print Date 05.05.2025
GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Tellurium, lump, Te, max. lump size 25mm,

weight 50 g, purity 99.95%

Product Number : GF59552185
Brand : Aldrich

Index-No. : 052-001-00-0

REACH No. : A registration number is not available for this substance as the

substance or its uses are exempted from registration or the

annual tonnage does not require a registration.

CAS-No. : 13494-80-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3

## 1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

#### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Acute toxicity, (Category 4) H332: Harmful if inhaled.

Skin sensitization, (Sub-category H317: May cause an allergic skin reaction.

1B)

Reproductive toxicity, (Category H360D: May damage the unborn child.

1B)

Long-term (chronic) aquatic H413: May cause long lasting harmful

Aldrich- GF59552185 Page 1 of 11

#### 2.2 Label elements

## Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H360D May damage the unborn child.

H413 May cause long lasting harmful effects to aquatic life.

**Precautionary Statements** 

P202 Do not handle until all safety precautions have been read and

understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

none

Restricted to professional users.

## Reduced Labeling (<= 125 ml)

**Pictogram** 

Signal Word Danger

Hazard Statements

H317 May cause an allergic skin reaction.

H413 May cause long lasting harmful effects to aquatic life.

H360D May damage the unborn child.

**Precautionary Statements** 

P202 Do not handle until all safety precautions have been read and

understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

none

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **Ecological information:**

Aldrich- GF59552185 Page 2 of 11

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula : Te

Molecular weight : 127,6 g/mol CAS-No. : 13494-80-9 EC-No. : 236-813-4 Index-No. : 052-001-00-0

Component		Classification	Concentration
tellurium			
CAS-No. EC-No. Index-No.	13494-80-9 236-813-4 052-001-00-0	Acute Tox. 4; Skin Sens. 1B; Repr. 1B; Lact.; Aquatic Chronic 4; H332, H317, H360Df, H362, H413	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

## In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed No data available

Aldrich- GF59552185 Page 3 of 11

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Tellurium oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

For disposal see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

## **Storage conditions**

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

#### Storage class

Aldrich- GF59552185 Page 4 of 11

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

**Ingredients with workplace control parameters** 

### 8.2 Exposure controls

Personal protective equipment

## **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

## **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

## **Body Protection**

protective clothing

#### **Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains.

Aldrich- GF59552185 Page 5 of 11

#### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Physical state lumpsb) Color gray

c) Odor No data available

d) Melting point/ range: ca.450 °C at 1.013,25 hPa

No data available

point/freezing point

e) Initial boiling point ca.988 °C at 1.013,25 hPa and boiling range

f) Flammability (solid, The product is not flammable. gas)

g) Upper/lower flammability or explosive limits

flammability or

h) Flash point Not applicablei) Autoignition No data available temperature

j) Decomposition No data available temperature

k) pH No data available

I) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available

m) Water solubility 0,0017 g/l at 20 °C - OECD Test Guideline 105- slightly soluble

n) Partition coefficient: Not applicable for inorganic substances n-octanol/water

o) Vapor pressure No data available p) Density 6,11 - 6,27 g/cm3

Relative density 6,232

q) Relative vapor density

r) Particle No data available characteristics

s) Explosive properties No data available

t) Oxidizing properties none

#### 9.2 Other safety information

No data available

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Aldrich- GF59552185 Page 6 of 11

## 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

Zinc, cadmium, Sodium/sodium oxides, Potassium, Strong acids, Strong bases, Halogens

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - male and female - > 5.000 mg/kg

(OECD Test Guideline 401)

Acute toxicity estimate Inhalation - 4 h - 1,5 mg/l - dust/mist(Expert judgment)

LC50 Inhalation - Rat - male and female - 4 h - > 2,42 mg/l - aerosol

(OECD Test Guideline 403) Dermal: No data available

## Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: No skin irritation (OECD Test Guideline 439)

## Serious eye damage/eye irritation

Eyes - Chicken eye Result: No eye irritation (OECD Test Guideline 438)

#### Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: positive

(OECD Test Guideline 429)

## Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Carcinogenicity
No data available

Aldrich- GF59552185 Page 7 of 11

## Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

Studies indicating a hazard to babies during the lactation period

## Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### 11.2 Additional Information

## **Endocrine disrupting properties**

### **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - 13 Weeks - NOAEL (No observed adverse effect level) - >= 100 mg/kg

Nausea, Headache, Vomiting, Central nervous system depression To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

The following applies to tellurium compounds in general: after oral uptake, the compound is mostly reduced to metallic tellurium and subsequently eliminated with the faeces (bluegrey). After inhalation or ingestion: metallic taste, dryness in mouth. Possible in extreme cases: gastrointestinal complaints, cyanosis, unconsciousness, collapse, in some cases risk of liver and kidney damage.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 100

static test EC50 - Daphnia magna (Water flea) - 5,79 mg/l - 48 h

mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia

and other aquatic invertebrates

(OECD Test Guideline 202)

judiic (OLCD rest Guideline 202)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata - > 11,7 mg/l -

72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - 320 mg/l - 3 h

(OECD Test Guideline 209)

## 12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

Aldrich- GF59552185 Page 8 of 11

#### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

No data available

## **SECTION 14: Transport information**

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

**Further information** 

Not classified as dangerous in the meaning of transport regulations.

Aldrich- GF59552185 Page 9 of 11

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

## Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture, : tellurium placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

## Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### SECTION 16: Other information

#### **Full text of H-Statements**

H317 May cause an allergic skin reaction.
 H332 Harmful if inhaled.
 H360Df May damage the unborn child. Suspected of damaging fertility.

H362 May cause harm to breast-fed children.

H413 May cause long lasting harmful effects to aquatic life.

Aldrich- GF59552185 Page 10 of 11

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Aldrich- GF59552185 Page 11 of 11