

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.8 Revision Date 29.12.2023 Print Date 04.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifiers

Product name : Cholesterol Extraction Kit

Product Number : MAK175 Brand : Sigma

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

Uses advised against : For R&D use only. Not for pharmaceutical, household or other

uses.

1.3

# CHEMIKART

# 1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Flammable liquids, (Category 2) H225: Highly flammable liquid and vapor.

Acute toxicity, (Category 4) H302: Harmful if swallowed.

Acute toxicity, (Category 3) H331: Toxic if inhaled.

Sigma- MAK175 Page 1 of 9

Acute toxicity, (Category 4) H312: Harmful in contact with skin. Skin irritation, (Category 2) H315: Causes skin irritation. Eye irritation, (Category 2) H319: Causes serious eye irritation. Carcinogenicity, (Category 2) H351: Suspected of causing cancer. Reproductive toxicity, (Category H361d: Suspected of damaging the unborn child. 2) Specific target organ toxicity -H370: Causes damage to organs. single exposure, (Category 1), Eyes Specific target organ toxicity -H336: May cause drowsiness or dizziness. single exposure, (Category 3), Central nervous system Specific target organ toxicity -H372: Causes damage to organs through prolonged or repeated exposure if repeated exposure, (Category 1), Liver, Kidney swallowed.

#### 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word	Danger
Hazard Statements	
H225	Highly flammable liquid and vapor.
H302 + H312	Harmful if swallowed or in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H361d H370	Suspected of damaging the unborn child. Causes damage to organs (Eyes).
H372	Causes damage to organs (Liver, Kidney) through prolonged or
11372	repeated exposure if swallowed.
Precautionary Statements	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Sigma- MAK175 Page 2 of 9

P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.

Supplemental Hazard

Statements

none

# Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard Statements

H331 Toxic if inhaled.

H351 Suspected of causing cancer. H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or repeated

exposure if swallowed.

H361d Suspected of damaging the unborn child.

**Precautionary Statements** 

P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.

Supplemental Hazard

Statements

none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### SECTION 3: Composition/information on ingredients

Refer to component SDS

# **SECTION 4: First aid measures**

Refer to component SDS

Sigma- MAK175 Page 3 of 9

### **SECTION 5: Firefighting measures**

Refer to component SDS

#### **SECTION 6: Accidental release measures**

Refer to component SDS

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

# Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

## Storage class

Storage class (TRGS 510): 3: Flammable liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

Refer to component SDS

#### **SECTION 9: Physical and chemical properties**

Refer to component SDS

# **SECTION 10: Stability and reactivity**

Refer to component SDS

Sigma- MAK175 Page 4 of 9

# **SECTION 11: Toxicological information**

Refer to component SDS

# **SECTION 12: Ecological information**

Refer to component SDS

# **SECTION 13: Disposal considerations**

Refer to component SDS

# **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 3316 IMDG: 3316 IATA: 3316

**14.2 UN** proper shipping name

ADR/RID: CHEMICAL KIT IMDG: CHEMICAL KIT IATA: Chemical kit

14.3 Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Refer to component SDS

### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

Sigma- MAK175 Page 5 of 9

#### **SECTION 16: Other information**

**Kit Components:** 

Extraction Solvent Sigma MAK175A Flam. Liq. 2; Acute Tox. 4; Acute

Tox. 3; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; Carc. 2; Repr. 2; STOT SE 1; STOT SE 3; STOT RE 1; H225, H302 + H312, H315, H319, H331, H336, H351,

H361d, H370, H372

Aqueous buffer Sigma MAK175B

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent

Sigma- MAK175 Page 6 of 9

any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



Sigma- MAK175 Page 7 of 9

# **Kit Components:**

Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Sigma -		Danger	Highly	Keep away	
MAK175A			flammable liquid	from heat, hot	
			and vapor.	surfaces,	
			Harmful if swallowed or in	sparks, open flames and	
			contact with	other ignition	
			skin.	sources. No	
			Causes skin	smoking. IF	
			irritation.	SWALLOWED:	
			Causes serious	Call a POISON	
			eye irritation.	CENTER/ doctor	
			Toxic if inhaled.	if you feel	
			May cause	unwell. Wear	
			drowsiness or	protective	
			dizziness.	gloves/	
			Suspected of	protective	
			causing cancer.	clothing/ eye	
			Suspected of	protection/ face	
			damaging the	protection. IF	
			unborn child.	ON SKIN (or	
			Causes damage	hair): Take off	
			to organs	immediately all contaminated	
			(Eyes). Causes damage	clothing. Rinse	
			to organs (Liver,	skin with water.	
			Kidney) through	IF INHALED:	
			prolonged or	Remove person	
			repeated	to fresh air and	
			exposure if	keep	
			swallowed.	comfortable for	
				breathing. Call a	
				POISON	
				CENTER/ doctor.	
				IF exposed or	
				concerned: Call	
				a POISON	
				CENTER/ doctor.	

Sigma- MAK175 Page 8 of 9

Aqueous buffer							
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental		
identifier		Word	Statements	Statements	information		
Sigma -					Not a hazardous		
MAK175B					substance or		
					mixture		
					according to		
					Regulation (EC)		
					No 1272/2008.		

# CHEMIKART

Sigma- MAK175 Page 9 of 9