

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.10 Revision Date 20.02.2025 Print Date 04.05.2025 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Ammonia Assay Kit

Product Number : MAK310 Brand : Sigma

REACH No.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3

1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

## **SECTION 2: Hazards identification**

1)

2.1 Classification of the substance or mixture

Acute toxicity, (Category 4) H302: Harmful if swallowed.

Skin corrosion, (Sub-category H314: Causes severe skin burns and eye

1B) damage.

Serious eye damage, (Category H318: Causes serious eye damage.

Skin sensitization, (Category 1) H317: May cause an allergic skin reaction.

Short-term (acute) aquatic H400: Very toxic to aquatic life. hazard, (Category 1)

Sigma- MAK310 Page 1 of 8

H410: Very toxic to aquatic life with long

lasting effects.

#### 2.2 Label elements

## Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

**Precautionary Statements** 

P261 Avoid breathing mist or vapors.
P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

## Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

**Hazard Statements** 

H317 May cause an allergic skin reaction.

H314 Causes severe skin burns and eye damage.

**Precautionary Statements** 

P261 Avoid breathing mist or vapors.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

#### 2.3 Other hazards - none

Sigma- MAK310 Page 2 of 8

## **SECTION 3: Composition/information on ingredients**

Refer to component SDS

#### **SECTION 4: First aid measures**

Refer to component SDS

## **SECTION 5: Firefighting measures**

Refer to component SDS

#### **SECTION 6: Accidental release measures**

Refer to component SDS

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions

Tightly closed.

**Storage stability**Recommended storage temperature

-20 °C

## **Storage class**

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### SECTION 8: Exposure controls/personal protection

Refer to component SDS

## **SECTION 9: Physical and chemical properties**

Refer to component SDS

#### **SECTION 10: Stability and reactivity**

Refer to component SDS

Sigma- MAK310 Page 3 of 8

## **SECTION 11: Toxicological information**

Refer to component SDS

## **SECTION 12: Ecological information**

Refer to component SDS

#### **SECTION 13: Disposal considerations**

Refer to component SDS

#### **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 3265 IMDG: 3265 IATA: 3265

14.2 UN proper shipping name

ADR/RID: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (o-phthaldialdehyde)
IMDG: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (o-phthaldialdehyde)

IATA: Corrosive liquid, acidic, organic, n.o.s. (o-phthaldialdehyde)

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Refer to component SDS

Sigma- MAK310 Page 4 of 8

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

Kit	Cor	npo	nen	ıts:

Assay Buffer	Sigma	MAK310A	
Reagent A	Sigma	MAK310B	Acute Tox. 4; Skin Corr. 1B; Eye
J	J		Dam. 1; Skin Sens. 1; Aquatic
			Acute 1; Aquatic Chronic 1;
			H302, H314, H317, H410
Reagent B	Sigma	MAK310C	Skin Sens. 1; H317
Standard	Sigma	MAK310D	

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the	Classification procedure:	
Acute Tox.4	H302	Calculation method
Skin Corr.1B	H314	Calculation method
Eye Dam.1	H318	Calculation method
Skin Sens.1	H317	Calculation method

Sigma- MAK310 Page 5 of 8

Aquatic Acute1 H400 Calculation method Aquatic Chronic1 H410 Calculation method

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



Sigma- MAK310 Page 6 of 8

# **Kit Components:**

Supplemental
information
No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s)

Reagent A					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Sigma -		Danger	Harmful if	Avoid breathing	
MAK310B			swallowed.	mist or vapors.	
			Causes severe	IF SWALLOWED:	
			skin burns and	Call a POISON	
			eye damage.	CENTER/ doctor	
			May cause an	if you feel	
			allergic skin	unwell. Avoid	
			reaction.	release to the	
			Very toxic to	environment. IF	
			aquatic life with	ON SKIN (or	
			long lasting	hair): Take off	
			effects.	immediately all	
				contaminated	
				clothing. Rinse	
				skin with water.	
				Wear protective	
				gloves/	
				protective	
				clothing/ eye	
				protection/ face	
				protection. IF IN	
				EYES: Rinse	
				cautiously with	
				water for	
				several minutes.	
				Remove contact	
				lenses, if	
				present and	
				easy to do.	
				Continue	
				rinsing.	

Sigma- MAK310 Page 7 of 8

Reagent B					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Sigma -		Warning	May cause an	Avoid breathing	
MAK310C			allergic skin	mist or vapors.	
			reaction.	IF ON SKIN:	
				Wash with	
				plenty of water.	
				Contaminated	
				work clothing	
				should not be	
				allowed out of	
				the workplace.	
				If skin irritation	
				or rash occurs:	
				Get medical	
				advice/	
				attention.	
				Wear protective	
				gloves. Take off	
				contaminated	
				clothing and	
				wash it before	
				reuse.	

Standard					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Sigma - MAK310D	H		VIIK	AK	No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Sigma- MAK310 Page 8 of 8