

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.5 Revision Date 27.12.2023 Print Date 04.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Glutathione Peroxidase Assay Kit

Product Number : MAK437 Brand : Sigma

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3

CHEMIKART

1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Organic peroxides, (Type F) H242: Heating may cause a fire.

Acute toxicity, (Category 4) H302: Harmful if swallowed.

Acute toxicity, (Category 3) H331: Toxic if inhaled.

Skin corrosion, (Sub-category H314: Causes severe skin burns and eye

1B) damage.

Sigma- MAK437 Page 1 of 10

Serious eye damage, (Category 1)	H318: Causes serious eye damage.
Specific target organ toxicity - single exposure, (Category 3), Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, (Category 2), Lungs	H373: May cause damage to organs through prolonged or repeated exposure if inhaled.
Long-term (chronic) aquatic hazard, (Category 2)	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 Pictogram

Signal Word	Danger
Hazard Statements H242 H302 H314 H331	Heating may cause a fire. Harmful if swallowed. Causes severe skin burns and eye damage. Toxic if inhaled.
H335 H373	May cause respiratory irritation. May cause damage to organs (Lungs) through prolonged or repeated exposure if inhaled.
H411	Toxic to aquatic life with long lasting effects.
Precautionary Statements	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Supplemental Hazard Statements	none

Reduced Labeling (<= 125 ml)

Page 2 of 10 Sigma- MAK437

Pictogram

Signal Word Danger

Hazard Statements

H331 Toxic if inhaled.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

Refer to component SDS

SECTION 4: First aid measures

Refer to component SDS

SECTION 5: Firefighting measures

Refer to component SDS

SECTION 6: Accidental release measures

Refer to component SDS

Sigma- MAK437 Page 3 of 10

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons. Separately or together with other organic peroxides only and away from sources of ignition and heat.

Storage stabilityRecommended storage temperature -20 °C

Storage class

Storage class (TRGS 510): 5.2: Organic peroxides and self-reacting hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

Refer to component SDS

SECTION 9: Physical and chemical properties

Refer to component SDS

SECTION 10: Stability and reactivity

Refer to component SDS

SECTION 11: Toxicological information

Refer to component SDS

Sigma- MAK437 Page 4 of 10

SECTION 12: Ecological information

Refer to component SDS

SECTION 13: Disposal considerations

Refer to component SDS

SECTION 14: Transport information

14.1 UN number

ADR/RID: 3109 IMDG: 3109 IATA: 3109

14.2 UN proper shipping name

ADR/RID: ORGANIC PEROXIDE TYPE F, LIQUID (CUMYL HYDROPEROXIDE)
IMDG: ORGANIC PEROXIDE TYPE F, LIQUID (CUMYL HYDROPEROXIDE)

IATA: Organic peroxide type F, liquid (Cumyl hydroperoxide)

Special Provisions: "Keep away from heat" label required.

14.3 Transport hazard class(es)

ADR/RID: 5.2 IMDG: 5.2 IATA: 5.2 (8)

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

14.6 Special precautions for user

Tunnel restriction code : (D)

Further information : No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Refer to component SDS

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Kit Components:

Assay Buffer Sigma MAK437A

Sigma- MAK437 Page 5 of 10

GR Enzyme	Sigma	MAK437B
Glutathione	Sigma	MAK437C
NADPH	Sigma	MAK437D
Calibrator	Sigma	MAK437E
Peroxide Solution	Sigma	MAK437F

Org. Perox. F; Acute Tox. 4; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; STOT SE 3; STOT RE 2; Aquatic Chronic 2; H242, H302, H314, H331, H335, H373, H411

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact

Sigma- MAK437 Page 6 of 10

with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



Sigma- MAK437 Page 7 of 10

Kit Components:

Assay Buffer					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Sigma -					Not a hazardous
MAK437A					substance or
					mixture
					according to
					Regulation (EC)
					No 1272/2008.

GR Enzyme					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Sigma -					Not a hazardous
MAK437B					substance or
					mixture
					according to
					Regulation (EC)
					No 1272/2008.

Glutathione					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Sigma - MAK437C					Not a hazardous substance or mixture according to
					Regulation (EC) No 1272/2008.

NADPH					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Sigma -					Not a hazardous
MAK437D					substance or
					mixture
					according to
					Regulation (EC)
					No 1272/2008.

Sigma- MAK437 Page 8 of 10

Calibrator					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Sigma -					Not a hazardous
MAK437E					substance or
					mixture
					according to
					Regulation (EC)
					No 1272/2008.

Peroxide Sol		1	T	1	
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Sigma -		Danger	Heating may	Keep away	
MAK437F			cause a fire.	from heat, hot	
			Harmful if	surfaces,	
			swallowed.	sparks, open	
			Causes severe	flames and	
			skin burns and	other ignition	
			eye damage.	sources. No	
			Toxic if inhaled.	smoking. IF ON	
			May cause	SKIN (or hair):	
			respiratory	Take off	
			irritation.	immediately all	
			May cause	contaminated	
			damage to	clothing. Rinse	
			organs (Lungs)	skin with water.	
			through	Avoid release to	
			prolonged or	the	
			repeated	environment. IF	
			exposure if	IN EYES: Rinse	
			inhaled.	cautiously with	
			Toxic to aquatic	water for	
			life with long	several minutes.	
			lasting effects.	Remove contact	
				lenses, if	
				present and	
				easy to do.	
				Continue	
				rinsing. Wear	
				protective	
				gloves/	
				protective	
				clothing/ eye	
				protection/ face	
				protection. In	
				case of fire: Use	
				dry sand, dry	
				chemical or	
				alcohol-resistant	
				foam to	

Sigma- MAK437 Page 9 of 10

extinguish.

CHEMIKART

Sigma- MAK437 Page 10 of 10