

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.0 Revision Date 16.12.2022 Print Date 04.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : NITRIC OXIDE SYNTHASE (NOS) ASSAY KIT

Product Number : MAK532 Brand : Sigma

REACH No. : A registration number is not available for this substance as the

substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3

CHEMIKART

1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Corrosive to Metals (Category 1), H290 Acute toxicity, Oral (Category 4), H302 Skin corrosion (Sub-category 1A), H314

Serious eye damage (Category 1), H318

Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Sigma- MAK532 Page 1 of 10

Pictogram

Signal Word Danger

Hazard statement(s)

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage. H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P234 Keep only in original packaging.
P273 Avoid release to the environment.

Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

P280

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

2.3 Other hazards - none

SECTION 3: Composition/information on ingredients

Refer to component SDS

SECTION 4: First aid measures

Refer to component SDS

Sigma- MAK532 Page 2 of 10

SECTION 5: Firefighting measures

Refer to component SDS

SECTION 6: Accidental release measures

Refer to component SDS

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal containers.

Tightly closed.

Storage stability

Recommended storage temperature -20 °C

Storage class

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

Refer to component SDS

SECTION 9: Physical and chemical properties

Refer to component SDS

SECTION 10: Stability and reactivity

Refer to component SDS

SECTION 11: Toxicological information

Refer to component SDS

SECTION 12: Ecological information

Refer to component SDS

Sigma- MAK532 Page 3 of 10

SECTION 13: Disposal considerations

Refer to component SDS

SECTION 14: Transport information

14.1 UN number

ADR/RID: 3316 IMDG: 3316 IATA: 3316

14.2 UN proper shipping name

ADR/RID: CHEMICAL KIT IMDG: CHEMICAL KIT IATA: Chemical kit

14.3 Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Further information : No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Refer to component SDS

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Kit Components:

ASSAY BUFFER	Sigma	MAK532A	
SUBSTRATE	Sigma	MAK532B	
GDH	Sigma	MAK532C	
REAGENT A	Sigma	MAK532D	Met. Corr. 1; H290
REAGENT B	Sigma	MAK532E	Met. Corr. 1; H290
REAGENT C	Sigma	MAK532F	Met. Corr. 1; H290
REAGENT D	Sigma	MAK532G	Acute Tox. 4; H302
REAGENT E	Sigma	MAK532H	
ZNSO4	Sigma	MAK532I	Eye Dam. 1; Aquatic Chronic 2;
			H318, H411
NAOH	Sigma	MAK532J	Met. Corr. 1; Skin Corr. 1A; Eye
			Dam. 1; H290, H314
STANDARD (1.0 MM)	Sigma	MAK532K	

Sigma- MAK532 Page 4 of 10

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the n	Classification procedure:	
Met. Corr.1	H290	Calculation method
Acute Tox.4	H302	Calculation method
Skin Corr.1A	H314	Calculation method
Eye Dam.1	H318	Calculation method
Aquatic Chronic2	H411	Calculation method

Sigma- MAK532 Page 5 of 10

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



Sigma- MAK532 Page 6 of 10

Kit Components:

ASSAY BUFF	ASSAY BUFFER						
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental		
identifier		Word	Statements	Statements	information		
Sigma -					Not a hazardous		
MAK532A					substance or		
					mixture		
					according to		
					Regulation (EC)		
					No 1272/2008.		

SUBSTRATE					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Sigma -					Not a hazardous
MAK532B					substance or
					mixture
					according to
					Regulation (EC)
					No 1272/2008.

GDH						
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information	
Sigma - MAK532C					Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.	

REAGENT A					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Sigma - MAK532D		Warning	May be corrosive to metals.	Keep only in original packaging. Absorb spillage to prevent material damage.	

Sigma- MAK532 Page 7 of 10

REAGENT B					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Sigma - MAK532E		Warning	May be corrosive to metals.	Keep only in original packaging. Absorb spillage to prevent material damage.	

REAGENT C					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Sigma - MAK532F		Warning	May be corrosive to metals.	Keep only in original packaging. Absorb spillage to prevent material damage.	

REAGENT D					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Sigma - MAK532G		Warning	Harmful if swallowed.	Wash skin thoroughly after handling. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Dispose of contents/ container to an approved waste disposal plant. Do not eat, drink or smoke when using this product.	

REAGENT E					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Sigma - MAK532H					Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

Sigma- MAK532 Page 8 of 10

ZNSO4					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Sigma - MAK532I		Danger	Causes serious eye damage. Toxic to aquatic life with long lasting effects.	Avoid release to the environment. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Dispose of contents/ container to an approved waste disposal plant. Wear eye protection/ face protection. Collect spillage.	

NAOH					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Sigma -		Danger	May be	Keep only in	
MAK532J			corrosive to	original	
			metals.	packaging. IF	
			Causes severe	ON SKIN (or	
			skin burns and	hair): Take off	
			eye damage.	immediately all	
				contaminated	
				clothing. Rinse	
				skin with water.	
				Wear protective	
				gloves/	
				protective	
				clothing/ eye	
				protection/ face	
				protection. IF	
				INHALED:	
				Remove person	
				to fresh air and	
				keep	
				comfortable for	
				breathing.	
				Immediately call	
				a POISON	
				CENTER/ doctor.	
				IF IN EYES:	
				Rinse cautiously	

Sigma- MAK532 Page 9 of 10

with water for
several minutes.
Remove contact
lenses, if
present and
easy to do.
Continue
rinsing. Wash
contaminated
clothing before
reuse.

STANDARD (1.0 MM)						
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental	
identifier		Word	Statements	Statements	information	
Sigma -					Not a hazardous	
MAK532K					substance or	
					mixture	
					according to	
					Regulation (EC)	
					No 1272/2008.	



Sigma- MAK532 Page 10 of 10