

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.1 Revision Date 16.04.2024 Print Date 04.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : ARGINASE ASSAY KIT

Product Number : MAK533 Brand : Sigma

REACH No. : A registration number is not available for this substance as the

substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3

CHEMIKART

#### 1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Corrosive to Metals, (Category 1) H290: May be corrosive to metals.

Skin corrosion, (Sub-category H314: Causes severe skin burns and eye

1A) damage.

Serious eye damage, (Category H318: Causes serious eye damage.

Sigma- MAK533 Page 1 of 10

1)

Reproductive toxicity, (Category

1B)

H360FD: May damage fertility. May

damage the unborn child.

Long-term (chronic) aquatic

hazard, (Category 3)

H412: Harmful to aquatic life with long

lasting effects.

#### 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

**Hazard Statements** 

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H360FD May damage fertility. May damage the unborn child. H412 Harmful to aquatic life with long lasting effects.

**Precautionary Statements** 

P202 Do not handle until all safety precautions have been read and

understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

#### Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

**Hazard Statements** 

H314 Causes severe skin burns and eye damage.
H412 Harmful to aquatic life with long lasting effects.
H360FD May damage fertility. May damage the unborn child.

**Precautionary Statements** 

P202 Do not handle until all safety precautions have been read and

understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

Sigma- MAK533 Page 2 of 10

	protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

Refer to component SDS

### **SECTION 4: First aid measures**

Refer to component SDS

## **SECTION 5: Firefighting measures**

Refer to component SDS

#### **SECTION 6: Accidental release measures**

Refer to component SDS

#### **SECTION 7: Handling and storage**

#### .1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Hygiene measures**

Sigma- MAK533 Page 3 of 10

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

No metal containers.

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

**Storage stability**Recommended storage temperature

-20 - 4 °C

#### Storage class

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

Refer to component SDS

#### **SECTION 9: Physical and chemical properties**

Refer to component SDS

#### **SECTION 10: Stability and reactivity**

Refer to component SDS

#### **SECTION 11: Toxicological information**

Refer to component SDS

#### **SECTION 12: Ecological information**

Refer to component SDS

#### **SECTION 13: Disposal considerations**

Refer to component SDS

Sigma- MAK533 Page 4 of 10

#### **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 3316 IMDG: 3316 IATA: 3316

14.2 UN proper shipping name

ADR/RID: CHEMICAL KIT IMDG: CHEMICAL KIT IATA: Chemical kit

14.3 Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Refer to component SDS

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

MG/DL)

Kit Components:			
ARGININE BUFFER (PH 9.5)	Sigma	MAK533A	
MN SOLUTION	Sigma	MAK533B	
REAGENT A	Sigma	MAK533C	Met. Corr. 1; Skin Irrit. 2; Eye Irrit. 2; Aquatic Chronic 3; H290, H315, H319, H412
REAGENT B	Sigma	MAK533D	Met. Corr. 1; Skin Corr. 1A; Eye Dam. 1; Repr. 1B; H290, H314, H360FD
UREA STANDARD (50	Sigma	MAK533E	

Sigma- MAK533 Page 5 of 10

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of th	Classification procedure:	
Met. Corr.1	H290	Calculation method
Skin Corr.1A	H314	Calculation method
Eye Dam.1	H318	Calculation method
Repr.1B	H360FD	Calculation method

H412

#### **Further information**

Aquatic Chronic3

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact

Calculation method

Sigma- MAK533 Page 6 of 10

with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



Sigma- MAK533 Page 7 of 10

# **Kit Components:**

ARGININE B	ARGININE BUFFER (PH 9.5)					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information	
Sigma - MAK533A					No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required	

MN SOLUTION	MN SOLUTION						
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental		
identifier		Word	Statements	Statements	information		
Sigma -					No hazard		
MAK533B					pictogram, no		
					signal word, no		
					hazard		
					statement(s), no		
					precautionary		
					statement(s)		
					required		

<b>REAGENT A</b>					
Product identifier Sigma - MAK533C	Pictogram	Signal Word Warning	Hazard Statements May be corrosive to metals. Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting	Precautionary Statements  Keep only in original packaging. IF ON SKIN: Wash with plenty of water. Wash skin thoroughly after handling. IF IN EYES: Rinse cautiously	Supplemental information
			effects.	with water for several minutes. Remove contact lenses, if present and easy to do.	

Sigma- MAK533 Page 8 of 10

Continue rinsing. Avoid
release to the environment.
Wear protective gloves/ eye
protection/ face protection.

REAGENT B Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Sigma -		Danger	May be	Do not handle	
MAK533D			corrosive to	until all safety	
			metals.	precautions	
			Causes severe	have been read	
			skin burns and	and understood.	
			eye damage.	IF ON SKIN (or	
			May damage	hair): Take off	
			fertility. May	immediately all	
			damage the	contaminated	
			unborn child.	clothing. Rinse	
				skin with water.	
				Keep only in	
				original	
				packaging. IF	
				INHALED:	
				Remove person	
				to fresh air and	
				keep comfortable for	
				breathing.	
				Immediately call	
				a POISON	
				CENTER/ doctor.	
				Wear protective	
				gloves/	
				protective	
				clothing/ eye	
				protection/ face	
				protection. IF IN	
				EYES: Rinse	
				cautiously with	
				water for	
				several minutes.	
				Remove contact	
				lenses, if	
				present and	
				easy to do.	
				Continue	
				rinsing.	

Sigma- MAK533 Page 9 of 10

UREA STAND	UREA STANDARD (50 MG/DL)					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information	
Sigma - MAK533E					No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required	

# CHEMIKART

Sigma- MAK533 Page 10 of 10