

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.12 Revision Date 01.07.2024 Print Date 05.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : GenElute™ HP Endotoxin-Free Plasmid

Megaprep Kit

Product Number : NA0600 Brand : Sigma

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

Uses advised against : For R&D use only. Not for pharmaceutical, household or other

uses.

1.3

CHEMIKARI

1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flammable liquids, (Category 3) H226: Flammable liquid and vapor.

Corrosive to Metals, (Category 1) H290: May be corrosive to metals.

Acute toxicity, (Category 4) H302: Harmful if swallowed.

Sigma- NA0600 Page 1 of 12

Acute toxicity, (Category 4) H332: Harmful if inhaled. Skin irritation, (Category 2) H315: Causes skin irritation. Eye irritation, (Category 2) H319: Causes serious eye irritation. Respiratory sensitization, H334: May cause allergy or asthma symptoms or breathing difficulties if (Category 1) inhaled. H336: May cause drowsiness or dizziness. Specific target organ toxicity single exposure, (Category 3), Central nervous system Specific target organ toxicity -H372: Causes damage to organs through repeated exposure, (Category 1), prolonged or repeated exposure if inhaled. Lungs

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word	Danger
Hazard Statements	
H226	Flammable liquid and vapor.
H290	May be corrosive to metals.
H302 + H332	Harmful if swallowed or if inhaled.
H315 H319	Causes skin irritation.
H334	Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties
11334	if inhaled.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs (Lungs) through prolonged or
	repeated exposure if inhaled.
Precautionary Statements	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P234	Keep only in original packaging.
P301 + P312	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated
	clothing. Rinse skin with water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard	none

Sigma- NA0600 Page 2 of 12

Statements

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard Statements

H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

H372 Causes damage to organs through prolonged or repeated

exposure if inhaled.

Precautionary Statements none Supplemental Hazard

Statements

none

2.3 Other hazards - none

SECTION 3: Composition/information on ingredients

Refer to component SDS

SECTION 4: First aid measures

Refer to component SDS

SECTION 5: Firefighting measures

Refer to component SDS

SECTION 6: Accidental release measures

Refer to component SDS

SECTION 7: Handling and storage

Precautions for safe handling 7.1

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

Sigma- NA0600 Page 3 of 12

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal containers.

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage stabilityRecommended storage temperature

15 - 25 °C

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

Refer to component SDS

SECTION 9: Physical and chemical properties

Refer to component SDS

SECTION 10: Stability and reactivity

Refer to component SDS

SECTION 11: Toxicological information

Refer to component SDS

SECTION 12: Ecological information

Refer to component SDS

SECTION 13: Disposal considerations

Refer to component SDS

Sigma- NA0600 Page 4 of 12

SECTION 14: Transport information

14.1 UN number

ADR/RID: 3316 IMDG: 3316 IATA: 3316

14.2 UN proper shipping name

ADR/RID: CHEMICAL KIT IMDG: CHEMICAL KIT IATA: Chemical kit

14.3 Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Refer to component SDS

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Kit Components: binding solution (endotoxin-free)	Sigma	B1810	Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; H302 + H332, H315, H319
Column Preparation Solution	Sigma	C2112	Met. Corr. 1; Skin Irrit. 2; Eye Irrit. 2; H290, H315, H319
Lysis Solution	Sigma	L1912	Met. Corr. 1; Skin Irrit. 2; Eye Irrit. 2; H290, H315, H319
Lysate clearing agent	Sigma	L4667	STOT RE 1; H372
Neutralization Solution EF	Sigma	N7411	
Resuspension Solution	Sigma	R1149	
RNase A solution	Sigma	R6148	Resp. Sens. 1; H334
Wash Solution 1	Sigma	W0263	Flam. Liq. 3; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; H226, H302, H315, H319, H336
Water	Sigma	W1127	
Wash Solution 2	Sigma	W4639	

Sigma- NA0600 Page 5 of 12

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the	Classification procedure:	
Flam. Liq.3	H226	Based on product data or assessment
Met. Corr.1	H290	Calculation method
Acute Tox.4	H302	Calculation method
Acute Tox.4	H332	Calculation method
Skin Irrit.2	H315	Calculation method
Eye Irrit.2	H319	Calculation method
Resp. Sens.1	H334	Calculation method
STOT SE3	H336	Calculation method
STOT RE1	H372	Calculation method

Sigma- NA0600 Page 6 of 12

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



Sigma- NA0600 Page 7 of 12

Kit Components:

binding soluti	binding solution (endotoxin-free)						
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental		
identifier		Word	Statements	Statements	information		
Sigma -		Warning	Harmful if	Avoid breathing			
B1810			swallowed or if	dust/ fume/			
			inhaled.	gas/ mist/			
			Causes skin	vapors/ spray.			
			irritation.	IF SWALLOWED:			
			Causes serious	Call a POISON			
			eye irritation.	CENTER/ doctor			
				if you feel			
				unwell. Wash			
				skin thoroughly			
				after handling.			
				IF ON SKIN:			
				Wash with			
				plenty of water.			
				IF INHALED:			
				Remove person			
				to fresh air and			
				keep			
				comfortable for			
				breathing. Call a			
				POISON			
				CENTER/ doctor			
				if you feel			
				unwell. IF IN			
				EYES: Rinse			
				cautiously with			
				water for			
				several minutes.			
				Remove contact			
				lenses, if			
				present and			
				easy to do.			
				Continue			
				rinsing.			

Column Prepa	Column Preparation Solution					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental	
identifier		Word	Statements	Statements	information	
Sigma -		Warning	May be corrosive to	Keep only in original		

Sigma- NA0600 Page 8 of 12

C2112		metals.	packaging. IF	
		Causes skin	ON SKIN: Wash	
		irritation.	with plenty of	
		Causes serious	water. Wash	
		eye irritation.	skin thoroughly	
			after handling.	
			IF IN EYES:	
			Rinse cautiously	
			with water for	
			several minutes.	
			Remove contact	
			lenses, if	
			present and	
			easy to do.	
			Continue	
			rinsing. Wear	
			protective	
			gloves/ eye	
			protection/ face	
			protection. If	
			skin irritation	
			occurs: Get	
			medical advice/ attention.	
			i attention.	

Lysis Solution Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier	riccogram	Word	Statements	Statements	information
Sigma - L1912		Warning	May be corrosive to metals. Causes skin irritation. Causes serious eye irritation.	Keep only in original packaging. IF ON SKIN: Wash with plenty of water. Wash skin thoroughly after handling. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Wear protective gloves/ eye protection/ face protection. If skin irritation	mormacion

Sigma- NA0600 Page 9 of 12

	occurs: Get	
	medical advice/	
	attention.	

Lysate cleari	Lysate clearing agent					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental	
identifier		Word	Statements	Statements	information	
Sigma - L4667		Danger	Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.	Do not breathe dust. Get medical advice/ attention if you feel unwell. Dispose of contents/ container to an approved waste disposal plant. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product.		

Neutralizatio	Neutralization Solution EF				
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Sigma - N7411	H		VIIK	AK	Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

Resuspension Solution					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Sigma -					Not a hazardous
R1149					substance or
					mixture
					according to
					Regulation (EC)
					No 1272/2008.

RNase A solution					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Sigma -		Danger	May cause	Avoid breathing	
R6148			allergy or	mist or vapors.	
			asthma	Dispose of	

Sigma- NA0600 Page 10 of 12

	symptoms or breathing	contents/ container to an	
	difficulties if	approved waste	
	inhaled.	disposal plant.	
		Wear respiratory	
		protection.	

Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
dentifier	-	Word	Statements	Statements	information
	Pictogram				

Water					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Sigma -					Not a hazardous substance or

Sigma- NA0600 Page 11 of 12

W1127			mixture
			according to
			Regulation (EC)
			No 1272/2008.

Wash Solution 2					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Sigma - W4639					No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

CHEMIKART

Sigma- NA0600 Page 12 of 12