

# **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

Version 7.3 Revision Date 08.03.2024 Print Date 02.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : N-Methylpyrrolidone

Product Number : PHR1352 Brand : Sigma-Aldrich Index-No. : 606-021-00-7

REACH No. : 01-2119472430-46-XXXX

CAS-No. : 872-50-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3

CHEMIKART

1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

#### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Skin irritation, (Category 2) H315: Causes skin irritation.

Eye irritation, (Category 2) H319: Causes serious eye irritation.

Reproductive toxicity, (Category

1B)

H360D: May damage the unborn child.

Specific target organ toxicity - single exposure, (Category 3),

Respiratory system

H335: May cause respiratory irritation.

Sigma-Aldrich-PHR1352 Page 1 of 14

#### 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation. H360D May damage the unborn child.

**Precautionary Statements** 

P202 Do not handle until all safety precautions have been read and

understood.

P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

none

Restricted to professional users.

# Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

**Hazard Statements** 

H360D May damage the unborn child.

**Precautionary Statements** 

P202 Do not handle until all safety precautions have been read and

understood.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

Sigma-Aldrich- PHR1352 Page 2 of 14

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula : C5H9NO Molecular weight : 99,13 g/mol CAS-No. : 872-50-4 EC-No. : 212-828-1 Index-No. : 606-021-00-7

Component		Classification	Concentration		
N-methyl-2-pyrrolidone Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)					
CAS-No. EC-No. Index-No.	872-50-4 212-828-1 606-021-00-7	Skin Irrit. 2; Eye Irrit. 2; Repr. 1B; STOT SE 3; H315, H319, H360D, H335 Concentration limits: >= 10 %: STOT SE 3, H335;	<= 100 %		

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

# In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Sigma-Aldrich- PHR1352 Page 3 of 14

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

# 6.4 Reference to other sections

For disposal see section 13.

Sigma-Aldrich- PHR1352 Page 4 of 14

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene** measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

# **Storage conditions**

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Store at Room Temperature.

# Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Ingredients with workplace control parameters**

**Derived No Effect Level (DNEL)** 

Application Area	Routes of exposure	Health effect	Value
Workers	Skin contact	Long-term systemic effects	4,8mg/kg BW/d
Workers	Inhalation	Long-term systemic effects	14,4 mg/m3

**Predicted No Effect Concentration (PNEC)** 

Compartment	Value	
Water	5 mg/l	
Sea water	0,025 mg/kg	
Fresh water	0,25 mg/l	
Onsite sewage treatment plant	10 mg/l	
Soil	0,0701 mg/kg	
Sea sediment	0,109 mg/kg	
Fresh water sediment	1,09 mg/kg	

Sigma-Aldrich-PHR1352 Page 5 of 14

#### 8.2 Exposure controls

# Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,7 mm Break through time: 480 min

Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: Latex gloves

Minimum layer thickness: 0,6 mm

Break through time: 60 min

Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

# **Body Protection**

protective clothing

# **Respiratory protection**

Recommended Filter type: Filter A-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Physical state clear, liquidb) Color colorlessc) Odor amine-like

d) Melting Melting point: -24,2 °C at 1.013 hPa - OECD Test Guideline 102

Sigma-Aldrich- PHR1352 Page 6 of 14

point/freezing point

e) Initial boiling point 202 °C at and boiling range

202 °C at 1.013,25 hPa

f) Flammability (solid, No data available

gas)

g) Upper/lower flammability or explosive limits

Upper explosion limit: 9,5 %(V) Lower explosion limit: 1,3 %(V)

h) Flash point 91 °C - Pensky-Martens closed cup - ISO 2719

i) Autoignition 245 °C

temperature at 1.013 hPa - DIN 51794

j) Decomposition No data available temperature

k) pH 8,5 - 10,0 at 100 g/l at 20 °C

l) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: 1,661 mPa.s at 25 °C

m) Water solubility 1.000 g/l at 20 °C - soluble

n) Partition coefficient: log Pow: -0,46 at 25 °C - OECD Test Guideline 107 -

n-octanol/water Bioaccumulation is not expected.

o) Vapor pressure 0,32 hPa at 20 °C - OECD Test Guideline 104

p) Density 1,03 g/cm3 at 25 °C - OECD Test Guideline 109

Relative density No data available

q) Relative vapor No data available

density

r) Particle No data available

characteristics

s) Explosive properties No data available

t) Oxidizing properties none

#### 9.2 Other safety information

Conductivity 0,2 - 0,4 µS/cm

Surface tension 40,4 mN/m

Relative vapor 3,42 - (Air = 1.0)

density

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Sigma-Aldrich-PHR1352 Page 7 of 14

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

#### 10.3 Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with:

Oxidizing agents

Violent reactions possible with:

Strong acids

Strong bases

various plastics

# 10.4 Conditions to avoid

Strong heating.

#### 10.5 Incompatible materials

No data available

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - male and female - 4.150 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - > 5,1 mg/l - aerosol

(OECD Test Guideline 403)

LD50 Dermal - Rat - male and female - > 5.000 mg/kg

(OECD Test Guideline 402)

# Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. - 24 h (OECD Test Guideline 404)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation

(OECD Test Guideline 405)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

#### Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Sigma-Aldrich- PHR1352 Page 8 of 14

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: unscheduled DNA synthesis assay

Test system: rat hepatocytes Method: OECD Test Guideline 482

Result: negative

Test Type: In vivo micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Test Type: Chromosome aberration test

Species: Chinese hamster Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 475

Result: negative

Carcinogenicity

No data available

#### Reproductive toxicity

May damage the unborn child.

# Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory system

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

# 11.2 Additional Information

#### **Endocrine disrupting properties**

#### **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rabbit - male - Dermal - 20 d - NOAEL (No observed adverse effect level) -  $826\ mg/kg$  - LOAEL (Lowest observed adverse effect level) -  $1.653\ mg/kg$ 

Remarks: Subacute toxicity

Sigma-Aldrich-PHR1352 Page 9 of 14

Prolonged or repeated exposure may cause:, Vomiting, Diarrhea, Abdominal pain, Rats exposed to 1-methyl-2-pyrrolidinone at a concentration of 1 mg/L as an aerosol for 10 days showed depletion of hematopoietic cells in the bone marrow and atrophy of the lymphoid tissues of the thymus, spleen, and lymph nodes.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Bone marrow - Irregularities - Based on Human Evidence

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 500 mg/l

- 96 h

Remarks: (ECHA)

Toxicity to daphnia and other aquatic

EC50 - Daphnia magna (Water flea) - ca. 4.897 mg/l - 48 h

Remarks: (IUCLID) invertebrates

static test EC50 - Desmodesmus subspicatus (green algae) - 672,8 Toxicity to algae

> mg/l - 72 h(DIN 38412)

Toxicity to daphnia

semi-static test NOEC - Daphnia magna (Water flea) - 12,5 mg/l -

and other aquatic

invertebrates(Chronic (OECD Test Guideline 211)

toxicity)

#### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 73 % - Readily biodegradable.

(OECD Test Guideline 301C)

Biochemical Oxygen 1,100 mg/g Demand (BOD) Remarks: (Lit.)

Chemical Oxygen 1,600 mg/g Demand (COD) Remarks: (Lit.)

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

**Product:** 

Sigma-Aldrich- PHR1352 Page 10 of 14 Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

No data available

#### **SECTION 14: Transport information**

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

Further information : No data available

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

REACH - Candidate List of Substances of Very : N-methyl-2-pyrrolidone High Concern for Authorisation (Article 59).

Sigma-Aldrich- PHR1352 Page 11 of 14

REACH - Restrictions on the manufacture, : N-methyl-2-pyrrolidone placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

#### Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

# 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

#### **Full text of H-Statements**

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H360D	May damage the unborn child.



Sigma-Aldrich- PHR1352 Page 12 of 14

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich-PHR1352 Page 13 of 14

# CHEMIKART

Sigma-Aldrich-PHR1352 Page 14 of 14