

# **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

Version 8.0 Revision Date 13.06.2022 Print Date 03.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **Product identifiers**

Product name Triethylene Glycol

Triethylene Glycol

Product Number : PHR3826 Brand : Sigma-Aldrich

: 01-2119438366-35-XXXX REACH No.

CAS-No. : 112-27-6

# Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3

**Emergency telephone** 

# 1.4

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

#### 2.2 Label elements

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### **Substances**

Sigma-Aldrich- PHR3826 Page 1 of 9 Formula : C6H14O4

Molecular weight : 150,17 g/mol

CAS-No. : 112-27-6

EC-No. : 203-953-2

No components need to be disclosed according to the applicable regulations.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Sigma-Aldrich-PHR3826 Page 2 of 9

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed.

#### Storage stability

Recommended storage temperature 2 - 30 °C

#### Storage class

Storage class (TRGS 510): 10: Combustible liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Ingredients with workplace control parameters

### 8.2 Exposure controls

#### Personal protective equipment

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Sigma-Aldrich-PHR3826 Page 3 of 9

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

#### **Respiratory protection**

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic

compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Control of environmental exposure

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Physical state clear, viscous liquid

b) Color colorlessc) Odor odorless

d) Melting Melting point/range: -7 °C point/freezing point

e) Initial boiling point 286,5 °C at 1.013 hPa and boiling range

f) Flammability (solid, No data available gas)

g) Upper/lower Upper explosion limit: 9,2 %(V) flammability or explosive limits Upper explosion limit: 0,9 %(V)

h) Flash point 166 °C
i) Autoignition 347 °C

j) Decomposition > 200 °C - temperature

temperature

k) pH 6,5 - 7,5 at 100 g/l at 20 °C

I) Viscosity Viscosity, kinematic: No data available

Sigma-Aldrich-PHR3826 Page 4 of 9

Viscosity, dynamic: 47,8 mPa.s at 20 °C

m) Water solubility 1.000 g/l at 20 °C - completely miscible

n) Partition coefficient: log Pow: -1,98 at 25 °C - Bioaccumulation is not expected.,

n-octanol/water (Lit.)

o) Vapor pressure < 0,1 hPa at 24,7 °C

p) Density 1,13 g/cm3 at 15 °C

Relative density No data available

q) Relative vapor

density

No data available

r) Particle No data available

characteristics

s) Explosive properties During processing, dust may form explosive mixture in air.

t) Oxidizing properties none

# 9.2 Other safety information

Relative vapor density

5,18 - (Air = 1.0)

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

#### 10.3 Possibility of hazardous reactions

Exothermic reaction with:

**Bases** 

Strong acids

hydrogen peroxide

Oxidizing agents

Oxygen

Violent reactions possible with:

**Isocyanates** 

permanganates

Peroxides

halogen oxides

persulfates

#### 10.4 Conditions to avoid

Strong heating.

#### 10.5 Incompatible materials

Strong oxidizing agents

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

Sigma-Aldrich-PHR3826 Page 5 of 9

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - male and female - > 2.000 mg/kg

(ATC METHODE)

Inhalation: Respiratory disorder

Symptoms: slight mucosal irritations, Cough

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h

(Draize Test)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 24 h

(Draize Test) Eyes - Rabbit

Result: Mild eye irritation

#### Respiratory or skin sensitization

No data available

#### **Germ cell mutagenicity**

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Carcinogenicity
No data available

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

### 11.2 Additional Information

# **Endocrine disrupting properties**

#### Product:

Assessment The substance/mixture does not contain components considered to have endocrine

Sigma-Aldrich-PHR3826 Page 6 of 9

disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male - Oral - 13 Weeks - NOAEL (No observed adverse effect level) - 1.522 mg/kg

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

prolonged or repeated exposure can cause:, Nausea, Headache, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Possible symptoms:

After absorption:

Headache Nausea Vomiting

After absorption of large quantities:

Damage to:

Liver Kidney

However, when the product is handled appropriately, hazardous effects are unlikely to occur.

Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish static test LC50 - Lepomis macrochirus (Bluegill sunfish) - > 10.000

mg/l - 96 h Remarks: (ECHA)

Toxicity to daphnia

static test EC50 - Daphnia magna (Water flea) - > 10.000 mg/l - 48

and other aquatic

h

invertebrates

(DIN 38412)

Toxicity to bacteria

static test EC10 - activated sludge - > 1.995 mg/l - 30 min

Remarks: (ECHA)

#### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 25 - 92 % - Readily biodegradable.

(OECD Test Guideline 301C)

Sigma-Aldrich-PHR3826 Page 7 of 9

Theoretical oxygen 1.600 mg/g demand Remarks: (Lit.)

Ratio BOD/ThBOD 1,4 - 32 %

Remarks: (Lit.)

#### 12.3 Bioaccumulative potential

No bioaccumulation is to be expected (log Pow  $\leq$  4).

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **12.6** Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

#### **SECTION 14: Transport information**

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

#### 14.6 Special precautions for user

Sigma-Aldrich-PHR3826 Page 8 of 9

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich-PHR3826 Page 9 of 9