

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 9.0 Revision Date 03.09.2024 Print Date 02.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifiers

Product name : Trace Metals 1 in Seawater - Whole Volume

Product Number : QC3163

Brand : Sigma-Aldrich

REACH No. This product is a mixture. REACH Registration Number see

section 3.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Scientific research and development, Reagent for analysis

1.3

Emergency telephone

1.4

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin sensitization, (Category 1) H317: May cause an allergic skin reaction.

Carcinogenicity, (Category 1B) H350: May cause cancer.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

H317 May cause an allergic skin reaction.

H350 May cause cancer.

Sigma-Aldrich- QC3163 Page 1 of 17

Precautionary Statements	
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing mist or vapors.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
Supplemental Hazard Statements	none

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Component		Classification	Concentration
nitric acid			
CAS-No. EC-No. Index-No. Registration number	7697-37-2 231-714-2 007-004-00-1 01-2119487297-23- XXXX	Ox. Liq. 3; Met. Corr. 1; Acute Tox. 3; Skin Corr. 1A; Eye Dam. 1; H272, H290, H331, H314, H318 Concentration limits: >= 1 %: Met. Corr. 1, H290; >= 65 %: Ox. Liq. 3, H272; >= 20 %: Skin Corr. 1A, H314; 5 - < 20 %: Skin Corr. 1B, H314; >= 3 %: Eye Dam. 1, H318; 1 - < 3 %: Eye Irrit. 2, H319; 1 - < 5 %: Skin Irrit. 2, H315; Acute inhalation toxicity(vapor): 2,65 mg/l	>= 0,1 - < 1 %

Sigma-Aldrich- QC3163 Page 2 of 17

nickel(II) nitrate			
CAS-No. EC-No. Index-No.	13138-45-9 236-068-5 028-012-00-1 *	Ox. Sol. 2; Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1; Muta. 2; Carc. 1B; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H272, H302, H332, H315, H318, H334, H317, H341, H350i, H360D, H372, H400, H410 Concentration limits: >= 1 %: STOT RE 1, H372; 0,1 - < 1 %: STOT RE 2, H373; >= 20 %: Skin Irrit. 2, H315; >= 0,01 %: Skin Sens. 1, H317; M-Factor - Aquatic Acute: 1 - Aquatic Chronic: 1	>= 0,01 - < 0,025 %
	ncluded in the Candidate Li Regulation (EC) No. 1907/	st of Substances of Very High 2006 (REACH)	Concern
CAS-No. EC-No. Index-No.	10325-94-7 233-710-6 048-001-00-5	Acute Tox. 3; Acute Tox. 2; Acute Tox. 4; Muta. 1B; Carc. 1B; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H301, H330, H312, H340, H350, H360FD, H372, H400, H410 Concentration limits: >= 0,01 %: Carc. 1B, H350; >= 7 %: STOT RE 1, H372; 0,1 - < 7 %: STOT RE 2, H373; M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 1	>= 0,01 - < 0,025 %
	mate Included in the Cand Regulation (EC) No. 1907/	idate List of Substances of Ver 2006 (REACH)	ry High Concern
CAS-No. EC-No. Index-No. Registration number	7789-09-5 232-143-1 024-003-00-1 01-2119661563-36- XXXX	Ox. Sol. 2; Acute Tox. 3; Acute Tox. 2; Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1; Muta. 1B; Carc. 1B; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H272, H301, H330, H312, H314, H318, H334, H317, H340, H350, H360, H372, H400, H410	>= 0,0025 - < 0,025 %

Sigma-Aldrich- QC3163 Page 3 of 17

	Concentration limits: >= 5 %: STOT SE 3, H335; >= 0,2 %: Resp. Sens. 1, H334; >= 0,2 %: Skin Sens. 1, H317; M-Factor - Aquatic Acute: 10	
--	--	--

^{*}A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, or the annual tonnage does not require a registration.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Sigma-Aldrich- QC3163 Page 4 of 17

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Hydrogen chloride gas

Sodium oxides

Mercury/mercury oxides.

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma-Aldrich- QC3163 Page 5 of 17

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

required

Body Protection

protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Physical state	liquid
b)	Color	No data available
c)	Odor	No data available
d)	Melting point/freezing point	No data available
e)	Initial boiling point and boiling range	No data available
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	No data available

Sigma-Aldrich- QC3163 Page 6 of 17

Not applicable Autoignition

temperature

No data available Decomposition j)

temperature

No data available k) рΗ

Viscosity, kinematic: No data available I) Viscosity

Viscosity, dynamic: No data available

m) Water solubility at 20 °C soluble

n) Partition coefficient: No data available

n-octanol/water

No data available o) Vapor pressure p) Density No data available

Relative density No data available No data available

q) Relative vapor

density

r) Particle

No data available

characteristics

s) Explosive properties Not classified as explosive.

Oxidizing properties

Other safety information 9.2

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Violent reactions possible with:

The generally known reaction partners of water.

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

Sigma-Aldrich- QC3163 Page 7 of 17

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available

Acute toxicity estimate Inhalation - 4 h - > 20 mg/l - vapor(Calculation method)

Dermal: No data available **Skin corrosion/irritation**

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

Mixture may cause an allergic skin reaction.

Germ cell mutagenicity

No data available

Carcinogenicity

Possible carcinogen.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Components

nitric acid

Acute toxicity

Oral: No data available

Sigma-Aldrich- QC3163 Page 8 of 17

Acute toxicity estimate Inhalation - 2,65 mg/l - vapor

(Acute toxicity estimate according to Regulation (EC) No. 1272/2008)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes severe burns.

Remarks: (IUCLID)

Remarks: Causes poorly healing wounds.

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes burns. Remarks: (IUCLID)

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Carcinogenicity

No data available

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

nickel(II) nitrate

Acute toxicity

LD50 Oral - Rat - male - 325 mg/kg

(OECD Test Guideline 401)

Acute toxicity estimate Oral - 325 mg/kg

(ATE value derived from LD50/LC50 value)

LC50 Inhalation - Rat - male and female - 4 h - 1,3 - 4,5 mg/l - dust/mist

(OECD Test Guideline 403)

Acute toxicity estimate Inhalation - 1,5 mg/l - dust/mist

(ATE value derived from LD50/LC50 value)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

Sigma-Aldrich- QC3163 Page 9 of 17

(OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: positive

May cause an allergic skin reaction.

(Maximization Test)

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available

Cadmium nitrate

Acute toxicity

Acute toxicity estimate Oral - Not tested on animals - 100,1 mg/kg

(Expert judgment)

Acute toxicity estimate Inhalation - Not tested on animals - 0,051 mg/l - dust/mist (Expert judgment)

Acute toxicity estimate Dermal - Not tested on animals - 1.100,1 mg/kg (Expert judgment)

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

May cause genetic defects.

In vivo tests showed mutagenic effects

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Cadmium chloride

Test Type: comet assay

Test system: mammalian cells

Result: positive

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: cadmium sulphate

Sigma-Aldrich- QC3163 Page 10 of 17

Test Type: In vitro mammalian cell gene mutation test

Test system: mammalian cells

Result: positive

Remarks: (in analogy to similar products)

Carcinogenicity

Carcinogenicity - May cause cancer.

Presumed to have carcinogenic potential for humans

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification. Chronic exposure to cadmium may cause lung and prostate cancer. Presumed to have carcinogenic potential for humans

Reproductive toxicity

May damage the unborn child.

May damage fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Oral - Causes damage to organs through prolonged or repeated exposure.

- Kidney, Bone

Aspiration hazard

No data available

Ammonium dichromate

Acute toxicity

LD50 Oral - Rat - 53 mg/kg

Acute toxicity estimate Oral - 53 mg/kg

(ATE value derived from LD50/LC50 value)

LC50 Inhalation - Rat - 4 h - 0,2 mg/l - dust/mist

Acute toxicity estimate Inhalation - 0,2 mg/l - dust/mist

(ATE value derived from LD50/LC50 value)

LD50 Dermal - Rabbit - 1.860 mg/kg

Acute toxicity estimate Dermal - 1.860 mg/kg

(ATE value derived from LD50/LC50 value)

Skin corrosion/irritation

Remarks: Causes skin burns.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Severe eye irritation

(Draize Test)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

Respiratory or skin sensitization

May cause allergic respiratory and skin reactions Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Germ cell mutagenicity

May alter genetic material. In vivo tests showed mutagenic effects

Carcinogenicity

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification. Possible human carcinogen

Reproductive toxicity

May cause congenital malformation in the fetus. Presumed human reproductive toxicant

May cause reproductive disorders.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure. Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

Components

nitric acid

No data available

nickel(II) nitrate

Toxicity to bacteria

Toxicity to flow-through test NOEC - Pimephales promelas (fathead

fish(Chronic toxicity) minnow) - 0,057 mg/l - 32 d

Remarks: (ECHA)

Cadmium nitrate

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 0,0132 mg/l -

96 h

Remarks: (ECOTOX Database)

(referred to the cation)

flow-through test LC50 - Ictalurus punctatus - 4,48 mg/l - 96 h

Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates

LC50 - Daphnia magna (Water flea) - 0,023 mg/l - 48 h

Remarks: (referred to the cation)

(ECOTOX Database)

Toxicity to fish(Chronic toxicity)

flow-through test NOEC - Pimephales promelas (fathead

minnow) - 0,014 mg/l - 32 d

Remarks: (referred to the cation)

(ECOTOX Database)

Ammonium dichromate

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

Sigma-Aldrich- QC3163 Page 13 of 17

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Mercury(II) nitrate

: Cadmium nitrate

Cobalt(II) nitrate

: nickel(II) nitrate

: Lead(II) nitrate Cadmium nitrate Ammonium dichromate Arsenic trioxide

This product contains a substance listed on Annex XIV of the REACH Regulation (EC) Nr. 1907/2006.

Listed substance / Sunset Date : Ammonium dichromate /

21.09.2017

Arsenic trioxide / 21.05.2015

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

Sigma-Aldrich- QC3163 Page 14 of 17

SECTION 16: Other information

Full text of H-Statements

H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H350i	May cause cancer by inhalation.
H360	May damage fertility or the unborn child.
H360D	May damage the unborn child.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Relevant changes since previous version

2. Hazards identification

Sigma-Aldrich- QC3163 Page 15 of 17

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture

Classification procedure:

Skin Sens.1 H317 Calculation method Carc.1B H350 Calculation method

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- QC3163 Page 16 of 17

CHEMIKART

Sigma-Aldrich- QC3163 Page 17 of 17