

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.11 Revision Date 18.10.2024 Print Date 04.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifiers**

> Product name : Luciferase, from Photinus pyralis

Product Number : SRE0045 Brand Sigma

This product is a mixture. REACH Registration Number see REACH No.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

Uses advised against For R&D use only. Not for pharmaceutical, household or other

uses.

1.3

1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

SECTION 2: Hazards identification

Classification of the substance or mixture

Serious eye damage, (Category H318: Causes serious eye damage.

1)

H334: May cause allergy or asthma Respiratory sensitization, (Category 1)

symptoms or breathing difficulties if

inhaled.

2.2 **Label elements**

Labelling according Regulation (EC) No 1272/2008

Pictogram

Page 1 of 15 Sigma- SRE0045

Signal Word Danger

Hazard Statements

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

Precautionary Statements

P261 Avoid breathing dust.

P280 Wear eye protection/ face protection.

P284 Wear respiratory protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P501 Dispose of contents/ container to an approved waste disposal

plant.

Supplemental Hazard

Statements

none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Component		Classification	Concentration	
Luciferase (firefly luciferin)				
CAS-No. EC-No.	61970-00-1 263-359-4	Resp. Sens. 1; H334	>= 20 - < 30 %	
	*			
Edetate disodium dihydrate				
CAS-No.	6381-92-6	Acute Tox. 4; STOT RE 2;	>= 1 - < 10	
EC-No.	205-358-3	H332, H373	%	
Registration				
number	01-2119486775-20-			
	XXXX			
(R*,R*)-1,4-Dimercapto-2,3-butanediol				
CAS-No.	3483-12-3	Acute Tox. 4; Skin Irrit. 2;	>= 3 - < 10	
EC-No.	222-468-7	Eye Dam. 1; H302, H315,	%	

Sigma- SRE0045 Page 2 of 15

	H318	
*		

^{*}A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, or the annual tonnage does not require a registration.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Sigma- SRE0045 Page 3 of 15

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Hydrogen chloride gas

Sodium oxides

Magnesium oxide

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Hydrogen chloride gas

Sodium oxides

Magnesium oxide

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep locked up or in an area accessible only to qualified or authorized persons.

Sigma- SRE0045 Page 4 of 15

Storage stabilityRecommended storage temperature

-20 °C

Storage class

Storage class (TRGS 510): 11: Combustible Solids

7.3 **Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 **Exposure controls**

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

Page 5 of 15 Sigma- SRE0045

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

solid Physical state b) Color No data available No data available

c) Odor d) Melting No data available

point/freezing point

Initial boiling point No data available and boiling range

Flammability (solid, No data available gas)

g) Upper/lower No data available flammability or explosive limits

h) Flash point No data available No data available Autoignition temperature

No data available j) Decomposition temperature

No data available k) / pH

Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

m) Water solubility No data available n) Partition coefficient: No data available

n-octanol/water

o) Vapor pressure No data available No data available p) Density Relative density No data available No data available

q) Relative vapor

density

No data available r) Particle

characteristics

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other safety information

No data available

Page 6 of 15 Sigma- SRE0045

SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Violent reactions possible with:

10.4 Conditions to avoid

Light.

no information available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available

Acute toxicity estimate Inhalation - 4 h - > 5 mg/l - dust/mist(Calculation method)

Symptoms: Possible symptoms:, mucosal irritations

Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Respiratory or skin sensitization

Mixture may cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Sigma- SRE0045 Page 7 of 15

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

Luciferase (firefly luciferin)

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Sigma- SRE0045 Page 8 of 15

Edetate disodium dihydrate

Acute toxicity

LD50 Oral - Rat - male and female - 2.800 mg/kg

(OECD Test Guideline 401)

Remarks: The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid disodium salt

Acute toxicity estimate Inhalation - 1,6 mg/l - dust/mist

(Expert judgment)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation (OECD Test Guideline 404)

Remarks: (ECHA)

The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic

acid disodium salt

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

Remarks: (ECHA)

The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic

acid disodium salt

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Remarks: (ECHA)

The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic

acid disodium salt

Germ cell mutagenicity

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Result: negative Remarks: (ECHA)

The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic

acid trisodium salt

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative Remarks: (ECHA)

The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic

acid disodium saltThe value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid trisodium salt

Test Type: Ames test Result: negative Remarks: (ECHA)

The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic

acid trisodium salt

Sigma- SRE0045 Page 9 of 15

Method: OECD Test Guideline 474

Species: Mouse Remarks: (ECHA)

The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic

acid disodium salt

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure. - Respiratory Tract

Aspiration hazard

No data available

(R*,R*)-1,4-Dimercapto-2,3-butanediol

Acute toxicity

LD50 Oral - Rat - female - 300 - 2.000 mg/kg

(OECD Test Guideline 423) Inhalation: No data available Dermal: No data available

Skin corrosion/irritation

Skin - human skin

Result: Skin irritation - 1 h (OECD Test Guideline 439)

Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Ames test

Test system: S. typhimurium

Result: negative **Carcinogenicity**

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Sigma- SRE0045 Page 10 of 15

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

Components

Luciferase (firefly luciferin)

No data available

Edetate disodium dihydrate

Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) -

> 100 mg/l - 96 h

(OECD Test Guideline 203)

Remarks: (ECHA)

The value is given in analogy to the following substances:

Sodium feredetate

Toxicity to daphnia and other aquatic

invertebrates

static test EC50 - Daphnia magna (Water flea) - 140 mg/l - 48

11

(DIN 38412) Remarks: (ECHA)

The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid disodium salt

NOEC - Daphnia magna (Water flea) - 25 mg/l - 21 d

Remarks: (ECHA)

The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid disodium salt

Sigma- SRE0045 Page 11 of 15

Toxicity to algae static test - Pseudokirchneriella subcapitata (green algae) - >

60 mg/l - 72 h

(OECD Test Guideline 201)

Remarks: (ECHA)

The value is given in analogy to the following substances:

Sodium feredetate

Toxicity to bacteria NOEC - activated sludge - > 640 mg/l - 3 h

(OECD Test Guideline 209)

Remarks: (ECHA)

The value is given in analogy to the following substances:

Sodium feredetate

(R*,R*)-1,4-Dimercapto-2,3-butanediol

Toxicity to daphnia and other aquatic

static test EC50 - Daphnia magna (Water flea) - 34,8 mg/l - 48

h

invertebrates

(OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata - 24,3 mg/l

- 72 h

(OECD Test Guideline 201)

CHEMIKART

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

Sigma- SRE0045 Page 12 of 15

14.6 Special precautions for user

No data available

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure if
	inhaled.

Sigma- SRE0045 Page 13 of 15

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture

Classification procedure:

Eye Dam.1 H318 Calculation method Resp. Sens.1 H334 Calculation method

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma- SRE0045 Page 14 of 15

CHEMIKART

Sigma- SRE0045 Page 15 of 15