

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.9 Revision Date 27.11.2024 Print Date 04.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Trypsin-Agarose

Product Number : T4019 Brand : Sigma

Index-No. : 603-057-00-5

REACH No. : 01-2119492630-38-XXXX

CAS-No. : 100-51-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

Uses advised against : For R&D use only. Not for pharmaceutical, household or other

uses.

1.3

CHEMIKART

### 1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Skin sensitization, (Category 1) H317: May cause an allergic skin reaction.

## 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Warning

Hazard Statements

H317 May cause an allergic skin reaction.

Sigma- T4019 Page 1 of 12

Precautionary Statements

P261 Avoid breathing mist or vapors.

P272 Contaminated work clothing should not be allowed out of the

workplace.

P280 Wear protective gloves.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse.

Supplemental Hazard

Statements

none

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Formula : C7H8O

Component		Classification	Concentration
Trypsin Agarose			
	*	Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1; STOT SE 3; H315, H319, H317, H335	>= 1 - < 10 %
Benzyl alcohol			
CAS-No. EC-No. Index-No. Registration number	100-51-6 202-859-9 603-057-00-5 01-2119492630-38- XXXX	Acute Tox. 4; Eye Irrit. 2; H302, H332, H319	>= 1 - < 10 %

<sup>\*</sup>A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, or the annual tonnage does not require a registration.

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma- T4019 Page 2 of 12

#### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

## Suitable extinguishing media

Foam Carbon dioxide (CO2) Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Carbon oxides

Mixture with combustible ingredients.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

Sigma- T4019 Page 3 of 12

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed.

Storage stabilityRecommended storage temperature

2 - 8 °C

Storage class

Storage class (TRGS 510): 10: Combustible liquids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Ingredients with workplace control parameters

### 8.2 Exposure controls

Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

### **Skin protection**

required

#### **Body Protection**

protective clothing

## **Respiratory protection**

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Sigma- T4019 Page 4 of 12

### Control of environmental exposure

Do not let product enter drains.

### **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

a) Physical state suspension

b) Color No data available c) Odor No data available

d) Melting No data available point/freezing point

e) Initial boiling point No data available and boiling range

Flammability (solid, No data available f) gas)

Upper/lower No data available flammability or explosive limits

h) Flash point No data available No data available Autoignition temperature

No data available Decomposition j) temperature

No data available k) рΗ

I) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available

m) Water solubility No data available n) Partition coefficient: No data available n-octanol/water

o) Vapor pressure No data available p) Density No data available

Relative density No data available q) Relative vapor No data available density

Particle No data available characteristics

Explosive properties Not classified as explosive.

Oxidizing properties none

#### 9.2 Other safety information

No data available

Page 5 of 12 Sigma- T4019

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

no information available

### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### **Mixture**

### **Acute toxicity**

Acute toxicity estimate Oral - > 2.000 mg/kg

(Calculation method)

LD50 Oral - Rat - male - 1.620 mg/kg (Benzyl alcohol)

Remarks: (ECHA)

Acute toxicity estimate Inhalation - 4 h - > 20 mg/l - vapor(Calculation method)

LC50 Inhalation - 4 h - > 4,178 mg/l - dust/mist

(Benzyl alcohol)

(OECD Test Guideline 403) Dermal: No data available

### Skin corrosion/irritation

Skin - Rabbit (Benzyl alcohol) Result: No skin irritation - 4 h (OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eyes - Rabbit (Benzyl alcohol)

Result: irritating

(OECD Test Guideline 405)

### Respiratory or skin sensitization

Mixture may cause an allergic skin reaction.

Maximization Test (Benzyl alcohol)

Result: negative

(OECD Test Guideline 406)

#### Germ cell mutagenicity

(Benzyl alcohol)

Test Type: Micronucleus test

Species: Mouse

Cell type: Red blood cells (erythrocytes)

Application Route: Intraperitoneal

Sigma- T4019 Page 6 of 12

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

No data available

### **Reproductive toxicity**

No data available

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

#### 11.2 Additional Information

### **Endocrine disrupting properties**

#### **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Central nervous system depression (Benzyl alcohol)

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. (Benzyl alcohol)

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

### **Components**

## **Trypsin Agarose**

### **Acute toxicity**

Oral: No data available
Inhalation: No data available
Dermal: No data available

Skin corrosion/irritation
Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

## Carcinogenicity

No data available

Sigma- T4019 Page 7 of 12

### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

## Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

# Benzyl alcohol

### **Acute toxicity**

LD50 Oral - Rat - male - 1.620 mg/kg

Remarks: (ECHA)

LC50 Inhalation - 4 h - > 4,178 mg/l - dust/mist

(OECD Test Guideline 403) Dermal: No data available

### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eyes - Rabbit Result: irritating

(OECD Test Guideline 405)

## Respiratory or skin sensitization

Maximization Test

Result: negative

(OECD Test Guideline 406)

### Germ cell mutagenicity

Method: OECD Test Guideline 474

Species: Mouse - male - Red blood cells (erythrocytes)

Result: negative

Carcinogenicity

No data available

### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

Sigma- T4019 Page 8 of 12

### **SECTION 12: Ecological information**

### 12.1 Toxicity

#### **Mixture**

Toxicity to fish static test LC50 - Pimephales promelas (fathead minnow) - 460 mg/l

- 96 h (Benzyl alcohol)

(US-EPA)

Toxicity to daphnia and other aquatic

Immobilization EC50 - Daphnia magna (Water flea) - 230 mg/l - 48

h (Benzyl alcohol)

invertebrates

(OECD Test Guideline 202)

static test ErC50 - Pseudokirchneriella subcapitata (green algae) -Toxicity to algae

700 mg/l - 72 h (Benzyl alcohol)

(OECD Test Guideline 201)

Toxicity to daphnia and other aquatic

semi-static test NOEC - Daphnia magna (Water flea) - 51 mg/l - 21

d (Benzyl alcohol)

invertebrates(Chronic (OECD Test Guideline 211)

toxicity)

### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 14 d (Benzyl alcohol)

Result: 92 - 96 % - Readily biodegradable.

(OECD Test Guideline 301C)

Biochemical Oxygen

1.550 mg/g (Benzyl alcohol)

Demand (BOD)

Remarks: (Lit.)

Theoretical oxygen

demand

2.515 mg/g (Benzyl alcohol)

Remarks: (IUCLID)

Ratio BOD/ThBOD

62 % (Benzyl alcohol)

Remarks: (Lit.)

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available (Benzyl alcohol)

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

### **Product:**

Assessment : The substance/mixture does not contain components

> considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

### Components

### **Trypsin Agarose**

No data available

Sigma- T4019 Page 9 of 12 Benzyl alcohol

Toxicity to fish static test LC50 - Pimephales promelas (fathead minnow) - 460

> mg/l - 96 h (US-EPA)

Toxicity to daphnia

Immobilization EC50 - Daphnia magna (Water flea) - 230 mg/l

and other aquatic - 48 h

invertebrates

(OECD Test Guideline 202)

static test ErC50 - Pseudokirchneriella subcapitata (green Toxicity to algae

> algae) - 700 mg/l - 72 h (OECD Test Guideline 201)

semi-static test NOEC - Daphnia magna (Water flea) - 51 mg/l Toxicity to daphnia

and other aquatic - 21 d

invertebrates(Chronic (OECD Test Guideline 211)

toxicity)

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

No data available

### **SECTION 14: Transport information**

14.1 UN number

ADR/RID: -IATA: -IMDG: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: -IMDG: -IATA: -

14.4 Packaging group

ADR/RID: -IMDG: -IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

**Further information** 

Not classified as dangerous in the meaning of transport regulations.

### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Sigma- T4019 Page 10 of 12 This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

### Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sigma- T4019 Page 11 of 12

Classification of the mixture

Classification procedure:

Skin Sens.1 H317

Calculation method

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



Sigma- T4019 Page 12 of 12