

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.8 Revision Date 28.07.2024 Print Date 04.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Triton™ X-305 solution

Product Number : X305

Brand : Sigma-Aldrich

UFI : 37V3-N6MA-1995-XM7G

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Scientific research and development

Uses advised against : This product is not intended for consumer use.

1.3

CHEMIKART

1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Acute toxicity, (Category 4) H302: Harmful if swallowed.

Skin irritation, (Category 2) H315: Causes skin irritation.

Serious eye damage, (Category H318: Causes serious eye damage.

1)

Sigma-Aldrich- X305 Page 1 of 12

Short-term (acute) aquatic hazard, (Category 1)

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic

hazard, (Category 1)

H410: Very toxic to aquatic life with long

lasting effects.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

Harmful if swallowed. H302 Causes skin irritation. H315 H318 Causes serious eye damage.

Very toxic to aquatic life with long lasting effects. H410

Precautionary Statements

Wash skin thoroughly after handling. P264 P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel P301 + P312

P302 + P352 IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. P305 + P351 + P338

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard Statements

H318 Causes serious eye damage.

Precautionary Statements

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Sigma-Aldrich- X305 Page 2 of 12

Ecological information:

This substance/mixture contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Formula : $(C_2H_4O)_nC_{14}H_{22}O$

Component	Classification	Concentration		
Triton-X-100 Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)				
CAS-No. 9002-93-1 *	Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1; H302, H315, H318, H400, H410 M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 1			

^{*}A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, or the annual tonnage does not require a registration.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

No data available

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

No data available

Sigma-Aldrich- X305 Page 3 of 12

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Mixture with combustible ingredients.

5.3 Advice for firefighters

No data available

5.4 Further information

No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures For personal protection see section 8.

6.2 Environmental precautions

No data available

6.3 Methods and materials for containment and cleaning up

No data available

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

No data available

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Sigma-Aldrich- X305 Page 4 of 12

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Control of environmental exposure

Prevent product from entering drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state liquid, clear

colorless, to, light yellow b) Color

c) Odor No data available

6°C d) Melting

point/freezing point

> 200 °C

e) Initial boiling point and boiling range

Flammability (solid,

gas)

No data available

g) Upper/lower flammability or explosive limits No data available

h) Flash point

251 °C - closed cup

Autoignition i) temperature No data available

Decomposition j) temperature

No data available

6 - 9 k) рН

Viscosity Viscosity, kinematic: No data available I)

Sigma-Aldrich- X305 Page 5 of 12 Viscosity, dynamic: No data available

m) Water solubility soluble

n) Partition coefficient: No data available

n-octanol/water

o) Vapor pressure < 1,33 hPa at 20 °C

p) Density 1,0700 g/cm3

Relative density No data available

q) Relative vapor

density

No data available

r) Particle

No data available

characteristics

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

No data available

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong acids, Strong bases, Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available

Sigma-Aldrich- X305 Page 6 of 12

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

Triton-X-100

Acute toxicity

LD50 Oral - Rat - 1.900 - 5.000 mg/kg

Remarks: (External MSDS)

The value is given in analogy to the following substances: Octylphenol

polyethoxyethanol

Acute toxicity estimate Oral - 1.900 mg/kg (ATE value derived from LD50/LC50 value)

Inhalation: No data available

Sigma-Aldrich- X305 Page 7 of 12

LD50 Dermal - Rabbit - > 3.000 mg/kg

Remarks: (External MSDS)

The value is given in analogy to the following substances: Octylphenol

polyethoxyethanol

Skin corrosion/irritation

Skin - Rabbit

Result: irritating - 4 h (OECD Test Guideline 404)

Remarks: The value is given in analogy to the following substances: 4-(1,1,3,3-

tetramethylbutyl)phenol

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Risk of serious damage to eyes.

(Draize Test)

Remarks: Risk of corneal clouding.

Respiratory or skin sensitization

Sensitisation test: - Human

Result: negative

Remarks: (External MSDS)

The value is given in analogy to the following substances: Octylphenol

polyethoxyethanol

Germ cell mutagenicity

Test Type: Mutagenicity (mammal cell test):

Test system: Mouse lymphoma test

Result: negative Remarks: (Lit.)

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

No data available

Sigma-Aldrich- X305 Page 8 of 12

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : This substance/mixture contains components

> considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission

Delegated Regulation (EU) 2017/2100.

Components:

Triton-X-100:

: The substance is considered to have endocrine Assessment

disrupting properties according to REACH Article 57(f)

for the environment.

12.7 Other adverse effects

No data available

Components

Triton-X-100

semi-static test LC50 - Leuciscus idus (Golden orfe) - 0,26 mg/l Toxicity to fish

(OECD Test Guideline 203)

Remarks: The value is given in analogy to the following

substances: 4-(1,1,3,3-tetramethylbutyl)phenol

Toxicity to daphnia and other aquatic

static test EC50 - Daphnia magna (Water flea) - 0,011 mg/l -

48 h

invertebrates Remarks: (ECOTOX Database)

The value is given in analogy to the following substances: 4-

(1,1,3,3-tetramethylbutyl)phenol

Toxicity to algae static test EC50 - Pseudokirchneriella subcapitata (green algae)

> - 1,9 mg/l - 96 h Remarks: (ECHA)

The value is given in analogy to the following substances: 4-

(1,1,3,3-tetramethylbutyl)phenol

Toxicity to flow-through test - Danio rerio (zebra fish) - 0,012 mg/l

Sigma-Aldrich- X305 Page 9 of 12 fish(Chronic toxicity) (OECD Test Guideline 210)

Remarks: The value is given in analogy to the following

substances: 4-(1,1,3,3-tetramethylbutyl)phenol

Toxicity to daphnia and other aquatic

semi-static test NOEC - Daphnia magna (Water flea) - 0,03

mg/l - 21 d

invertebrates(Chronic (OECD Test Guideline 202)

toxicity)

Remarks: The value is given in analogy to the following

substances: 4-(1,1,3,3-tetramethylbutyl)phenol

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number

ADR/RID: 3082 IMDG: 3082 IATA: 3082

14.2 UN proper shipping name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (p-tertiary-

Octylphenoxy polyethyl alcohol)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (p-tertiary-IMDG:

Octylphenoxy polyethyl alcohol)

IATA: Environmentally hazardous substance, liquid, n.o.s. (p-tertiary-Octylphenoxy

polyethyl alcohol)

14.3 Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: yes

14.6 Special precautions for user

Tunnel restriction code : (-)

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids. Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

Sigma-Aldrich- X305 Page 10 of 12

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

REACH - Candidate List of Substances of Very : Triton-X-100

High Concern for Authorisation (Article 59).

This product contains a substance listed on Annex XIV of the REACH Regulation (EC) Nr. 1907/2006.

Listed substance / Sunset Date : Triton-X-100 / 04.01.2021

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

National legislation

Seveso III: Directive 2012/18/EU of the E1 ENVIRONMENTAL HAZARDS European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Sigma-Aldrich- X305 Page 11 of 12

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture		Classification procedure:
Acute Tox.4	H302	Calculation method
Skin Irrit.2	H315	Calculation method
Eye Dam.1	H318	Calculation method
Aquatic Acute1	H400	Calculation method
Aquatic Chronic1	H410	Calculation method

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- X305 Page 12 of 12