

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.0 Revision Date 05.03.2024 Print Date 03.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Trolamine impurity B

Product Number : Y0001183
Brand : Sigma-Aldrich
Index-No. : 603-071-00-1

REACH No. : 01-2119488930-28-XXXX

CAS-No. : 111-42-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3

CHEMIKART

1.4 Emergency telephone

Emergency Phone # : 000 800 1007 141 (CHEMTREC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Acute toxicity, (Category 4) H302: Harmful if swallowed.

Skin irritation, (Category 2) H315: Causes skin irritation.

Serious eye damage, (Category H318: Causes serious eye damage.

1)

Reproductive toxicity, (Category H361fd: Suspected of damaging fertility. Suspected of damaging the unborn child.

Sigma-Aldrich- Y0001183 Page 1 of 14

Specific target organ toxicity repeated exposure, (Category 2), Kidney, Liver, Blood H373: May cause damage to organs through prolonged or repeated exposure if swallowed.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.

H361fd Suspected of damaging fertility. Suspected of damaging the

unborn child.

H373 May cause damage to organs (Kidney, Liver, Blood) through

prolonged or repeated exposure if swallowed.

Precautionary Statements

P202 Do not handle until all safety precautions have been read and

understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard Statements

H318 Causes serious eye damage.

H361fd Suspected of damaging fertility. Suspected of damaging the

unborn child.

Precautionary Statements

P202 Do not handle until all safety precautions have been read and

understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Sigma-Aldrich- Y0001183 Page 2 of 14

Remove contact lenses, if present and easy to do. Continue

rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula : HN(CH2CH2OH)2

Molecular weight : 105,14 g/mol

CAS-No. : 111-42-2

EC-No. : 203-868-0

Index-No. : 603-071-00-1

Component		Classification	Concentration
Diethanolamine			
CAS-No. EC-No. Index-No.	111-42-2 203-868-0 603-071-00-1	Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Repr. 2; STOT RE 2; H302, H315, H318, H361fd, H373	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

Sigma-Aldrich- Y0001183 Page 3 of 14

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given. For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Not combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

Sigma-Aldrich- Y0001183 Page 4 of 14

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Storage stabilityRecommended storage temperature

2 - 8 °C

Storage class

Storage class (TRGS 510): 10: Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Derived No Effect Level (DNEL)

Delived No Ellect Level (DNLL)				
Application Area	Routes of	Health effect	Value	
	exposure			
Worker DNEL, longterm	inhalation	Systemic effects	1 mg/m3	
Worker DNEL, longterm	dermal	Systemic effects		
Consumer DNEL, longterm	inhalation	Systemic effects	0,25 mg/m3	
Consumer DNEL, longterm	dermal	Systemic effects		
Consumer DNEL, longterm	oral	Systemic effects		

Sigma-Aldrich- Y0001183 Page 5 of 14

Predicted No Effect Concentration (PNEC)

Compartment	Value	
Fresh water	0,0022 mg/l	
Sea water	0,0022 mg/l	
	, , , , , , , , , , , , , , , , , , , ,	
Aquatic intermittent release	0,022 mg/l	
Fresh water sediment	0,019 mg/kg	
Sea sediment	0,0019 mg/kg	
Soil	0,00108 mg/kg	
Sewage treatment plant	100 mg/l	

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Latex gloves Minimum layer thickness: 0,6 mm

Break through time: 480 min

Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 30 min

Material tested: KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter A-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

Sigma-Aldrich- Y0001183 Page 6 of 14

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state liquid

b) Color colorless, light yellow

c) Odor ammoniacal

d) Melting Melting point: 27 °C at 1.013 hPa

point/freezing point

e) Initial boiling point 217 °C at 200 hPa

and boiling range

f) Flammability (solid, gas)

No data available

g) Upper/lower flammability or explosive limits

Upper explosion limit: 10,6 %(V) Lower explosion limit: 1,6 %(V)

h) Flash point 138 °C - closed cup

i) Autoignition 355 °C

temperature at 1.013 hPa

j) Decomposition No da temperature

No data available

k) pH 11,0 - 12 at 105 g/l at 25 °C

I) Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: 390,9 mPa.s at 30 °C - OECD Test Guideline

114102,7 mPa.s at 50 °C - OECD Test Guideline 114

m) Water solubility 105 g/l at 20 °C - completely soluble

n) Partition coefficient: log Pow: -2,46 at 25 °C - OECD Test Guideline 107 -

n-octanol/water Bioaccumulation is not expected.

o) Vapor pressure 1 hPa at 108 °C - OECD Test Guideline 104

p) Density 1,097 g/cm3 at 20 °C

Relative density No data available q) Relative vapor No data available

density

r) Particle No data available characteristics

s) Explosive properties No data available

t) Oxidizing properties none

9.2 Other safety information

Dissociation constant 8,99 at 25 °C

Sigma-Aldrich- Y0001183 Page 7 of 14

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Exothermic reaction with:

anhydrides

Oxidizing agents

acids

Isocyanates

Halogenated compounds

Peroxides

phenols

acid halides

strong reducing agents

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines!

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

bronze, Copper, Copper alloys, brass, Zinc, zinc alloys, Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 1.600 mg/kg

(OECD Test Guideline 401)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and

gastrointestinal tract.

Acute toxicity estimate Oral - 1.600 mg/kg

(ATE value derived from LD50/LC50 value)

Symptoms: Possible damages:, Irritation symptoms in the respiratory tract.

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit Result: irritating (OECD Test Guideline 404)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Serious eye damage/eye irritation

Eves - Rabbit

Result: Causes serious eye damage.

(OECD Test Guideline 405)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: rat hepatocytes

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 479

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: In vivo micronucleus test

Species: Mouse

Application Route: Dermal

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity No data available

Reproductive toxicity

Suspected of damaging the unborn child.

Suspected of damaging fertility.

Specific target organ toxicity - single exposure

Sigma-Aldrich- Y0001183 Page 9 of 14 No data available

Specific target organ toxicity - repeated exposure

Ingestion - May cause damage to organs through prolonged or repeated exposure.

- Kidney, Liver, Blood

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - female - Oral - 91 Days - LOAEL (Lowest observed adverse effect level) - 14 mg/kg

Repeated dose toxicity - Rat - male and female - Dermal - 91 Days - LOAEL (Lowest observed adverse effect level) - 32 mg/kg

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects:

Irritation and corrosion

Cough Nausea

Headache

Dizziness

Risk of serious damage to eyes.

Possible damages:

Kidney

Liver

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Liver - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - 460 mg/l -

96 h

Remarks: (ECHA)

Toxicity to daphnia

and other aquatic invertebrates

static test EC50 - Ceriodaphnia dubia (water flea) - 30,1 mg/l - 48 h

Remarks: (ECHA)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) -

9,5 mg/l - 96 h

(US-EPA)

Toxicity to bacteria static test EC10 - activated sludge - > 1.000 mg/l - 30 min

(OECD Test Guideline 209)

Toxicity to daphnia and other aquatic

semi-static test EC10 - Daphnia magna (Water flea) - 1,05 mg/l - 21 d

invertebrates(Chronic Remarks: (ECHA)

toxicity)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 93 % - Readily biodegradable.

(OECD Test Guideline 301F)

Biochemical Oxygen

Demand (BOD)

885 mg/g

Remarks: (External MSDS)

Chemical Oxygen

1.352 mg/g

Demand (COD) Remarks: (External MSDS)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological Biological effects:

information

Sigma-Aldrich- Y0001183 Page 11 of 14

Harmful effect due to pH shift.

When discharged properly, no impairments in the function of adapted biological wastewater treatment plants are to be expected.

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

Sigma-Aldrich- Y0001183 Page 12 of 14

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Full text of H-Statements

H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure if

swallowed.

Relevant changes since previous version

2. Hazards identification



Sigma-Aldrich- Y0001183 Page 13 of 14

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- Y0001183 Page 14 of 14